

# **Plant Spatial Configuration Application Protocol**

## **Version 1.0 — Volume 2**

---

Steven W. Kline

Mark E. Palmer

U.S. Department of Commerce

Technology Administration

National Institute of Standards and Technology

Building and Fire Research Laboratory

Gaithersburg, MD 20899

William Burkett

Diane Craig

Jack A. Skeels

Product Data Integration Technology, Inc.

Long Beach, CA 90802

December 1995



**U.S. Department of Commerce**

Ronald H. Brown, *Secretary*

**Technology Administration**

Mary L. Good, *Under Secretary for Technology*

**National Institute of Standards and Technology**

Arati A. Prabhakar, *Director*



## PREFACE

Industry and government require comprehensive and reliable information exchange mechanisms to effectively integrate computer-aided (CAx) systems and evolving information technologies. Subcommittee Four (Industrial data and global manufacturing programming languages) of the International Organization for Standardization (ISO) Technical Committee 184 (Industrial automation systems and integration), ISO TC184/SC4, is preparing ISO 10303, a set of international standards titled *Industrial automation systems and integration - Product data representation and exchange*. The set of proposed standards is informally known as STEP (STandard for the Exchange of Product model data).

ISO 10303 will provide a neutral mechanism for describing product data throughout the life cycle of a product, independent of any particular CAx system. ISO 10303 is suitable for file exchange and for implementing, sharing, and archiving product databases. The development of ISO 10303 is based upon the use of information models, a framework for product data modelling, formal data specification languages, and an architecture that separates information requirements from implementation methods.

A fundamental concept of STEP is the definition of application protocols (APs) as the mechanism for specifying information requirements and for ensuring reliable communication. An **application protocol** is a Part of ISO 10303 that defines the context, scope, and information requirements for designated application(s) and specifies the resource constructs used to satisfy these requirements. The scope of an AP is defined by the type of product, the supported stages in the life cycle of the product, the required types of product data, the uses of the product data, and the disciplines that use the product data. Additionally, an AP enumerates the conformance requirements for conformance testing of implementations of the AP.

Part 227 of ISO 10303, *Plant Spatial Configuration*, specifies an AP for the exchange of spatial configuration information of process plants. This document constitutes the Committee Draft (CD) documentation for AP 227. Volume 1 of this document contains clauses covering the AP 227 scope, normative references, definitions and abbreviations, information requirements, application interpreted model, and conformance requirements. Volume 2 of this document contains the normative and informative annexes.

The *Plant Spatial Configuration Application Protocol* has been submitted for international review and balloting as an ISO CD document.

## **Contents**

	<b>Page</b>
<b>Volume 1</b>	
1 Scope .....	1
2 Normative references .....	3
3 Definitions and abbreviations .....	4
3.1 Terms defined in ISO 10303-1 .....	4
3.2 Terms defined in ISO 10303-31 .....	5
3.3 Other definitions .....	5
3.3.1 actual .....	5
3.3.2 basic engineering data .....	5
3.3.3 branch .....	5
3.3.4 catalogue .....	5
3.3.5 component .....	5
3.3.6 connection .....	6
3.3.7 connector .....	6
3.3.8 equipment .....	6
3.3.9 functional .....	6
3.3.10 functional characteristics .....	6
3.3.11 functional requirements .....	6
3.3.12 instrument .....	6
3.3.13 insulation .....	6
3.3.14 line .....	7
3.3.15 line segment .....	7
3.3.16 line segment termination .....	7
3.3.17 line segment termination connection .....	7
3.3.18 material .....	7
3.3.19 physical .....	7
3.3.20 pipe .....	7
3.3.21 pipe fitting .....	7
3.3.22 piping class .....	7
3.3.23 piping specification .....	7
3.3.24 piping system .....	8
3.3.25 planned .....	8
3.3.26 plant .....	8
3.3.27 plant item .....	8
3.3.28 plant system .....	8
3.3.29 representation .....	8
3.3.30 required .....	8
3.3.31 site .....	8
3.3.32 spatial arrangement .....	8

3.3.33 stream .....	8
3.4 Abbreviations .....	9
4 Information requirements .....	9
4.1 Units of functionality .....	10
4.2 Application objects .....	25
4.3 Application assertions .....	121
5 Application interpreted model .....	140
5.1 Mapping table .....	140
5.2 AIM EXPRESS short listing .....	456
6 Conformance requirements .....	538

## **Volume 2**

### **Annexes**

A AIM EXPRESS expanded listing .....	555
B AIM short names .....	649
C Implementation method specific requirements .....	663
D Protocol Information Conformance Statement (PICS) proforma .....	664
E Information object registration .....	666
F Application activity model .....	667
G Application reference model .....	697
H AIM EXPRESS-G .....	723
J AIM EXPRESS listing .....	756
K Application reference model wallpaper version .....	757
L Bibliography .....	777
Index .....	778

## Figures

Figure 1 - Data planning model . . . . .	xviii
Figure F.1 - IDEF0 basic notation . . . . .	684
Figure F.2 - A-0: Process Plants in IDEF0 . . . . .	685
Figure F.3 - A0: Plan, Construct, and Operate Plant in IDEF0 . . . . .	686
Figure F.4 - A1: Manage Project in IDEF0 . . . . .	687
Figure F.5 - A2: Plan Plant Project in IDEF0 . . . . .	688
Figure F.6 - A3: Design Plant in IDEF0 . . . . .	689
Figure F.7 - A31: Produce Conceptual Process Design in IDEF0 . . . . .	690
Figure F.8 - A32: Produce Conceptual Plant Design in IDEF0 . . . . .	691
Figure F.9 - A33: Produce Final Process Design in IDEF0 . . . . .	692
Figure F.10 - A34: Produce Final Plant Design in IDEF0 . . . . .	693
Figure F.11 - A4: Procure Component in IDEF0 . . . . .	694
Figure F.12 - A5: Construct Plant in IDEF0 . . . . .	695
Figure F.13 - A6: Manage, Operate, Maintain, and Dispose of Plant in IDEF0 . . . . .	696
Figure G.1 - ARM diagram 1 of 25 in IDEF1X . . . . .	698
Figure G.2 - ARM diagram 2 of 25 in IDEF1X . . . . .	699
Figure G.3 - ARM diagram 3 of 25 in IDEF1X . . . . .	700
Figure G.4 - ARM diagram 4 of 25 in IDEF1X . . . . .	701
Figure G.5 - ARM diagram 5 of 25 in IDEF1X . . . . .	702
Figure G.6 - ARM diagram 6 of 25 in IDEF1X . . . . .	703
Figure G.7 - ARM diagram 7 of 25 in IDEF1X . . . . .	704
Figure G.8 - ARM diagram 8 of 25 in IDEF1X . . . . .	705
Figure G.9 - ARM diagram 9 of 25 in IDEF1X . . . . .	706
Figure G.10 - ARM diagram 10 of 25 in IDEF1X . . . . .	707
Figure G.11 - ARM diagram 11 of 25 in IDEF1X . . . . .	708
Figure G.12 - ARM diagram 12 of 25 in IDEF1X . . . . .	709
Figure G.13 - ARM diagram 13 of 25 in IDEF1X . . . . .	710
Figure G.14 - ARM diagram 14 of 25 in IDEF1X . . . . .	711
Figure G.15 - ARM diagram 15 of 25 in IDEF1X . . . . .	712
Figure G.16 - ARM diagram 16 of 25 in IDEF1X . . . . .	713
Figure G.17 - ARM diagram 17 of 25 in IDEF1X . . . . .	714
Figure G.18 - ARM diagram 18 of 25 in IDEF1X . . . . .	715
Figure G.19 - ARM diagram 19 of 25 in IDEF1X . . . . .	716
Figure G.20 - ARM diagram 20 of 25 in IDEF1X . . . . .	717
Figure G.21 - ARM diagram 21 of 25 in IDEF1X . . . . .	718
Figure G.22 - ARM diagram 22 of 25 in IDEF1X . . . . .	719
Figure G.23 - ARM diagram 23 of 25 in IDEF1X . . . . .	720
Figure G.24 - ARM diagram 24 of 25 in IDEF1X . . . . .	721
Figure G.25 - ARM diagram 25 of 25 in IDEF1X . . . . .	722
Figure H.1 - AIM EXPRESS-G diagram 1 of 32 . . . . .	724
Figure H.2 - AIM EXPRESS-G diagram 2 of 32 . . . . .	725
Figure H.3 - AIM EXPRESS-G diagram 3 of 32 . . . . .	726
Figure H.4 - AIM EXPRESS-G diagram 4 of 32 . . . . .	727

Figure H.5 - AIM EXPRESS-G diagram 5 of 32 .....	728
Figure H.6 - AIM EXPRESS-G diagram 6 of 32 .....	729
Figure H.7 - AIM EXPRESS-G diagram 7 of 32 .....	730
Figure H.8 - AIM EXPRESS-G diagram 8 of 32 .....	731
Figure H.9 - AIM EXPRESS-G diagram 9 of 32 .....	732
Figure H.10 - AIM EXPRESS-G diagram 10 of 32 .....	733
Figure H.11 - AIM EXPRESS-G diagram 11 of 32 .....	734
Figure H.12 - AIM EXPRESS-G diagram 12 of 32 .....	735
Figure H.13 - AIM EXPRESS-G diagram 13 of 32 .....	736
Figure H.14 - AIM EXPRESS-G diagram 14 of 32 .....	737
Figure H.15 - AIM EXPRESS-G diagram 15 of 32 .....	738
Figure H.16 - AIM EXPRESS-G diagram 16 of 32 .....	739
Figure H.17 - AIM EXPRESS-G diagram 17 of 32 .....	740
Figure H.18 - AIM EXPRESS-G diagram 18 of 32 .....	741
Figure H.19 - AIM EXPRESS-G diagram 19 of 32 .....	742
Figure H.20 - AIM EXPRESS-G diagram 20 of 32 .....	743
Figure H.21 - AIM EXPRESS-G diagram 21 of 32 .....	744
Figure H.22 - AIM EXPRESS-G diagram 22 of 32 .....	745
Figure H.23 - AIM EXPRESS-G diagram 23 of 32 .....	746
Figure H.24 - AIM EXPRESS-G diagram 24 of 32 .....	747
Figure H.25 - AIM EXPRESS-G diagram 25 of 32 .....	748
Figure H.26 - AIM EXPRESS-G diagram 26 of 32 .....	749
Figure H.27 - AIM EXPRESS-G diagram 27 of 32 .....	750
Figure H.28 - AIM EXPRESS-G diagram 28 of 32 .....	751
Figure H.29 - AIM EXPRESS-G diagram 29 of 32 .....	752
Figure H.30 - AIM EXPRESS-G diagram 30 of 32 .....	753
Figure H.31 - AIM EXPRESS-G diagram 31 of 32 .....	754
Figure H.32 - AIM EXPRESS-G diagram 32 of 32 .....	755
Figure K.1 - ARM diagram 1 of 19 in IDEF1X .....	758
Figure K.2 - ARM diagram 2 of 19 in IDEF1X .....	759
Figure K.3 - ARM diagram 3 of 19 in IDEF1X .....	760
Figure K.4 - ARM diagram 4 of 19 in IDEF1X .....	761
Figure K.5 - ARM diagram 5 of 19 in IDEF1X .....	762
Figure K.6 - ARM diagram 6 of 19 in IDEF1X .....	763
Figure K.7 - ARM diagram 7 of 19 in IDEF1X .....	764
Figure K.8 - ARM diagram 8 of 19 in IDEF1X .....	765
Figure K.9 - ARM diagram 9 of 19 in IDEF1X .....	766
Figure K.10 - ARM diagram 10 of 19 in IDEF1X .....	767
Figure K.11 - ARM diagram 11 of 19 in IDEF1X .....	768
Figure K.12 - ARM diagram 12 of 19 in IDEF1X .....	769
Figure K.13 - ARM diagram 13 of 19 in IDEF1X .....	770
Figure K.14 - ARM diagram 14 of 19 in IDEF1X .....	771
Figure K.15 - ARM diagram 15 of 19 in IDEF1X .....	772
Figure K.16 - ARM diagram 16 of 19 in IDEF1X .....	773
Figure K.17 - ARM diagram 17 of 19 in IDEF1X .....	774
Figure K.18 - ARM diagram 18 of 19 in IDEF1X .....	775

Figure K.19 - ARM diagram 19 of 19 in IDEF1X ..... 776

**Tables**

Table 1 - Plant_item_shape interference clash detection .....	89
Table 2 - Mapping table for advanced_csg_representation UoF .....	143
Table 3 - Mapping table for change_information UoF .....	146
Table 4 - Mapping table for connection UoF .....	164
Table 5 - Mapping table for connector UoF .....	176
Table 6 - Mapping table for equipment_characterization UoF .....	205
Table 7 - Mapping table for piping_component_characterization UoF .....	219
Table 8 - Mapping table for piping_design_csg_representation UoF .....	335
Table 9 - Mapping table for piping_system_functional_characterization UoF .....	337
Table 10 - Mapping table for plant_characterization UoF .....	362
Table 11 - Mapping table for plant_item_characterization UoF .....	378
Table 12 - Mapping table for shape UoF .....	433
Table 13 - Mapping table for site_characterization UoF .....	442
Table 14 - Mapping table for wireframe_and_b_rep_geometry UoF .....	455
Table 15 - Conformance classes .....	540
Table 16 - Conformance classes elements .....	541
Table B.1 - Short names of entities .....	649

## Annex A

(normative)

### AIM EXPRESS expanded listing

The following EXPRESS is the expanded form of the short form schema given in 5.2. In the event of any discrepancy between the short form and this expanded listing, the expanded listing shall be used.

```

*)
SCHEMA plant_spatial_configuration;

TYPE ahead_or_behind = ENUMERATION OF
  (ahead,
   behind);
END_TYPE; -- ahead_or_behind

TYPE amount_of_substance_measure = REAL;
END_TYPE; -- amount_of_substance_measure

TYPE angle_relator = ENUMERATION OF
  (equal,
   large,
   small);
END_TYPE; -- angle_relator

TYPE approval_item = SELECT
  (change_action);
END_TYPE; -- approval_item

TYPE area_measure = REAL;
END_TYPE; -- area_measure

TYPE axis2_placement = SELECT
  (axis2_placement_2d,
   axis2_placement_3d);
END_TYPE; -- axis2_placement

TYPE b_spline_curve_form = ENUMERATION OF
  (polyline_form,
   circular_arc,
   elliptic_arc,
   parabolic_arc,
   hyperbolic_arc,
   unspecified);
END_TYPE; -- b_spline_curve_form

TYPE b_spline_surface_form = ENUMERATION OF
  (plane_surf,
   cylindrical_surf,
   conical_surf,
   spherical_surf,
   toroidal_surf,
   surf_of_revolution,
   ruled_surf,
   generalised_cone,
   quadric_surf,
```

**ISO/CD 10303-227:1995(E)**

```
surf_of_linear_extrusion,
unspecified);
END_TYPE; -- b_spline_surface_form

TYPE boolean_operand = SELECT
(solid_model,
csg_primitive,
boolean_result);
END_TYPE; -- boolean_operand

TYPE boolean_operator = ENUMERATION OF
(union,
intersection,
difference);
END_TYPE; -- boolean_operator

TYPE change_delta_item = SELECT
(assembly_component_usage,
line_branch_connection,
line_plant_item_branch_connection,
line_plant_item_connection,
line_termination_connection,
plant,
product_definition_relationship);
END_TYPE; -- change_delta_item

TYPE change_item = SELECT
(change_delta_item,
electrical_system,
externally_defined_plant_item_definition,
hvac_system,
instrumentation_and_control_system,
material_property,
piping_system,
plant_item_connection,
plant_item_connector,
plant_item_definition,
plant_line_definition,
plant_line_segment_definition,
plant_line_segment_termination,
process_capability,
product_definition,
product_definition_shape,
property_definition,
reference_geometry,
structural_system);
END_TYPE; -- change_item

TYPE characterized_definition = SELECT
(characterized_object,
characterized_product_definition,
shape_definition);
END_TYPE; -- characterized_definition

TYPE characterized_material_property = SELECT
(material_property);
END_TYPE; -- characterized_material_property
```

```

TYPE characterized_product_definition = SELECT
  (product_definition,
   product_definition_relationship);
END_TYPE; -- characterized_product_definition

TYPE classification_item = SELECT
  (plant_item_connection,
   plant_item_connector,
   piping_component_definition);
END_TYPE; -- classification_item

TYPE context_dependent_measure = REAL;
END_TYPE; -- context_dependent_measure

TYPE count_measure = NUMBER;
END_TYPE; -- count_measure

TYPE csg_primitive = SELECT
  (sphere,
   block,
   torus,
   right_circular_cone,
   right_circular_cylinder);
END_TYPE; -- csg_primitive

TYPE csg_select = SELECT
  (boolean_result,
   csg_primitive);
END_TYPE; -- csg_select

TYPE curve_on_surface = SELECT
  (pcurve,
   surface_curve,
   composite_curve_on_surface);
END_TYPE; -- curve_on_surface

TYPE date_time_select = SELECT
  (date,
   local_time,
   date_and_time);
END_TYPE; -- date_time_select

TYPE day_in_month_number = INTEGER;
END_TYPE; -- day_in_month_number

TYPE design_project_item = SELECT
  (plant_item_definition);
END_TYPE; -- design_project_item

TYPE dimension_count = INTEGER;
WHERE
  wr1: SELF > 0;
END_TYPE; -- dimension_count

TYPE dimensional_characteristic = SELECT
  (dimensional_location,
   dimensional_size);
END_TYPE; -- dimensional_characteristic

```

**ISO/CD 10303-227:1995(E)**

```
TYPE geometric_set_select = SELECT
  (point,
   curve,
   surface);
END_TYPE; -- geometric_set_select

TYPE hour_in_day = INTEGER;
WHERE
  wr1: (0 <= SELF) AND (SELF < 24);
END_TYPE; -- hour_in_day

TYPE identifier = STRING;
END_TYPE; -- identifier

TYPE knot_type = ENUMERATION OF
  (uniform_knots,
   unspecified,
   quasi_uniform_knots,
   piecewise_bezier_knots);
END_TYPE; -- knot_type

TYPE label = STRING;
END_TYPE; -- label

TYPE layered_item = SELECT
  (representation_item);
END_TYPE; -- layered_item

TYPE length_measure = REAL;
END_TYPE; -- length_measure

TYPE list_of_reversible_topology_item = LIST [0:?] OF
  reversible_topology_item;
END_TYPE; -- list_of_reversible_topology_item

TYPE mass_measure = REAL;
END_TYPE; -- mass_measure

TYPE measure_value = SELECT
  (length_measure,
   mass_measure,
   time_measure,
   thermodynamic_temperature_measure,
   amount_of_substance_measure,
   plane_angle_measure,
   solid_angle_measure,
   area_measure,
   volume_measure,
   ratio_measure,
   parameter_value,
   numeric_measure,
   context_dependent_measure,
   positive_length_measure,
   positive_plane_angle_measure,
   positive_ratio_measure,
   count_measure);
END_TYPE; -- measure_value
```

```

TYPE minute_in_hour = INTEGER;
WHERE
  wr1: (0 <= SELF) AND (SELF <= 59);
END_TYPE; -- minute_in_hour

TYPE month_in_year_number = INTEGER;
WHERE
  wr1: (1 <= SELF) AND (SELF <= 12);
END_TYPE; -- month_in_year_number

TYPE numeric_measure = NUMBER;
END_TYPE; -- numeric_measure

TYPE parameter_value = REAL;
END_TYPE; -- parameter_value

TYPE pcurve_or_surface = SELECT
  (pcurve,
   surface);
END_TYPE; -- pcurve_or_surface

TYPE person_organization_select = SELECT
  (person,
   organization,
   person_and_organization);
END_TYPE; -- person_organization_select

TYPE plane_angle_measure = REAL;
END_TYPE; -- plane_angle_measure

TYPE plant_spatial_configuration_action_request_item = SELECT
  (product);
END_TYPE; -- plant_spatial_configuration_action_request_item

TYPE plant_spatial_configuration_date_and_time_item = SELECT
  (product);
END_TYPE; -- plant_spatial_configuration_date_and_time_item

TYPE plant_spatial_configuration_dated_item = SELECT
  (change_action,
   action_directive,
   product,
   change_item);
END_TYPE; -- plant_spatial_configuration_dated_item

TYPE plant_spatial_configuration_document_item = SELECT
  (external_source,
   heat_tracing_representation,
   piping_component_definition,
   piping_system,
   plant_item_connector,
   plant_item_definition,
   plant_line_segment_definition,
   product,
   product_definition,
   product_definition_relationship,
   property_definition,
   representation,
   shape_dimension_representation,

```

```
    site);
END_TYPE; -- plant_spatial_configuration_document_item

TYPE plant_spatial_configuration_organization_item = SELECT
  (change_action,
   design_project,
   document,
   plant,
   product,
   product_definition_relationship,
   site);
END_TYPE; -- plant_spatial_configuration_organization_item

TYPE plant_spatial_configuration_person_and_organization_item = SELECT
  (change_item,
   plant,
   site);
END_TYPE; -- plant_spatial_configuration_person_and_organization_item

TYPE plant_spatial_configuration_person_item = SELECT
  (document,
   plant,
   product_definition_relationship,
   site);
END_TYPE; -- plant_spatial_configuration_person_item

TYPE positive_length_measure = length_measure;
WHERE
  wr1: SELF > 0;
END_TYPE; -- positive_length_measure

TYPE positive_plane_angle_measure = plane_angle_measure;
WHERE
  wr1: SELF > 0;
END_TYPE; -- positive_plane_angle_measure

TYPE positive_ratio_measure = ratio_measure;
WHERE
  wr1: SELF > 0;
END_TYPE; -- positive_ratio_measure

TYPE preferred_surface_curve_representation = ENUMERATION OF
  (curve_3d,
   pcurve_s1,
   pcurve_s2);
END_TYPE; -- preferred_surface_curve_representation

TYPE purchase_item = SELECT
  (product);
END_TYPE; -- purchase_item

TYPE ratio_measure = REAL;
END_TYPE; -- ratio_measure

TYPE reversible_topology = SELECT
  (reversible_topology_item,
   list_of_reversible_topology_item,
   set_of_reversible_topology_item);
END_TYPE; -- reversible_topology
```

```

TYPE reversible_topology_item = SELECT
  (edge,
   path,
   face,
   face_bound,
   closed_shell,
   open_shell);
END_TYPE; -- reversible_topology_item

TYPE second_in_minute = REAL;
WHERE
  wr1: (0 <= SELF) AND (SELF < 60);
END_TYPE; -- second_in_minute

TYPE set_of_reversible_topology_item = SET [0:?] OF
  reversible_topology_item;
END_TYPE; -- set_of_reversible_topology_item

TYPE shape_definition = SELECT
  (product_definition_shape,
   shape_aspect,
   shape_aspect_relationship);
END_TYPE; -- shape_definition

TYPE shell = SELECT
  (open_shell,
   closed_shell);
END_TYPE; -- shell

TYPE si_prefix = ENUMERATION OF
  (exa,
   peta,
   tera,
   giga,
   mega,
   kilo,
   hecto,
   deca,
   deci,
   centi,
   milli,
   micro,
   nano,
   pico,
   femto,
   atto);
END_TYPE; -- si_prefix

TYPE si_unit_name = ENUMERATION OF
  (metre,
   gram,
   second,
   ampere,
   kelvin,
   mole,
   candela,
   radian,
   steradian,
   hertz,

```

```
newton,
pascal,
joule,
watt,
coulomb,
volt,
farad,
ohm,
siemens,
weber,
tesla,
henry,
degree_celsius,
lumen,
lux,
becquerel,
gray,
sievert);
END_TYPE; -- si_unit_name

TYPE solid_angle_measure = REAL;
END_TYPE; -- solid_angle_measure

TYPE source = ENUMERATION OF
(made,
bought,
not_known);
END_TYPE; -- source

TYPE source_item = SELECT
(identifier);
END_TYPE; -- source_item

TYPE supported_item = SELECT
(action_directive,
action,
action_method);
END_TYPE; -- supported_item

TYPE text = STRING;
END_TYPE; -- text

TYPE thermodynamic_temperature_measure = REAL;
END_TYPE; -- thermodynamic_temperature_measure

TYPE time_measure = REAL;
END_TYPE; -- time_measure

TYPE transformation = SELECT
(functionally_defined_transformation);
END_TYPE; -- transformation

TYPE transition_code = ENUMERATION OF
(discontinuous,
continuous,
cont_same_gradient,
cont_same_gradient_same_curvature);
END_TYPE; -- transition_code
```

```

TYPE trimming_preference = ENUMERATION OF
  (cartesian,
   parameter,
   unspecified);
END_TYPE; -- trimming_preference

TYPE trimming_select = SELECT
  (cartesian_point,
   parameter_value);
END_TYPE; -- trimming_select

TYPE unit = SELECT
  (named_unit,
   derived_unit);
END_TYPE; -- unit

TYPE vector_or_direction = SELECT
  (vector,
   direction);
END_TYPE; -- vector_or_direction

TYPE volume_measure = REAL;
END_TYPE; -- volume_measure

TYPE year_number = INTEGER;
END_TYPE; -- year_number

ENTITY action;
  name      : label;
  description : text;
  chosen_method : action_method;
END_ENTITY; -- action

ENTITY action_assignment
  ABSTRACT SUPERTYPE;
  assigned_action : action;
END_ENTITY; -- action_assignment

ENTITY action_directive;
  name      : label;
  description : text;
  analysis   : text;
  comment    : text;
  requests   : SET [1:?] OF versioned_action_request;
END_ENTITY; -- action_directive

ENTITY action_method;
  name      : label;
  description : text;
  consequence : text;
  purpose    : text;
END_ENTITY; -- action_method

ENTITY action_method_relationship;
  name      : label;
  description : text;
  relating_method : action_method;
  related_method : action_method;
END_ENTITY; -- action_method_relationship

```

ISO/CD 10303-227:1995(E)

```
ENTITY action_relationship;
  name          : label;
  description   : text;
  relating_action : action;
  related_action : action;
END_ENTITY; -- action_relationship

ENTITY action_request_assignment
  ABSTRACT SUPERTYPE;
  assigned_action_request : versioned_action_request;
END_ENTITY; -- action_request_assignment

ENTITY action_request_solution;
  method : action_method;
  request : versioned_action_request;
END_ENTITY; -- action_request_solution

ENTITY action_request_status;
  status : label;
  assigned_request : versioned_action_request;
END_ENTITY; -- action_request_status

ENTITY action_status;
  status : label;
  assigned_action : executed_action;
END_ENTITY; -- action_status

ENTITY advanced_csg_shape_representation
  SUBTYPE OF (shape_representation);
  WHERE
    wr1: rep_item_set_has_free_form(class_rep_item_in_set(SELF.items)) =
      FALSE;
    wr2: SIZEOF(QUERY ( i <* SELF\representation.items | (SIZEOF([
      'PLANT_SPATIAL_CONFIGURATION.BOOLEAN_RESULT',
      'PLANT_SPATIAL_CONFIGURATION.CSG_SOLID',
      'PLANT_SPATIAL_CONFIGURATION.TRUNCATED_PYRAMID',
      'PLANT_SPATIAL_CONFIGURATION.BLOCK',
      'PLANT_SPATIAL_CONFIGURATION.TORUS',
      'PLANT_SPATIAL_CONFIGURATION.RIGHT_CIRCULAR_CYLINDER',
      'PLANT_SPATIAL_CONFIGURATION.SPHERE',
      'PLANT_SPATIAL_CONFIGURATION.RIGHT_CIRCULAR_CONE',
      'PLANT_SPATIAL_CONFIGURATION.EXTRUDED_AREA_SOLID',
      'PLANT_SPATIAL_CONFIGURATION.REVOLVED_AREA_SOLID',
      'PLANT_SPATIAL_CONFIGURATION.AXIS2_PLACEMENT_3D',
      'PLANT_SPATIAL_CONFIGURATION.MEASURE_REPRESENTATION_ITEM',
      'PLANT_SPATIAL_CONFIGURATION.MAPPED_ITEM']) * TYPEOF(i)) = 0) )) =
      0;
    wr3: SIZEOF(QUERY ( mi <* QUERY ( item <* SELF\representation.items
      | ('PLANT_SPATIAL_CONFIGURATION.MAPPED_ITEM' IN TYPEOF(item))
      | (NOT ((('PLANT_SPATIAL_CONFIGURATION.' +
      'ADVANCED_CSG_SHAPE_REPRESENTATION') IN TYPEOF(mi\mapped_item.mapping_source.mapped_representation)))) ) ) = 0;
END_ENTITY; -- advanced_csg_shape_representation

ENTITY amount_of_substance_measure_with_unit
  SUBTYPE OF (measure_with_unit);
  WHERE
    wr1: 'PLANT_SPATIAL_CONFIGURATION.AMOUNT_OF_SUBSTANCE_UNIT' IN
```

```

        TYPEOF(SELF\measure_with_unit.unit_component);
END_ENTITY; -- amount_of_substance_measure_with_unit

ENTITY amount_of_substance_unit
  SUBTYPE OF (named_unit);
  WHERE
    wr1: (SELF\named_unit.dimensions.length_exponent = 0) AND (SELF\
      named_unit.dimensions.mass_exponent = 0) AND (SELF\
      named_unit.dimensions.time_exponent = 0) AND (SELF\
      named_unit.dimensions.electric_current_exponent = 0) AND (
      SELF\named_unit.dimensions.
      thermodynamic_temperature_exponent = 0) AND (SELF\named_unit
      .dimensions.amount_of_substance_exponent = 1) AND (SELF\
      named_unit.dimensions.luminous_intensity_exponent = 0);
END_ENTITY; -- amount_of_substance_unit

ENTITY angular_location
  SUBTYPE OF (dimensional_location);
  angle_selection : angle_relator;
END_ENTITY; -- angular_location

ENTITY application_context;
  application : text;
  INVERSE
    context_elements : SET [1:?] OF application_context_element FOR
      frame_of_reference;
END_ENTITY; -- application_context

ENTITY application_context_element
  SUPERTYPE OF (ONEOF (product_context,product_definition_context));
  name          : label;
  frame_of_reference : application_context;
END_ENTITY; -- application_context_element

ENTITY application_protocol_definition;
  status           : label;
  application_interpreted_model_schema_name : label;
  application_protocol_year       : year_number;
  application           : application_context;
END_ENTITY; -- application_protocol_definition

ENTITY approval;
  status : approval_status;
  level  : label;
END_ENTITY; -- approval

ENTITY approval_assignment
  ABSTRACT SUPERTYPE;
  assigned_approval : approval;
END_ENTITY; -- approval_assignment

ENTITY approval_date_time;
  date_time       : date_time_select;
  dated_approval : approval;
END_ENTITY; -- approval_date_time

ENTITY approval_person_organization;
  person_organization : person_organization_select;
  authorized_approval : approval;

```

**ISO/CD 10303-227:1995(E)**

```
    role : approval_role;
END_ENTITY; -- approval_person_organization

ENTITY approval_role;
    role : label;
END_ENTITY; -- approval_role

ENTITY approval_status;
    name : label;
END_ENTITY; -- approval_status

ENTITY area_measure_with_unit
    SUBTYPE OF (measure_with_unit);
    WHERE
        wr1: 'PLANT_SPATIAL_CONFIGURATION.AREA_UNIT' IN TYPEOF(SELF\
                    measure_with_unit.unit_component);
END_ENTITY; -- area_measure_with_unit

ENTITY area_unit
    SUBTYPE OF (named_unit);
    WHERE
        wr1: (SELF\named_unit.dimensions.length_exponent = 2) AND (SELF\
                    named_unit.dimensions.mass_exponent = 0) AND (SELF\
                    named_unit.dimensions.time_exponent = 0) AND (SELF\
                    named_unit.dimensions.electric_current_exponent = 0) AND (
                    SELF\named_unit.dimensions.
                    thermodynamic_temperature_exponent = 0) AND (SELF\named_unit\
                    .dimensions.amount_of_substance_exponent = 0) AND (SELF\
                    named_unit.dimensions.luminous_intensity_exponent = 0);
END_ENTITY; -- area_unit

ENTITY assembly_component_usage
    SUBTYPE OF (product_definition_usage);
    reference_designator : OPTIONAL identifier;
END_ENTITY; -- assembly_component_usage

ENTITY axis1_placement
    SUBTYPE OF (placement);
    axis : OPTIONAL direction;
    DERIVE
        z : direction := NVL(normalise(axis),direction([0,0,1]));
    WHERE
        wr1: SELF\geometric_representation_item.dim = 3;
END_ENTITY; -- axis1_placement

ENTITY axis2_placement_2d
    SUBTYPE OF (placement);
    ref_direction : OPTIONAL direction;
    DERIVE
        p : LIST [2:2] OF direction := build_2axes(ref_direction);
    WHERE
        wr1: SELF\geometric_representation_item.dim = 2;
END_ENTITY; -- axis2_placement_2d

ENTITY axis2_placement_3d
    SUBTYPE OF (placement);
    axis : OPTIONAL direction;
    ref_direction : OPTIONAL direction;
    DERIVE
```

```

p : LIST [3:3] OF direction := build_axes(axis,ref_direction);
WHERE
  wr1: SELF\placement.location.dim = 3;
  wr2: (NOT EXISTS(axis)) OR (axis.dim = 3);
  wr3: (NOT EXISTS(ref_direction)) OR (ref_direction.dim = 3);
  wr4: (NOT EXISTS(axis)) OR (NOT EXISTS(ref_direction)) OR (
    cross_product(axis,ref_direction).magnitude > 0);
END_ENTITY; -- axis2_placement_3d

ENTITY b_spline_curve
  SUPERTYPE OF (ONEOF (uniform_curve,b_spline_curve_with_knots,
    quasi_uniform_curve,bezier_curve) ANDOR rational_b_spline_curve)
  SUBTYPE OF (bounded_curve);
    degree          : INTEGER;
    control_points_list : LIST [2:?] OF cartesian_point;
    curve_form      : b_spline_curve_form;
    closed_curve    : LOGICAL;
    self_intersect   : LOGICAL;
DERIVE
  upper_index_on_control_points : INTEGER := SIZEOF(
    control_points_list) - 1;
  control_points
    : ARRAY [0:
      upper_index_on_control_points] OF
        cartesian_point := list_to_array(
          control_points_list,0,
          upper_index_on_control_points);
WHERE
  wr1: ('PLANT_SPATIAL_CONFIGURATION.UNIFORM_CURVE' IN TYPEOF(SELF))
    OR ('PLANT_SPATIAL_CONFIGURATION.QUASI_UNIFORM_CURVE' IN
      TYPEOF(SELF)) OR ('PLANT_SPATIAL_CONFIGURATION.BEZIER_CURVE'
      IN TYPEOF(SELF)) OR (
        'PLANT_SPATIAL_CONFIGURATION.B_SPLINE_CURVE_WITH_KNOTS' IN
        TYPEOF(SELF));
END_ENTITY; -- b_spline_curve

ENTITY b_spline_curve_with_knots
  SUBTYPE OF (b_spline_curve);
    knot_multiplicities : LIST [2:?] OF INTEGER;
    knots              : LIST [2:?] OF parameter_value;
    knot_spec          : knot_type;
DERIVE
  upper_index_on_knots : INTEGER := SIZEOF(knots);
WHERE
  wr1: constraints_param_b_spline(degree,upper_index_on_knots,
    upper_index_on_control_points,knot_multiplicities,knots);
  wr2: SIZEOF(knot_multiplicities) = upper_index_on_knots;
END_ENTITY; -- b_spline_curve_with_knots

ENTITY b_spline_surface
  SUPERTYPE OF (ONEOF (b_spline_surface_with_knots,uniform_surface,
    quasi_uniform_surface,bezier_surface) ANDOR
    rational_b_spline_surface)
  SUBTYPE OF (bounded_surface);
    u_degree          : INTEGER;
    v_degree          : INTEGER;
    control_points_list : LIST [2:?] OF LIST [2:?] OF cartesian_point;
    surface_form      : b_spline_surface_form;
    u_closed          : LOGICAL;
    v_closed          : LOGICAL;

```

```

    self_intersect      : LOGICAL;
DERIVE
    u_upper           : INTEGER := SIZEOF(control_points_list) - 1;
    v_upper           : INTEGER := SIZEOF(control_points_list[1]) - 1;
    control_points   : ARRAY [0:u_upper] OF ARRAY [0:v_upper] OF
                            cartesian_point := make_array_of_array(
                                control_points_list, 0, u_upper, 0, v_upper);
WHERE
    wr1: ('PLANT_SPATIAL_CONFIGURATION.UNIFORM_SURFACE' IN TYPEOF(SELF))
        OR ('PLANT_SPATIAL_CONFIGURATION.QUASI_UNIFORM_SURFACE' IN
            TYPEOF(SELF)) OR (
            'PLANT_SPATIAL_CONFIGURATION.BEZIER_SURFACE' IN
            TYPEOF(SELF)) OR (
            'PLANT_SPATIAL_CONFIGURATION.B_SPLINE_SURFACE_WITH_KNOTS' IN
            TYPEOF(SELF));
END_ENTITY; -- b_spline_surface

ENTITY b_spline_surface_with_knots
    SUBTYPE OF (b_spline_surface);
    u_multiplicities : LIST [2:?] OF INTEGER;
    v_multiplicities : LIST [2:?] OF INTEGER;
    u_knots          : LIST [2:?] OF parameter_value;
    v_knots          : LIST [2:?] OF parameter_value;
    knot_spec        : knot_type;
DERIVE
    knot_u_upper : INTEGER := SIZEOF(u_knots);
    knot_v_upper : INTEGER := SIZEOF(v_knots);
WHERE
    wr1: constraints_param_b_spline(SELF\b_spline_surface.u_degree,
                                    knot_u_upper, SELF\b_spline_surface.u_upper, u_multiplicities,
                                    u_knots);
    wr2: constraints_param_b_spline(SELF\b_spline_surface.v_degree,
                                    knot_v_upper, SELF\b_spline_surface.v_upper, v_multiplicities,
                                    v_knots);
    wr3: SIZEOF(u_multiplicities) = knot_u_upper;
    wr4: SIZEOF(v_multiplicities) = knot_v_upper;
END_ENTITY; -- b_spline_surface_with_knots

ENTITY bezier_curve
    SUBTYPE OF (b_spline_curve);
END_ENTITY; -- bezier_curve

ENTITY bezier_surface
    SUBTYPE OF (b_spline_surface);
END_ENTITY; -- bezier_surface

ENTITY blank_fitting_classification
    SUBTYPE OF (group);
END_ENTITY; -- blank_fitting_classification

ENTITY block
    SUBTYPE OF (geometric_representation_item);
    position : axis2_placement_3d;
    x        : positive_length_measure;
    y        : positive_length_measure;
    z        : positive_length_measure;
END_ENTITY; -- block

ENTITY boolean_result

```

```

SUBTYPE OF (geometric_representation_item);
  operator      : boolean_operator;
  first_operand : boolean_operand;
  second_operand : boolean_operand;
END_ENTITY; -- boolean_result

ENTITY boundary_curve
  SUBTYPE OF (composite_curve_on_surface);
  WHERE
    wr1: SELF\composite_curve.closed_curve;
END_ENTITY; -- boundary_curve

ENTITY bounded_curve
  SUPERTYPE OF (ONEOF (polyline,b_spline_curve,trimmed_curve,
    bounded_pcurve,bounded_surface_curve,composite_curve))
  SUBTYPE OF (curve);
END_ENTITY; -- bounded_curve

ENTITY bounded_pcurve
  SUBTYPE OF (pcurve, bounded_curve);
  WHERE
    wr1: 'PLANT_SPATIAL_CONFIGURATION.BOUNDED_CURVE' IN TYPEOF(SELF\
      pcurve.reference_to_curve.items[1]);
END_ENTITY; -- bounded_pcurve

ENTITY bounded_surface
  SUPERTYPE OF (ONEOF (b_spline_surface,rectangular_trimmed_surface,
    curve_bounded_surface,rectangular_composite_surface))
  SUBTYPE OF (surface);
END_ENTITY; -- bounded_surface

ENTITY bounded_surface_curve
  SUBTYPE OF (surface_curve, bounded_curve);
  WHERE
    wr1: 'PLANT_SPATIAL_CONFIGURATION.BOUNDED_CURVE' IN TYPEOF(SELF\
      surface_curve.curve_3d);
END_ENTITY; -- bounded_surface_curve

ENTITY brep_with_voids
  SUBTYPE OF (manifold_solid_brep);
  voids : SET [1:?] OF oriented_closed_shell;
END_ENTITY; -- brep_with_voids

ENTITY bushing_fitting_classification
  SUBTYPE OF (group);
END_ENTITY; -- bushing_fitting_classification

ENTITY calendar_date
  SUBTYPE OF (date);
  day_component   : day_in_month_number;
  month_component : month_in_year_number;
  WHERE
    wr1: valid_calendar_date(SELF);
END_ENTITY; -- calendar_date

ENTITY cartesian_point
  SUBTYPE OF (point);

```

**ISO/CD 10303-227:1995(E)**

```
coordinates : LIST [1:3] OF length_measure;
END_ENTITY; -- cartesian_point

ENTITY cartesian_transformation_operator
  SUPERTYPE OF (cartesian_transformation_operator_3d)
  SUBTYPE OF (geometric_representation_item,
    functionally_defined_transformation);
  axis1      : OPTIONAL direction;
  axis2      : OPTIONAL direction;
  local_origin : cartesian_point;
  scale       : OPTIONAL REAL;
DERIVE
  scl : REAL := NVL(scale,1);
WHERE
  wr1: scl > 0;
END_ENTITY; -- cartesian_transformation_operator

ENTITY cartesian_transformation_operator_3d
  SUPERTYPE OF (cartesian_transformation_operator);
  axis3 : OPTIONAL direction;
DERIVE
  u : LIST [3:3] OF direction := base_axis(3,SELF\
    cartesian_transformation_operator.axis1,SELF\
    cartesian_transformation_operator.axis2,axis3);
WHERE
  wr1: SELF\cartesian_transformation_operator.dim = 3;
END_ENTITY; -- cartesian_transformation_operator_3d

ENTITY catalogue_item
  SUBTYPE OF (externally_defined_plant_item_definition);
WHERE
  wr1: SIZEOF(QUERY ( pscdr <* USEDIN(SELF,
    'PLANT_SPATIAL_CONFIGURATION.' +
    'PLANT_SPATIAL_CONFIGURATION_DOCUMENT_REFERENCE.ITEMS') | (
    SIZEOF(QUERY ( duc <* USEDIN(pscdr.assigned_document,
      'PLANT_SPATIAL_CONFIGURATION.DOCUMENT_USAGE_CONSTRAINT.SOURCE' +
      (duc.subject_element = 'item_definition')) ) = 1) )) = 1;
  wr2: SIZEOF(QUERY ( pdr <* USEDIN(SELF,
    'PLANT_SPATIAL_CONFIGURATION.' +
    'PRODUCT_DEFINITION_RELATIONSHIP.RELATING_PRODUCT_DEFINITION' +
    ('PLANT_SPATIAL_CONFIGURATION.' +
    'EXTERNALLY_DEFINED_PLANT_ITEM_DEFINITION'
    IN TYPEOF(pdr.related_product_definition)) ) ) = 1;
END_ENTITY; -- catalogue_item

ENTITY centre_of_symmetry
  SUBTYPE OF (derived_shape_aspect);
END_ENTITY; -- centre_of_symmetry

ENTITY change_action
  SUBTYPE OF (directed_action);
WHERE
  wr1: SIZEOF(QUERY ( ca <* USEDIN(SELF,'PLANT_SPATIAL_CONFIGURATION.' +
    'ACTION_ASSIGNMENT.ASSIGNED_ACTION') | (
    'PLANT_SPATIAL_CONFIGURATION.' +
    'PLANT_SPATIAL_CONFIGURATION_CHANGE_ASSIGNMENT') IN TYPEOF(
    ca))) ) >= 1;
  wr2: SIZEOF(QUERY ( ar <* SELF\directed_action.directive.requests |
    (NOT (SIZEOF(USEDIN(ar,'PLANT_SPATIAL_CONFIGURATION.' +
```

```

    'ACTION_REQUEST_SOLUTION.SOLUTION')) = 1)) )) = 0;
wr3: SIZEOF(USEDIN(SELF,'PLANT_SPATIAL_CONFIGURATION.ACTION_STATUS.'
    + 'ASSIGNED_ACTION')) = 1;
END_ENTITY; -- change_action

ENTITY change_from_assignment
  SUBTYPE OF (action_assignment);
    items : SET [1:?] OF change_delta_item;
WHERE
  wr1: 'PLANT_SPATIAL_CONFIGURATION.CHANGE_ACTION' IN TYPEOF(SELF.
    assigned_action);
END_ENTITY; -- change_from_assignment

ENTITY change_item_id_assignment
  SUBTYPE OF (name_assignment);
    items : SET [1:?] OF change_item;
END_ENTITY; -- change_item_id_assignment

ENTITY change_to_assignment
  SUBTYPE OF (action_assignment);
    items : SET [1:?] OF change_delta_item;
WHERE
  wr1: 'PLANT_SPATIAL_CONFIGURATION.CHANGE_ACTION' IN TYPEOF(SELF.
    assigned_action);
END_ENTITY; -- change_to_assignment

ENTITY characterized_object;
  name      : label;
  description : text;
END_ENTITY; -- characterized_object

ENTITY circle
  SUBTYPE OF (conic);
  radius : positive_length_measure;
END_ENTITY; -- circle

ENTITY classification_assignment
  SUBTYPE OF (group_assignment);
    items : SET [1:?] OF classification_item;
WHERE
  wr1: (NOT (SIZEOF(QUERY ( item <* SELF.items | (NOT (
    'PLANT_SPATIAL_CONFIGURATION.PLANT_ITEM_CONNECTION' IN
    TYPEOF(item)))) ) = 0)) XOR (SIZEOF(TYPEOF(SELF.
    assigned_group) * ['PLANT_SPATIAL_CONFIGURATION.' +
    'CONNECTION_FUNCTIONAL_CLASSIFICATION', 'PLANT_SPATIAL_' +
    'CONFIGURATION.CONNECTION_MOTION_CLASSIFICATION'])
    >= 1);
  wr2: (NOT (SIZEOF(QUERY ( item <* SELF.items | (NOT (
    'PLANT_SPATIAL_CONFIGURATION.PLANT_ITEM_CONNECTOR' IN
    TYPEOF(item)))) ) = 0)) XOR (SIZEOF(TYPEOF(SELF.
    assigned_group) * ['PLANT_SPATIAL_CONFIGURATION.' +
    'CONNECTOR_END_TYPE_CLASSIFICATION',
    'PLANT_SPATIAL_CONFIGURATION.ELECTRICAL_CONNECTOR_' +
    'CLASSIFICATION', 'PLANT_SPATIAL_CONFIGURATION.' +
    'PIPING_CONNECTOR_CLASSIFICATION',
    'PLANT_SPATIAL_CONFIGURATION.' +
    'STRUCTURAL_LOAD_CONNECTOR_CLASSIFICATION']) >= 1);
  wr3: (NOT (SIZEOF(QUERY ( item <* SELF.items | (NOT (
    'PLANT_SPATIAL_CONFIGURATION.PIPING_COMPONENT_DEFINITION' IN

```

**ISO/CD 10303-227:1995(E)**

```
        TYPEOF(item))) ) = 0)) XOR (SIZEOF(TYPEOF(SELF.
        assigned_group) * ['PLANT_SPATIAL_CONFIGURATION.' +
        'BLANK_FITTING_CLASSIFICATION',
        'PLANT_SPATIAL_CONFIGURATION.BUSHING_FITTING_CLASSIFICATION',
        'PLANT_SPATIAL_CONFIGURATION.COUPLING_FITTING_CLASSIFICATION',
        'PLANT_SPATIAL_CONFIGURATION.CROSS_FITTING_CLASSIFICATION',
        'PLANT_SPATIAL_CONFIGURATION.ELBOW_FITTING_CLASSIFICATION',
        'PLANT_SPATIAL_CONFIGURATION.FLANGE_FITTING_CLASSIFICATION',
        'PLANT_SPATIAL_CONFIGURATION.' +
        'FLANGE_FITTING_NECK_TYPE_CLASSIFICATION',
        'PLANT_SPATIAL_CONFIGURATION.INSERT_FITTING_CLASSIFICATION',
        'PLANT_SPATIAL_CONFIGURATION.' +
        'LAP_JOINT_STUB_END_FITTING_CLASSIFICATION',
        'PLANT_SPATIAL_CONFIGURATION.LATERAL_FITTING_CLASSIFICATION',
        'PLANT_SPATIAL_CONFIGURATION.OLET_FITTING_CLASSIFICATION',
        'PLANT_SPATIAL_CONFIGURATION.ORIFICE_PLATE_FITTING.' +
        'CLASSIFICATION',
        'PLANT_SPATIAL_CONFIGURATION.PIPE_CAP_FITTING_CLASSIFICATION',
        'PLANT_SPATIAL_CONFIGURATION.PIPE_CLASSIFICATION',
        'PLANT_SPATIAL_CONFIGURATION.REDUCER_FITTING_CLASSIFICATION',
        'PLANT_SPATIAL_CONFIGURATION.SPACER_FITTING_CLASSIFICATION',
        'PLANT_SPATIAL_CONFIGURATION.SPECIALTY_ITEM_CLASSIFICATION',
        'PLANT_SPATIAL_CONFIGURATION.SWAGE_FITTING_CLASSIFICATION',
        'PLANT_SPATIAL_CONFIGURATION.TEE_FITTING_CLASSIFICATION',
        'PLANT_SPATIAL_CONFIGURATION.UNION_FITTING_CLASSIFICATION',
        'PLANT_SPATIAL_CONFIGURATION.VALVE_CLASSIFICATION',
        'PLANT_SPATIAL_CONFIGURATION.WYE_FITTING_CLASSIFICATION']) )
        >= 1);
END_ENTITY; -- classification_assignment

ENTITY closed_shell
  SUBTYPE OF (connected_face_set);
END_ENTITY; -- closed_shell

ENTITY colour;
END_ENTITY; -- colour

ENTITY colour_rgb
  SUBTYPE OF (colour_specification);
    red   : REAL;
    green : REAL;
    blue  : REAL;
  WHERE
    wr1: (0 <= red) AND (red <= 1);
    wr2: (0 <= green) AND (green <= 1);
    wr3: (0 <= blue) AND (blue <= 1);
END_ENTITY; -- colour_rgb

ENTITY colour_specification
  SUBTYPE OF (colour);
    name : label;
END_ENTITY; -- colour_specification

ENTITY composite_curve
  SUBTYPE OF (bounded_curve);
    segments      : LIST [1:?] OF composite_curve_segment;
    self_intersect : LOGICAL;
  DERIVE
    n_segments    : INTEGER := SIZEOF(segments);
```

```

closed_curve : LOGICAL := segments[n_segments].transition <>
                        discontinuous;
WHERE
    wr1: ((NOT closed_curve) AND (SIZEOF(QUERY ( temp <* segments | (
        temp.transition = discontinuous) )) = 1)) OR (closed_curve
        AND (SIZEOF(QUERY ( temp <* segments | (temp.transition =
        discontinuous) )) = 0));
END_ENTITY; -- composite_curve

ENTITY composite_curve_on_surface
    SUPERTYPE OF (boundary_curve)
    SUBTYPE OF (composite_curve);
DERIVE
    basis_surface : SET [0:2] OF surface := get_basis_surface(SELF);
WHERE
    wr1: SIZEOF(basis_surface) > 0;
    wr2: constraints_composite_curve_on_surface(SELF);
END_ENTITY; -- composite_curve_on_surface

ENTITY composite_curve_segment;
    transition : transition_code;
    same_sense : BOOLEAN;
    parent_curve : curve;
INVERSE
    using_curves : BAG [1:?] OF composite_curve FOR segments;
WHERE
    wr1: 'PLANT_SPATIAL_CONFIGURATION.BOUNDED_CURVE' IN TYPEOF(
        parent_curve);
END_ENTITY; -- composite_curve_segment

ENTITY conic
    SUPERTYPE OF (ONEOF (circle,ellipse,hyperbola,parabola))
    SUBTYPE OF (curve);
    position : axis2_placement;
END_ENTITY; -- conic

ENTITY conical_surface
    SUBTYPE OF (elementary_surface);
    radius : length_measure;
    semi_angle : plane_angle_measure;
WHERE
    wr1: radius >= 0;
END_ENTITY; -- conical_surface

ENTITY connected_face_set
    SUPERTYPE OF (ONEOF (closed_shell,open_shell))
    SUBTYPE OF (topological_representation_item);
    cfs_faces : SET [1:?] OF face;
END_ENTITY; -- connected_face_set

ENTITY connection_functional_classification
    SUBTYPE OF (group);
END_ENTITY; -- connection_functional_classification

ENTITY connection_motion_classification
    SUBTYPE OF (group);
    WHERE
        wr1: SELF.name IN ['flexible','locked_orientation'];
END_ENTITY; -- connection_motion_classification

```

```
ENTITY connection_node
  SUBTYPE OF (shape_aspect);
  WHERE
    wr1: 'PLANT_SPATIAL_CONFIGURATION.PIPING_SYSTEM' IN TYPEOF(SELF.
      of_shape.definition);
    wr2: SIZEOF(QUERY ( sar <* USEDIN(SELF,
      'PLANT_SPATIAL_CONFIGURATION.SHAPE_ASPECT_RELATIONSHIP.' +
      'RELATING_SHAPE_ASPECT') | (
      'PLANT_SPATIAL_CONFIGURATION.LINE_TERMINATION_CONNECTION' IN
      TYPEOF(sar)) )) >= 3;
END_ENTITY; -- connection_node

ENTITY connector_end_type_classification
  SUBTYPE OF (group);
END_ENTITY; -- connector_end_type_classification

ENTITY context_dependent_unit
  SUBTYPE OF (named_unit);
  name : label;
END_ENTITY; -- context_dependent_unit

ENTITY conversion_based_unit
  SUBTYPE OF (named_unit);
  name : label;
  conversion_factor : measure_with_unit;
END_ENTITY; -- conversion_based_unit

ENTITY coordinated_universal_time_offset;
  hour_offset : hour_in_day;
  minute_offset : OPTIONAL minute_in_hour;
  sense : ahead_or_behind;
END_ENTITY; -- coordinated_universal_time_offset

ENTITY coupling_fitting_classification
  SUBTYPE OF (group);
END_ENTITY; -- coupling_fitting_classification

ENTITY cross_fitting_classification
  SUBTYPE OF (group);
END_ENTITY; -- cross_fitting_classification

ENTITY csg_solid
  SUBTYPE OF (solid_model);
  tree_root_expression : csg_select;
END_ENTITY; -- csg_solid

ENTITY curve
  SUPERTYPE OF (ONEOF (line,conic,pcurve,surface_curve,offset_curve_2d,
    offset_curve_3d,curve_replica))
  SUBTYPE OF (geometric_representation_item);
END_ENTITY; -- curve

ENTITY curve_bounded_surface
  SUBTYPE OF (bounded_surface);
  basis_surface : surface;
  boundaries : SET [1:?] OF boundary_curve;
  implicit_outer : BOOLEAN;
  WHERE
    wr1: NOT (implicit_outer AND (
```

```

'PLANT_SPATIAL_CONFIGURATION.OUTER_BOUNDARY_CURVE' IN
TYPEOF(boundaries));
wr2: (NOT implicit_outer) OR (
'PLANT_SPATIAL_CONFIGURATION.BOUNDED_SURFACE' IN TYPEOF(
basis_surface));
wr3: SIZEOF(QUERY ( temp <* boundaries | (
'PLANT_SPATIAL_CONFIGURATION.OUTER_BOUNDARY_CURVE' IN
TYPEOF(temp)) )) <= 1;
wr4: SIZEOF(QUERY ( temp <* boundaries | (temp\
composite_curve_on_surface.basis_surface[1] :>: SELF.
basis_surface) )) = 0;
END_ENTITY; -- curve_bounded_surface

ENTITY curve_replica
SUBTYPE OF (curve);
parent_curve : curve;
transformation : cartesian_transformation_operator;
WHERE
wr1: transformation.dim = parent_curve.dim;
wr2: acyclic_curve_replica(SELF,parent_curve);
END_ENTITY; -- curve_replica

ENTITY cylindrical_surface
SUBTYPE OF (elementary_surface);
radius : positive_length_measure;
END_ENTITY; -- cylindrical_surface

ENTITY date
SUPERTYPE OF (calendar_date);
year_component : year_number;
END_ENTITY; -- date

ENTITY date_and_time;
date_component : date;
time_component : local_time;
END_ENTITY; -- date_and_time

ENTITY date_and_time_assignment
ABSTRACT SUPERTYPE;
assigned_date_and_time : date_and_time;
role : date_time_role;
END_ENTITY; -- date_and_time_assignment

ENTITY date_assignment
ABSTRACT SUPERTYPE;
assigned_date : date;
role : date_role;
END_ENTITY; -- date_assignment

ENTITY date_role;
name : label;
END_ENTITY; -- date_role

ENTITY date_time_role;
name : label;
END_ENTITY; -- date_time_role

ENTITY definitional_representation
SUBTYPE OF (representation);

```

**ISO/CD 10303-227:1995(E)**

```
WHERE
    wr1: 'PLANT_SPATIAL_CONFIGURATION.PARAMETRIC_REPRESENTATION_CONTEXT'
        IN TYPEOF(SELF\representation.context_of_items);
END_ENTITY; -- definitional_representation

ENTITY degenerate_pcurve
    SUBTYPE OF (point);
        basis_surface : surface;
        reference_to_curve : definitional_representation;
WHERE
    wr1: SIZEOF(reference_to_curve\representation.items) = 1;
    wr2: 'PLANT_SPATIAL_CONFIGURATION.CURVE' IN TYPEOF(
        reference_to_curve\representation.items[1]);
    wr3: reference_to_curve\representation.items[1]\geometric_representation_item.dim = 2;
END_ENTITY; -- degenerate_pcurve

ENTITY degenerate_toroidal_surface
    SUBTYPE OF (toroidal_surface);
        select_outer : BOOLEAN;
WHERE
    wr1: major_radius < minor_radius;
END_ENTITY; -- degenerate_toroidal_surface

ENTITY derived_shape_aspect
    SUPERTYPE OF (centre_of_symmetry)
    SUBTYPE OF (shape_aspect);
    INVERSE
        deriving_relationships : SET [1:?] OF
            shape_aspect_deriving_relationship FOR
            relating_shape_aspect;
END_ENTITY; -- derived_shape_aspect

ENTITY derived_unit;
    elements : SET [1:?] OF derived_unit_element;
WHERE
    wr1: (SIZEOF(elements) > 1) OR ((SIZEOF(elements) = 1) AND (elements
        [1].exponent <> 1));
END_ENTITY; -- derived_unit

ENTITY derived_unit_element;
    unit : named_unit;
    exponent : REAL;
END_ENTITY; -- derived_unit_element

ENTITY descriptive_colour
    SUBTYPE OF (colour, descriptive_representation_item);
END_ENTITY; -- descriptive_colour

ENTITY descriptive_representation_item
    SUBTYPE OF (representation_item);
        description : text;
END_ENTITY; -- descriptive_representation_item

ENTITY design_project
    SUBTYPE OF (organization);
WHERE
    wr1: SIZEOF(USEDIN(SELF,'PLANT_SPATIAL_CONFIGURATION.' +

```

```

'ORGANIZATION_ASSIGNMENT.ASSIGNED_ORGANIZATION')) >= 1;
END_ENTITY; -- design_project

ENTITY design_project_assignment
  SUBTYPE OF (organization_assignment);
    items : SET [1:?] OF design_project_item;
  WHERE
    wr1: 'PLANT_SPATIAL_CONFIGURATION.DESIGN_PROJECT' IN TYPEOF(SELF.
      assigned_organization);
END_ENTITY; -- design_project_assignment

ENTITY dimensional_characteristic_representation;
  dimension : dimensional_characteristic;
  representation : shape_dimension_representation;
END_ENTITY; -- dimensional_characteristic_representation

ENTITY dimensional_exponents;
  length_exponent : REAL;
  mass_exponent : REAL;
  time_exponent : REAL;
  electric_current_exponent : REAL;
  thermodynamic_temperature_exponent : REAL;
  amount_of_substance_exponent : REAL;
  luminous_intensity_exponent : REAL;
END_ENTITY; -- dimensional_exponents

ENTITY dimensional_location
  SUPERTYPE OF (angular_location)
  SUBTYPE OF (shape_aspect_relationship);
END_ENTITY; -- dimensional_location

ENTITY dimensional_size;
  applies_to : shape_aspect;
  name : label;
  WHERE
    wr1: applies_to.product_definitional = TRUE;
END_ENTITY; -- dimensional_size

ENTITY directed_action
  SUBTYPE OF (executed_action);
  directive : action_directive;
END_ENTITY; -- directed_action

ENTITY direction
  SUBTYPE OF (geometric_representation_item);
  direction_ratios : LIST [2:3] OF REAL;
  WHERE
    wr1: SIZEOF(QUERY ( tmp <* direction_ratios | (tmp <> 0) )) > 0;
END_ENTITY; -- direction

ENTITY document;
  id : identifier;
  name : label;
  description : text;
  kind : document_type;
  UNIQUE
  url : id;
END_ENTITY; -- document

```

**ISO/CD 10303-227:1995(E)**

```
ENTITY document_reference
  ABSTRACT SUPERTYPE;
    assigned_document : document;
    source : label;
END_ENTITY; -- document_reference

ENTITY document_relationship;
  name : label;
  description : text;
  relating_document : document;
  related_document : document;
END_ENTITY; -- document_relationship

ENTITY document_type;
  product_data_type : label;
END_ENTITY; -- document_type

ENTITY document_usage_constraint;
  source : document;
  subject_element : label;
  subject_element_value : text;
END_ENTITY; -- document_usage_constraint

ENTITY edge
  SUPERTYPE OF (ONEOF (edge_curve, oriented_edge));
  SUBTYPE OF (topological_representation_item);
    edge_start : vertex;
    edge_end : vertex;
END_ENTITY; -- edge

ENTITY edge_curve
  SUBTYPE OF (edge, geometric_representation_item);
    edge_geometry : curve;
    same_sense : BOOLEAN;
END_ENTITY; -- edge_curve

ENTITY edge_loop
  SUBTYPE OF (loop, path);
  DERIVE
    ne : INTEGER := SIZEOF(SELF\path.edge_list);
  WHERE
    wr1: SELF\path.edge_list[1].edge_start ::= SELF\path.edge_list[ne].
      edge_end;
END_ENTITY; -- edge_loop

ENTITY elbow_fitting_classification
  SUBTYPE OF (group);
END_ENTITY; -- elbow_fitting_classification

ENTITY electrical_connector_classification
  SUBTYPE OF (group);
END_ENTITY; -- electrical_connector_classification

ENTITY electrical_system
  SUBTYPE OF (product_definition);
  WHERE
    wr1: SIZEOF(QUERY ( pdr <* USEDIN(SELF,
      'PLANT_SPATIAL_CONFIGURATION.PRODUCT_DEFINITION_' +
      'RELATIONSHIP.RELATED_PRODUCT_DEFINITION'))
```

```

    | (('PLANT_SPATIAL_CONFIGURATION.PLANT' IN TYPEOF(pdr.
    relating_product_definition.formation.of_product)) AND (pdr.
    relating_product_definition.frame_of_reference.name =
    'functional_occurrence')) )) = 1;
END_ENTITY; -- electrical_system

ENTITY elementary_surface
  SUPERTYPE OF (ONEOF (plane,cylindrical_surface,conical_surface,
    spherical_surface,toroidal_surface))
  SUBTYPE OF (surface);
  position : axis2_placement_3d;
END_ENTITY; -- elementary_surface

ENTITY ellipse
  SUBTYPE OF (conic);
  semi_axis_1 : positive_length_measure;
  semi_axis_2 : positive_length_measure;
END_ENTITY; -- ellipse

ENTITY evaluated_degenerate_pcurve
  SUBTYPE OF (degenerate_pcurve);
  equivalent_point : cartesian_point;
END_ENTITY; -- evaluated_degenerate_pcurve

ENTITY executed_action
  SUBTYPE OF (action);
END_ENTITY; -- executed_action

ENTITY external_source;
  source_id : source_item;
END_ENTITY; -- external_source

ENTITY externally_defined_item;
  item_id : source_item;
  source : external_source;
END_ENTITY; -- externally_defined_item

ENTITY externally_defined_plant_item_definition
  SUBTYPE OF (plant_item_definition, externally_defined_item);
END_ENTITY; -- externally_defined_plant_item_definition

ENTITY extruded_area_solid
  SUBTYPE OF (swept_area_solid);
  extruded_direction : direction;
  depth : positive_length_measure;
  WHERE
    wr1: dot_product(SELF\swept_area_solid.swept_area.basis_surface\
      elementary_surface.position.p[3],extruded_direction) <> 0;
END_ENTITY; -- extruded_area_solid

ENTITY extruded_face_solid
  SUBTYPE OF (swept_face_solid);
  extruded_direction : direction;
  depth : positive_length_measure;
  WHERE
    wr1: dot_product(SELF\swept_face_solid.swept_face.face_geometry\
      elementary_surface.position.p[3],extruded_direction) <> 0;
END_ENTITY; -- extruded_face_solid

```

**ISO/CD 10303-227:1995(E)**

```
ENTITY face
  SUPERTYPE OF (ONEOF (face_surface,oriented_face))
  SUBTYPE OF (topological_representation_item);
    bounds : SET [1:?] OF face_bound;
  WHERE
    wr1: NOT mixed_loop_type_set(list_to_set(list_face_loops(SELF)));
    wr2: SIZEOF(QUERY ( temp <* bounds | (
      'PLANT_SPATIAL_CONFIGURATION.FACE_OUTER_BOUND' IN TYPEOF(
      temp)) )) <= 1;
  END_ENTITY; -- face

ENTITY face_bound
  SUBTYPE OF (topological_representation_item);
  bound : loop;
  orientation : BOOLEAN;
  END_ENTITY; -- face_bound

ENTITY face_surface
  SUBTYPE OF (face, geometric_representation_item);
  face_geometry : surface;
  same_sense : BOOLEAN;
  END_ENTITY; -- face_surface

ENTITY faceted_brep
  SUBTYPE OF (manifold_solid_brep);
  END_ENTITY; -- faceted_brep

ENTITY flange_fitting_classification
  SUBTYPE OF (group);
  END_ENTITY; -- flange_fitting_classification

ENTITY flange_fitting_neck_type_classification
  SUBTYPE OF (group);
  END_ENTITY; -- flange_fitting_neck_type_classification

ENTITY functionally_defined_transformation;
  name : label;
  description : text;
  END_ENTITY; -- functionally_defined_transformation

ENTITY geometric_curve_set
  SUBTYPE OF (geometric_set);
  WHERE
    wr1: SIZEOF(QUERY ( temp <* SELF\geometric_set.elements | (
      'PLANT_SPATIAL_CONFIGURATION.SURFACE' IN TYPEOF(temp)) )) =
      0;
  END_ENTITY; -- geometric_curve_set

ENTITY geometric_representation_context
  SUBTYPE OF (representation_context);
  coordinate_space_dimension : dimension_count;
  END_ENTITY; -- geometric_representation_context

ENTITY geometric_representation_item
  SUPERTYPE OF (ONEOF (point,direction,vector,placement,
    cartesian_transformation_operator,curve,surface,edge_curve,
    face_surface,poly_loop,solid_model,boolean_result,sphere,
    right_circular_cone,right_circular_cylinder,torus,block,
    geometric_set))
```

```

SUBTYPE OF (representation_item);
DERIVE
  dim : dimension_count := dimension_of(SELF);
WHERE
  wr1: SIZEOF(QUERY ( using_rep <* using_representations(SELF) | (NOT
    ('PLANT_SPATIAL_CONFIGURATION.GEOMETRIC_REPRESENTATION_CONTEXT'
      IN TYPEOF(using_rep.context_of_items)))) ) = 0;
END_ENTITY; -- geometric_representation_item

ENTITY geometric_set
  SUPERTYPE OF (ONEOF (geometric_curve_set,geometric_set_replica))
  SUBTYPE OF (geometric_representation_item);
  elements : SET [1:?] OF geometric_set_select;
END_ENTITY; -- geometric_set

ENTITY geometric_set_replica
  SUBTYPE OF (geometric_set);
  parent_set : geometric_set;
  transformation : cartesian_transformation_operator;
DERIVE
  SELF\geometric_set.elements : SET [1:?] OF geometric_set_select := 
    build_transformed_set(transformation,
      parent_set);
WHERE
  wr1: acyclic_set_replica(SELF,parent_set);
END_ENTITY; -- geometric_set_replica

ENTITY group;
  name : label;
  description : text;
END_ENTITY; -- group

ENTITY group_assignment
  ABSTRACT SUPERTYPE;
  assigned_group : group;
END_ENTITY; -- group_assignment

ENTITY heat_tracing_representation
  SUBTYPE OF (representation);
END_ENTITY; -- heat_tracing_representation

ENTITY hvac_system
  SUBTYPE OF (product_definition);
WHERE
  wr1: SIZEOF(QUERY ( pdr <* USEDIN(SELF,
    'PLANT_SPATIAL_CONFIGURATION.' +
    'PRODUCT_DEFINITION_RELATIONSHIP.RELATED_PRODUCT_DEFINITION')
    | (('PLANT_SPATIAL_CONFIGURATION.PLANT' IN TYPEOF(pdr.
      relating_product_definition.formation.of_product)) AND (pdr.
      relating_product_definition.frame_of_reference.name =
      'functional_occurrence')) ) ) = 1;
END_ENTITY; -- hvac_system

ENTITY hybrid_shape_representation
  SUBTYPE OF (shape_representation);
WHERE
  wr1: SIZEOF(QUERY ( i <* SELF\representation.items | (SIZEOF([
    'PLANT_SPATIAL_CONFIGURATION.BOOLEAN_RESULT',

```

```

'PLANT_SPATIAL_CONFIGURATION.CSG_SOLID',
'PLANT_SPATIAL_CONFIGURATION.TRUNCATED_PYRAMID',
'PLANT_SPATIAL_CONFIGURATION.BLOCK',
'PLANT_SPATIAL_CONFIGURATION.TORUS',
'PLANT_SPATIAL_CONFIGURATION.RIGHT_CIRCULAR_CYLINDER',
'PLANT_SPATIAL_CONFIGURATION.SPHERE',
'PLANT_SPATIAL_CONFIGURATION.RIGHT_CIRCULAR_CONE',
'PLANT_SPATIAL_CONFIGURATION.EXTRUDED_AREA_SOLID',
'PLANT_SPATIAL_CONFIGURATION.REVOLVED_AREA_SOLID',
'PLANT_SPATIAL_CONFIGURATION.AXIS2_PLACEMENT_3D',
'PLANT_SPATIAL_CONFIGURATION.MANIFOLD_SOLID_BREP',
'PLANT_SPATIAL_CONFIGURATION.CONIC',
'PLANT_SPATIAL_CONFIGURATION.CURVE',
'PLANT_SPATIAL_CONFIGURATION.B_SPLINE_CURVE',
'PLANT_SPATIAL_CONFIGURATION.LINE',
'PLANT_SPATIAL_CONFIGURATION.POINT',
'PLANT_SPATIAL_CONFIGURATION.POLYLINE',
'PLANT_SPATIAL_CONFIGURATION.SURFACE',
'PLANT_SPATIAL_CONFIGURATION.VECTOR',
'PLANT_SPATIAL_CONFIGURATION.' +
'GEOMETRIC_REPRESENTATION_ITEM',
'PLANT_SPATIAL_CONFIGURATION.MEASURE_REPRESENTATION_ITEM',
'PLANT_SPATIAL_CONFIGURATION.MAPPED_ITEM'] * TYPEOF(i))
=0));
wr2: SIZEOF(QUERY ( mi <* QUERY ( item <* SELF\representation.items
| ('PLANT_SPATIAL_CONFIGURATION.MAPPED_ITEM' IN
TYPEOF(item))
| (NOT (SIZEOF(['PLANT_SPATIAL_CONFIGURATION.' +
'ADVANCED_CSG_SHAPE_REPRESENTATION',
'PLANT_SPATIAL_CONFIGURATION.' +
'HYBRID_SHAPE_REPRESENTATION']) * TYPEOF(mi\mapped_item.
mapping_source.mapped_representation)) = 1)) ) = 0;
END_ENTITY; -- hybrid_shape_representation

ENTITY hyperbola
SUBTYPE OF (conic);
semi_axis : positive_length_measure;
semi_imag_axis : positive_length_measure;
END_ENTITY; -- hyperbola

ENTITY inline_equipment
SUBTYPE OF (piping_component_definition);
END_ENTITY; -- inline_equipment

ENTITY insert_fitting_classification
SUBTYPE OF (group);
END_ENTITY; -- insert_fitting_classification

ENTITY instrumentation_and_control_system
SUBTYPE OF (product_definition);
WHERE
wr1: SIZEOF(QUERY ( pdr <* USEDIN(SELF,
'PLANT_SPATIAL_CONFIGURATION.PRODUCT_DEFINITION_' +
'RELATIONSHIP.RELATED_PRODUCT_DEFINITION')
| ((('PLANT_SPATIAL_CONFIGURATION.PLANT' IN TYPEOF(pdr.
relating_product_definition.formation.of_product)) AND (pdr.
relating_product_definition.frame_of_reference.name =
'functional_occurrence')) ) = 1;
END_ENTITY; -- instrumentation_and_control_system

```

```

ENTITY interfering_shape_element
  SUBTYPE OF (shape_aspect, shape_aspect_relationship);
END_ENTITY; -- interfering_shape_element

ENTITY intersection_curve
  SUBTYPE OF (surface_curve);
  WHERE
    wr1: SIZEOF(SELF\surface_curve.associated_geometry) = 2;
    wr2: associated_surface(SELF\surface_curve.associated_geometry[1])
          <> associated_surface(SELF\surface_curve.associated_geometry
          [2]);
END_ENTITY; -- intersection_curve

ENTITY lap_joint_stub_end_fitting_classification
  SUBTYPE OF (group);
END_ENTITY; -- lap_joint_stub_end_fitting_classification

ENTITY lateral_fitting_classification
  SUBTYPE OF (group);
END_ENTITY; -- lateral_fitting_classification

ENTITY length_measure_with_unit
  SUBTYPE OF (measure_with_unit);
  WHERE
    wr1: 'PLANT_SPATIAL_CONFIGURATION.LENGTH_UNIT' IN TYPEOF(SELF\
           measure_with_unit.unit_component);
END_ENTITY; -- length_measure_with_unit

ENTITY length_unit
  SUBTYPE OF (named_unit);
  WHERE
    wr1: (SELF\named_unit.dimensions.length_exponent = 1) AND (SELF\
           named_unit.dimensions.mass_exponent = 0) AND (SELF\
           named_unit.dimensions.time_exponent = 0) AND (SELF\
           named_unit.dimensions.electric_current_exponent = 0) AND (
           SELF\named_unit.dimensions.
           thermodynamic_temperature_exponent = 0) AND (SELF\named_unit
           .dimensions.amount_of_substance_exponent = 0) AND (SELF\
           named_unit.dimensions.luminous_intensity_exponent = 0);
END_ENTITY; -- length_unit

ENTITY line
  SUBTYPE OF (curve);
  pnt : cartesian_point;
  dir : vector;
  WHERE
    wr1: dir.dim = pnt.dim;
END_ENTITY; -- line

ENTITY line_branch_connection
  SUBTYPE OF (shape_aspect_relationship);
  WHERE
    wr1: SELF.description = 'branch_location';
    wr2: 'PLANT_SPATIAL_CONFIGURATION.PLANT_LINE_SEGMENT_DEFINITION' IN
          TYPEOF(SELF.relatting_shape_aspect.of_shape.definition);
    wr3: 'PLANT_SPATIAL_CONFIGURATION.PLANT_LINE_SEGMENT_TERMINATION' IN
          TYPEOF(SELF.related_shape_aspect);
END_ENTITY; -- line_branch_connection

```

**ISO/CD 10303-227:1995(E)**

```
ENTITY line_less_piping_system
  SUBTYPE OF (product_definition);
END_ENTITY; -- line_less_piping_system

ENTITY line_plant_item_branch_connection
  SUBTYPE OF (shape_aspect_relationship);
END_ENTITY; -- line_plant_item_branch_connection

ENTITY line_plant_item_connection
  SUBTYPE OF (shape_aspect_relationship);
  WHERE
    wr1: 'PLANT_SPATIAL_CONFIGURATION.PLANT_LINE_SEGMENT_TERMINATION' IN
      TYPEOF(SELF.relating_shape_aspect);
    wr2: 'PLANT_SPATIAL_CONFIGURATION.PLANT_ITEM_CONNECTOR' IN TYPEOF(
      SELF.related_shape_aspect);
    wr3: 'PLANT_SPATIAL_CONFIGURATION.PLANT_ITEM_DEFINITION' IN TYPEOF(
      SELF.related_shape_aspect.of_shape.definition);
END_ENTITY; -- line_plant_item_connection

ENTITY line_termination_connection
  SUBTYPE OF (shape_aspect_relationship);
  WHERE
    wr1: SIZEOF(TYPEOF(SELF.relating_shape_aspect) * [
      'PLANT_SPATIAL_CONFIGURATION.CONNECTION_NODE',
      'PLANT_SPATIAL_CONFIGURATION.PLANT_LINE_SEGMENT_TERMINATION']) 
      >= 1;
    wr2: 'PLANT_SPATIAL_CONFIGURATION.PLANT_LINE_SEGMENT_TERMINATION' IN
      TYPEOF(SELF.related_shape_aspect);
END_ENTITY; -- line_termination_connection

ENTITY local_time;
  hour_component : hour_in_day;
  minute_component : OPTIONAL minute_in_hour;
  second_component : OPTIONAL second_in_minute;
  zone : coordinated_universal_time_offset;
  WHERE
    wr1: valid_time(SELF);
END_ENTITY; -- local_time

ENTITY loop
  SUPERTYPE OF (ONEOF (edge_loop,poly_loop))
  SUBTYPE OF (topological_representation_item);
END_ENTITY; -- loop

ENTITY make_from_usage_option
  SUBTYPE OF (product_definition_usage);
  ranking : INTEGER;
  ranking_rationale : text;
  quantity : measure_with_unit;
  WHERE
    wr1: ranking > 0;
END_ENTITY; -- make_from_usage_option

ENTITY manifold_solid_brep
  SUBTYPE OF (solid_model);
  outer : closed_shell;
END_ENTITY; -- manifold_solid_brep
```

```

ENTITY mapped_item
  SUBTYPE OF (representation_item);
    mapping_source : representation_map;
    mapping_target : representation_item;
  WHERE
    wr1: acyclic_mapped_representation(
      using_representations(SELF), [SELF]);
END_ENTITY; -- mapped_item

ENTITY mass_measure_with_unit
  SUBTYPE OF (measure_with_unit);
  WHERE
    wr1: 'PLANT_SPATIAL_CONFIGURATION.MASS_UNIT' IN TYPEOF(SELF \
      measure_with_unit.unit_component);
END_ENTITY; -- mass_measure_with_unit

ENTITY mass_unit
  SUBTYPE OF (named_unit);
  WHERE
    wr1: (SELF\named_unit.dimensions.length_exponent = 0) AND (SELF\
      named_unit.dimensions.mass_exponent = 1) AND (SELF\
      named_unit.dimensions.time_exponent = 0) AND (SELF\
      named_unit.dimensions.electric_current_exponent = 0) AND (
        SELF\named_unit.dimensions.
        thermodynamic_temperature_exponent = 0) AND (SELF\named_unit
        .dimensions.amount_of_substance_exponent = 0) AND (SELF\
        named_unit.dimensions.luminous_intensity_exponent = 0);
END_ENTITY; -- mass_unit

ENTITY material_designation;
  name : label;
  of_definition : characterized_definition;
END_ENTITY; -- material_designation

ENTITY material_designation_relationship;
  name : label;
  description : text;
  designation : material_designation;
  property : characterized_material_property;
END_ENTITY; -- material_designation_relationship

ENTITY material_property
  SUBTYPE OF (property_definition);
  UNIQUE
  url : name, definition;
  WHERE
    wr1: SIZEOF(QUERY ( temp <* bag_to_set(USEDIN(SELF,
      'PLANT_SPATIAL_CONFIGURATION.' +
      'PROPERTY_DEFINITION_REPRESENTATION.DEFINITION')) | ((((
      'MATERIAL_PROPERTY REPRESENTATION_SCHEMA' +
      'MATERIAL_PROPERTY REPRESENTATION') IN TYPEOF(temp)) AND (((
      'PLANT_SPATIAL_CONFIGURATION.' + 'CHARACTERIZED_OBJECT') IN
      TYPEOF(temp\property_definition.definition)))) )) = 0;
END_ENTITY; -- material_property

ENTITY measure_representation_item
  SUBTYPE OF (representation_item, measure_with_unit);
END_ENTITY; -- measure_representation_item

```

**ISO/CD 10303-227:1995(E)**

```
ENTITY measure_with_unit
  SUPERTYPE OF (ONEOF (length_measure_with_unit,mass_measure_with_unit,
    time_measure_with_unit,thermodynamic_temperature_measure_with_unit,
    amount_of_substance_measure_with_unit,
    plane_angle_measure_with_unit,
    solid_angle_measure_with_unit,area_measure_with_unit,
    volume_measure_with_unit,ratio_measure_with_unit));
  value_component : measure_value;
  unit_component : unit;
WHERE
  wr1: valid_units(SELF);
END_ENTITY; -- measure_with_unit

ENTITY name_assignment
  ABSTRACT SUPERTYPE;
  assigned_name : label;
END_ENTITY; -- name_assignment

ENTITY named_unit
  SUPERTYPE OF (ONEOF (si_unit,conversion_based_unit,
    context_dependent_unit) ANDOR ONEOF (length_unit,mass_unit,
    time_unit,thermodynamic_temperature_unit,amount_of_substance_unit,
    plane_angle_unit,solid_angle_unit,area_unit,volume_unit,
    ratio_unit));
  dimensions : dimensional_exponents;
END_ENTITY; -- named_unit

ENTITY offset_curve_2d
  SUBTYPE OF (curve);
  basis_curve : curve;
  distance : length_measure;
  self_intersect : LOGICAL;
WHERE
  wr1: basis_curve.dim = 2;
END_ENTITY; -- offset_curve_2d

ENTITY offset_curve_3d
  SUBTYPE OF (curve);
  basis_curve : curve;
  distance : length_measure;
  self_intersect : LOGICAL;
  ref_direction : direction;
WHERE
  wr1: (basis_curve.dim = 3) AND (ref_direction.dim = 3);
END_ENTITY; -- offset_curve_3d

ENTITY offset_surface
  SUBTYPE OF (surface);
  basis_surface : surface;
  distance : length_measure;
  self_intersect : LOGICAL;
END_ENTITY; -- offset_surface

ENTITY olet_fitting_classification
  SUBTYPE OF (group);
END_ENTITY; -- olet_fitting_classification
```

```

ENTITY open_shell
  SUBTYPE OF (connected_face_set);
END_ENTITY; -- open_shell

ENTITY organization;
  id          : OPTIONAL identifier;
  name        : label;
  description : text;
END_ENTITY; -- organization

ENTITY organization_assignment
  ABSTRACT SUPERTYPE;
  assigned_organization : organization;
  role                  : organization_role;
END_ENTITY; -- organization_assignment

ENTITY organization_role;
  name : label;
END_ENTITY; -- organization_role

ENTITY organizational_project;
  name          : label;
  description    : text;
  responsible_organizations : SET [1:?] OF organization;
END_ENTITY; -- organizational_project

ENTITY oriented_closed_shell
  SUBTYPE OF (closed_shell);
  closed_shell_element : closed_shell;
  orientation         : BOOLEAN;
DERIVE
  SELF\connected_face_set.cfs_faces : SET [1:?] OF face :=
    conditional_reverse(SELF.
      orientation,SELF.
      closed_shell_element.cfs_faces);
WHERE
  wr1: NOT ('PLANT_SPATIAL_CONFIGURATION.ORIENTED_CLOSED_SHELL' IN
    TYPEOF(SELF.closed_shell_element));
END_ENTITY; -- oriented_closed_shell

ENTITY oriented_edge
  SUBTYPE OF (edge);
  edge_element : edge;
  orientation   : BOOLEAN;
DERIVE
  SELF\edge.edge_start : vertex := boolean_choose(SELF.orientation,
    SELF.edge_element.edge_start,SELF.
    edge_element.edge_end);
  SELF\edge.edge_end   : vertex := boolean_choose(SELF.orientation,
    SELF.edge_element.edge_end,SELF.
    edge_element.edge_start);
WHERE
  wr1: NOT ('PLANT_SPATIAL_CONFIGURATION.ORIENTED_EDGE' IN TYPEOF(SELF
    .edge_element));
END_ENTITY; -- oriented_edge

ENTITY oriented_face
  SUBTYPE OF (face);
  face_element : face;

```

**ISO/CD 10303-227:1995(E)**

```
orientation : BOOLEAN;
DERIVE
  SELF\face.bounds : SET [1:?] OF face_bound := conditional_reverse(
    SELF.orientation, SELF.face_element.bounds);
WHERE
  wr1: NOT ('PLANT_SPATIAL_CONFIGURATION.ORIENTED_FACE' IN TYPEOF(SELF
    .face_element));
END_ENTITY; -- oriented_face

ENTITY oriented_open_shell
  SUBTYPE OF (open_shell);
  open_shell_element : open_shell;
  orientation : BOOLEAN;
DERIVE
  SELF\connected_face_set.cfs_faces : SET [1:?] OF face :=
    conditional_reverse(SELF.
      orientation, SELF.
      open_shell_element.cfs_faces);
WHERE
  wr1: NOT ('PLANT_SPATIAL_CONFIGURATION.ORIENTED_OPEN_SHELL' IN
    TYPEOF(SELF.open_shell_element));
END_ENTITY; -- oriented_open_shell

ENTITY oriented_path
  SUBTYPE OF (path);
  path_element : path;
  orientation : BOOLEAN;
DERIVE
  SELF\path.edge_list : LIST [1:?] OF UNIQUE oriented_edge :=
    conditional_reverse(SELF.orientation, SELF.
      path_element.edge_list);
WHERE
  wr1: NOT ('PLANT_SPATIAL_CONFIGURATION.ORIENTED_PATH' IN TYPEOF(SELF
    .path_element));
END_ENTITY; -- oriented_path

ENTITY orifice_plate_fitting_classification
  SUBTYPE OF (group);
END_ENTITY; -- orifice_plate_fitting_classification

ENTITY parabola
  SUBTYPE OF (conic);
  focal_dist : length_measure;
WHERE
  wr1: focal_dist <> 0;
END_ENTITY; -- parabola

ENTITY path
  SUPERTYPE OF (ONEOF (edge_loop, oriented_path))
  SUBTYPE OF (topological_representation_item);
  edge_list : LIST [1:?] OF UNIQUE oriented_edge;
WHERE
  wr1: path_head_to_tail(SELF);
END_ENTITY; -- path

ENTITY pcurve
  SUBTYPE OF (curve);
  basis_surface : surface;
  reference_to_curve : definitional_representation;
```

```

WHERE
  wr1: SIZEOF(reference_to_curve\representation.items) = 1;
  wr2: 'PLANT_SPATIAL_CONFIGURATION.CURVE' IN TYPEOF(
    reference_to_curve\representation.items[1]);
  wr3: reference_to_curve\representation.items[1]\geometric_representation_item.dim = 2;
END_ENTITY; -- pcurve

ENTITY person;
  id : identifier;
  last_name : OPTIONAL label;
  first_name : OPTIONAL label;
  middle_names : OPTIONAL LIST [1:?] OF label;
  prefix_titles : OPTIONAL LIST [1:?] OF label;
  suffix_titles : OPTIONAL LIST [1:?] OF label;
  UNIQUE
    url : id;
  WHERE
    wr1: EXISTS(last_name) OR EXISTS(first_name);
END_ENTITY; -- person

ENTITY person_and_organization;
  the_person : person;
  the_organization : organization;
END_ENTITY; -- person_and_organization

ENTITY person_and_organization_assignment
  ABSTRACT SUPERTYPE;
  assigned_person_and_organization : person_and_organization;
  role : person_and_organization_role;
END_ENTITY; -- person_and_organization_assignment

ENTITY person_and_organization_role;
  name : label;
END_ENTITY; -- person_and_organization_role

ENTITY person_assignment
  ABSTRACT SUPERTYPE;
  assigned_person : person;
  role : person_role;
END_ENTITY; -- person_assignment

ENTITY person_role;
  name : label;
END_ENTITY; -- person_role

ENTITY pipe_cap_fitting_classification
  SUBTYPE OF (group);
END_ENTITY; -- pipe_cap_fitting_classification

ENTITY pipe_classification
  SUBTYPE OF (group);
END_ENTITY; -- pipe_classification

ENTITY piping_component_definition
  SUBTYPE OF (product_definition);
  WHERE
    wr1: (SIZEOF(USEDIN(SELF\product_definition.formation.of_product,
      'PLANT_SPATIAL_CONFIGURATION.' +

```

```

'PRODUCT_RELATED_PRODUCT_CATEGORY.PRODUCTS')) = 1) AND (
SIZEOF(QUERY ( prpc <* USEDIN(SELF\product_definition.
formation_of_product,'PLANT_SPATIAL_CONFIGURATION.' +
'PRODUCT_RELATED_PRODUCT_CATEGORY.PRODUCTS') | (prpc\
product_category.name IN ['ducting_component','equipment',
'fitting','instrument'])) ) = 1);
wr2: SIZEOF(USEDIN(SELF,'PLANT_SPATIAL_CONFIGURATION.' +
'MATERIAL_DESIGNATION.OF_PRODUCT')) = 1;
wr3: SIZEOF(QUERY ( pscdr <* USEDIN(SELF,
'PLANT_SPATIAL_CONFIGURATION.' +
'PLANT_SPATIAL_CONFIGURATION_DOCUMENT_REFERENCE.ITEMS') | (
pscdr\document_reference.assigned_document.kind.
product_data_type = 'material_specification') )) >= 1;
wr4: SIZEOF(QUERY ( prop_def <* USEDIN(SELF,
'PLANT_SPATIAL_CONFIGURATION.PROPERTY_DEFINITION.DEFINITION')
| (SIZEOF(QUERY ( pdr <* USEDIN(prop_def,
'PLANT_SPATIAL_CONFIGURATION.' +
'PROPERTY_DEFINITION_REPRESENTATION.DEFINITION') | (NOT
((('PLANT_SPATIAL_CONFIGURATION.' +
'SHAPE_DEFINITION_REPRESENTATION'
IN TYPEOF(pdr)) AND ('PLANT_SPATIAL_CONFIGURATION.' +
'SHAPE_DIMENSION_REPRESENTATION'
IN TYPEOF(pdr.used_representation)) AND (pdr.
used_representation.name = 'nominal_size') AND (SIZEOF(pdr.
used_representation.items) = 1) AND (SIZEOF(QUERY ( it <*
pdr.used_representation.items | (NOT (
'PLANT_SPATIAL_CONFIGURATION.LENGTH_MEASURE_WITH_UNIT' IN
TYPEOF(it)))) ) = 0))) ) = 0) )) = 1;
wr5: SIZEOF(QUERY ( prop_def <* USEDIN(SELF,
'PLANT_SPATIAL_CONFIGURATION.PROPERTY_DEFINITION.DEFINITION')
| (SIZEOF(QUERY ( pdr <* USEDIN(prop_def,
'PLANT_SPATIAL_CONFIGURATION.' +
'PROPERTY_DEFINITION_REPRESENTATION.DEFINITION') | (NOT (((
pdr.used_representation.name = 'design_pressure_rating') AND
(SIZEOF(pdr.used_representation.items) = 1) AND (
'PLANT_SPATIAL_CONFIGURATION.MEASURE_WITH_UNIT' IN TYPEOF(
pdr.used_representation.items[1])))) ) = 0) )) > 0;
END_ENTITY; -- piping_component_definition

ENTITY piping_connector_classification
SUBTYPE OF (group);
END_ENTITY; -- piping_connector_classification

ENTITY piping_design_csg_shape_representation
SUBTYPE OF (shape_representation);
WHERE
wr1: SIZEOF (QUERY (i <* SELF\representation.items |
SIZEOF ([ 'PLANT_SPATIAL_CONFIGURATION.BOOLEAN_RESULT',
'PLANT_SPATIAL_CONFIGURATION.CSG_SOLID',
'PLANT_SPATIAL_CONFIGURATION.AXIS2_PLACEMENT_3D',
'PLANT_SPATIAL_CONFIGURATION.MAPPED_ITEM'] *
TYPEOF(i)) = 0 )) = 0;
wr2: SIZEOF (QUERY (mi <* QUERY (item <* SELF\representation.items |
('PLANT_SPATIAL_CONFIGURATION.MAPPED_ITEM' IN
TYPEOF(item)) | NOT ('PLANT_SPATIAL_CONFIGURATION.' +
'PIPING DESIGN_CSG_SHAPE REPRESENTATION' IN
TYPEOF(mi\mapped_item.mapping_source.mapped_representation)))

```

```

        )) = 0;
END_ENTITY; -- piping_design_csg_shape_representation

ENTITY piping_system
  SUBTYPE OF (product_definition);
  WHERE
    wr1: SIZEOF(QUERY ( pdr <* USEDIN(SELF,
      'PLANT_SPATIAL_CONFIGURATION.PRODUCT_DEFINITION_' +
      'RELATIONSHIP.RELATED_PRODUCT_DEFINITION')
      | ('PLANT_SPATIAL_CONFIGURATION.PLANT' IN TYPEOF(pdr.
        relating_product_definition.formation.of_product)) AND (pdr.
        relating_product_definition.frame_of_reference.name =
        'functional_occurrence')) ) = 1;
END_ENTITY; -- piping_system

ENTITY placement
  SUPERTYPE OF (ONEOF (axis1_placement, axis2_placement_2d,
    axis2_placement_3d));
  SUBTYPE OF (geometric_representation_item);
  location : cartesian_point;
END_ENTITY; -- placement

ENTITY plane
  SUBTYPE OF (elementary_surface);
END_ENTITY; -- plane

ENTITY plane_angle_measure_with_unit
  SUBTYPE OF (measure_with_unit);
  WHERE
    wr1: 'PLANT_SPATIAL_CONFIGURATION.PLANE_ANGLE_UNIT' IN TYPEOF(SELF\
      measure_with_unit.unit_component);
END_ENTITY; -- plane_angle_measure_with_unit

ENTITY plane_angle_unit
  SUBTYPE OF (named_unit);
  WHERE
    wr1: (SELF\named_unit.dimensions.length_exponent = 0) AND (SELF\
      named_unit.dimensions.mass_exponent = 0) AND (SELF\
      named_unit.dimensions.time_exponent = 0) AND (SELF\
      named_unit.dimensions.electric_current_exponent = 0) AND (
      SELF\named_unit.dimensions.
      thermodynamic_temperature_exponent = 0) AND (SELF\named_unit
      .dimensions.amount_of_substance_exponent = 0) AND (SELF\
      named_unit.dimensions.luminous_intensity_exponent = 0);
END_ENTITY; -- plane_angle_unit

ENTITY plant
  SUBTYPE OF (product);
  WHERE
    wr1: (SIZEOF(QUERY ( pscoa <* USEDIN(SELF,
      'PLANT_SPATIAL_CONFIGURATION.' +
      'PLANT_SPATIAL_CONFIGURATION_ORGANIZATION_ASSIGNMENT.ITEMS')
      | (pscoa\organization_assignment.role.name =
      'plant_operator')) ) + SIZEOF(QUERY ( pscpaoa <*
      USEDIN(SELF,
      'PLANT_SPATIAL_CONFIGURATION.PLANT_SPATIAL_' +
      'CONFIGURATION_PERSON_AND_ORGANIZATION_ASSIGNMENT.'
      + 'ITEMS') | (pscpanoa\person_and_organization_assignment.
      role.name = 'plant_operator')) )) <= 1;

```

```

wr2: (SIZEOF(QUERY ( pscoa <* USEDIN(SELF,
    'PLANT_SPATIAL_CONFIGURATION.' +
    'PLANT_SPATIAL_CONFIGURATION_ORGANIZATION_ASSIGNMENT.ITEMS')
    | (pscoa\organization_assignment.role.name = 'plant_owner'
    ))) + SIZEOF(QUERY ( pscpaoa <* USEDIN(SELF,
    'PLANT_SPATIAL_CONFIGURATION.PLANT_SPATIAL.' +
    'CONFIGURATION_PERSON_AND_ORGANIZATION_ASSIGNMENT.'
    + 'ITEMS') | (pscpanoa\person_and_organization_assignment.
    role.name = 'plant_owner')))) + SIZEOF(QUERY ( pscpa <*
    USEDIN(SELF, 'PLANT_SPATIAL_CONFIGURATION.' +
    'PLANT_SPATIAL_CONFIGURATION_PERSON_ASSIGNMENT.ITEMS') | (
    pscpa\person_assignment.role.name = 'plant_owner'))) ) ) ) >= 1;
wr3: (SIZEOF(QUERY ( pscoa <* USEDIN(SELF,
    'PLANT_SPATIAL_CONFIGURATION.' +
    'PLANT_SPATIAL_CONFIGURATION_ORGANIZATION_ASSIGNMENT.ITEMS')
    | (pscoa\organization_assignment.role.name =
    'plant_project_owner')) ) + SIZEOF(QUERY ( pscpanoa <*
    USEDIN(SELF, 'PLANT_SPATIAL_CONFIGURATION.PLANT_SPATIAL.' +
    'CONFIGURATION_PERSON_AND_ORGANIZATION_ASSIGNMENT.'
    + 'ITEMS') | (pscpanoa\person_and_organization_assignment.
    role.name = 'plant_project_owner')) ) ) ) >= 1;
wr4: SIZEOF(QUERY ( pdf <* USEDIN(SELF,
    'PLANT_SPATIAL_CONFIGURATION.' +
    'PRODUCT_DEFINITION_FORMATION.OF_PRODUCT') | (NOT (SIZEOF(
    QUERY ( pd <* USEDIN(pdf,
    'PLANT_SPATIAL_CONFIGURATION.PRODUCT_DEFINITION.FORMATION')
    | (pd.frame_of_reference.name = 'functional_occurrence')) )
    <= 1)) ) ) = 0;
END_ENTITY; -- plant

ENTITY plant_item_connection
SUBTYPE OF (shape_aspect, shape_aspect_relationship);
WHERE
    wr1: SELF\shape_aspect_relationship.name IN ['connection_definition',
        'connection_occurrence'];
    wr2: 'PLANT_SPATIAL_CONFIGURATION.PLANT_ITEM_CONNECTOR' IN TYPEOF(
        SELF\shape_aspect_relationship.relating_shape_aspect);
    wr3: 'PLANT_SPATIAL_CONFIGURATION.PLANT_ITEM_CONNECTOR' IN TYPEOF(
        SELF\shape_aspect_relationship.related_shape_aspect);
    wr4: SELF\shape_aspect.of_shape.definition.frame_of_reference.name
        IN ['functional_occurrence', 'physical_occurrence',
        'functional_definition', 'physical_definition'];
    wr5: SELF\shape_aspect_relationship.relating_shape_aspect.of_shape.
        definition.frame_of_reference.name = SELF\
        shape_aspect_relationship.related_shape_aspect.of_shape.
        definition.frame_of_reference.name;
    wr6: SIZEOF(USEDIN(SELF, 'PLANT_SPATIAL_CONFIGURATION.' +
        'CLASSIFICATION_ASSIGNMENT.ITEMS')) > 0;
    wr7: SIZEOF(QUERY ( pscca <* USEDIN(SELF, 'PLANT_SPATIAL_.' +
        'CONFIGURATION.CLASSIFICATION_ASSIGNMENT.ITEMS')
        | (NOT (SIZEOF(['PLANT_SPATIAL_CONFIGURATION.' +
        'CONNECTION_FUNCTIONAL_CLASSIFICATION',
        'PLANT_SPATIAL_CONFIGURATION.' +
        'CONNECTION_MOTION_CLASSIFICATION']) * TYPEOF(pscca\group_assignment.assigned_group)) > 1)) ) ) = 0;
    wr8: SIZEOF(QUERY ( pdr <* USEDIN(SELF\shape_aspect.of_shape.
        definition, 'PLANT_SPATIAL_CONFIGURATION.' +
        'PRODUCT_DEFINITION_RELATIONSHIP.' +
        'RELATED_PRODUCT_DEFINITION') | (pdr.name =

```

```

'support_usage_connection') )) <= 1;
END_ENTITY; -- plant_item_connection

ENTITY plant_item_connector
  SUBTYPE OF (shape_aspect);
  WHERE
    wr1: SELF.of_shape.definition.frame_of_reference.name IN [
      'functional_definition', 'physical_definition',
      'functional_occurrence', 'physical_occurrence'];
    wr2: SIZEOF(QUERY ( pic <* (bag_to_set(USEDIN(SELF,
      'PLANT_SPATIAL_CONFIGURATION.' +
      'SHAPE_ASPECT_RELATIONSHIP.RELATED_SHAPE_ASPECT')) +
      bag_to_set(USEDIN(SELF,'PLANT_SPATIAL_CONFIGURATION.' +
      'SHAPE_ASPECT_RELATIONSHIP.RELATING_SHAPE_ASPECT')) | (
      'PLANT_SPATIAL_CONFIGURATION.PLANT_ITEM_CONNECTION' IN
      TYPEOF(pic) ))) <= 1;
END_ENTITY; -- plant_item_connector

ENTITY plant_item_definition
  SUBTYPE OF (product_definition);
  WHERE
    wr1: SELF.frame_of_reference\application_context_element.name IN [
      'functional_definition', 'physical_definition',
      'functional_occurrence', 'physical_occurrence',
      'fabrication_assembly'];
    wr2: (NOT (SELF.frame_of_reference.name = 'physical_occurrence')) OR
      (SIZEOF(QUERY ( pdr <* USEDIN(SELF,
      'PLANT_SPATIAL_CONFIGURATION.PRODUCT_DEFINITION_' +
      'RELATIONSHIP.RELATED_PRODUCT_DEFINITION')
      | (SIZEOF(TYPEOF(pdr) * [
      'PLANT_SPATIAL_CONFIGURATION.PRODUCT_DEFINITION_USAGE',
      'PLANT_SPATIAL_CONFIGURATION.MAKE_FROM_USAGE_OPTION',
      'PLANT_SPATIAL_CONFIGURATION.ASSEMBLY_COMPONENT_USAGE'])
      = 1) )) <= 1);
    wr3: (NOT (SELF.frame_of_reference.name = 'physical_definition')) OR
      (SIZEOF(QUERY ( pdr <* USEDIN(SELF,
      'PLANT_SPATIAL_CONFIGURATION.PRODUCT_DEFINITION_' +
      'RELATIONSHIP.RELATING_PRODUCT_DEFINITION')
      | (pdr.related_product_definition.frame_of_reference.name =
      'physical_occurrence')) ) <= 1);
    wr4: SIZEOF(QUERY ( pdr <* USEDIN(SELF,
      'PLANT_SPATIAL_CONFIGURATION.PRODUCT_DEFINITION_' +
      'RELATIONSHIP.RELATING_PRODUCT_DEFINITION')
      | (
      'PLANT_SPATIAL_CONFIGURATION.PLANT_ITEM_DEFINITION_CLASS' IN
      TYPEOF(pdr.related_product_definition))) ) <= 1;
END_ENTITY; -- plant_item_definition

ENTITY plant_item_definition_class
  SUBTYPE OF (product_definition_with_associated_documents);
END_ENTITY; -- plant_item_definition_class

ENTITY plant_item_interference
  SUBTYPE OF (product_definition_relationship);
END_ENTITY; -- plant_item_interference

ENTITY plant_item_route
  SUBTYPE OF (product_definition_shape);
  WHERE

```

```

wr1: SELF\property_definition.definition.frame_of_reference\
      application_context_element.name = 'physical_occurrence';
wr2: SIZEOF(TYPEOF(SELF\property_definition.definition) * [
      'PLANT_SPATIAL_CONFIGURATION.PLANT_LINE_DEFINITION',
      'PLANT_SPATIAL_CONFIGURATION.PLANT_LINE_SEGMENT_' +
      'DEFINITION'])
      = 1;
END_ENTITY; -- plant_item_route

ENTITY plant_item_weight_representation
  SUBTYPE OF (property_definition_representation);
  WHERE
    wr1: SELF.used_representation.name = 'item_weight';
    wr2: SIZEOF(SELF.used_representation.items) >= 2;
    wr3: SIZEOF(QUERY ( it <* SELF.used_representation.items | (
      'PLANT_SPATIAL_CONFIGURATION.DESCRIPTIVE_REPRESENTATION_ITEM'
      IN TYPEOF(it)) AND (it.name = 'weight_state')) ) = 1;
    wr4: SIZEOF(QUERY ( it <* SELF.used_representation.items | (
      'PLANT_SPATIAL_CONFIGURATION.MEASURE_REPRESENTATION_ITEM' IN
      TYPEOF(it)) AND (it.name IN ['weight_value',
      'mass_value'])) )
      = 1;
END_ENTITY; -- plant_item_weight_representation

ENTITY plant_line_definition
  SUBTYPE OF (product_definition_with_associated_documents);
  WHERE
    wr1: SIZEOF(QUERY ( pdr <* USEDIN(SELF,
      'PLANT_SPATIAL_CONFIGURATION.PRODUCT_DEFINITION_' +
      'RELATIONSHIP.RELATED_PRODUCT_DEFINITION')
      | ('PLANT_SPATIAL_CONFIGURATION.PIPING_SYSTEM' IN TYPEOF(
        pdr.relatting_product_definition)) ) ) = 1;
    wr2: SIZEOF(QUERY ( pdr <* USEDIN(SELF,
      'PLANT_SPATIAL_CONFIGURATION.PRODUCT_DEFINITION_' +
      'RELATIONSHIP.RELATING_PRODUCT_DEFINITION')
      | (
        'PLANT_SPATIAL_CONFIGURATION.PLANT_LINE_SEGMENT_DEFINITION'
        IN TYPEOF(pdr.related_product_definition)) ) ) > 0;
    wr3: ((NOT (SIZEOF(QUERY ( pd <* USEDIN(SELF,
      'PLANT_SPATIAL_CONFIGURATION.PROPERTY_DEFINITION.DEFINITION')
      | (SIZEOF(USEDIN(pd,'PLANT_SPATIAL_CONFIGURATION.' +
      'PROPERTY_DEFINITION_REPRESENTATION.DEFINITION')) > 0) )) = 0))
      XOR (SIZEOF(QUERY ( pd <* USEDIN(SELF,
      'PLANT_SPATIAL_CONFIGURATION.PROPERTY_DEFINITION.DEFINITION')
      | (SIZEOF(QUERY ( pdr <* USEDIN(pd,
      'PLANT_SPATIAL_CONFIGURATION.' +
      'PROPERTY_DEFINITION_REPRESENTATION.DEFINITION') | (SIZEOF(
        QUERY ( rep <* USEDIN(pdr.used_representation.context_of_items,
        'PLANT_SPATIAL_CONFIGURATION.REPRESENTATION.CONTEXT_OF_ITEMS')
        | (SIZEOF(QUERY ( prop_def_rep <* USEDIN(rep,
        'PLANT_SPATIAL_CONFIGURATION.' +
        'PROPERTY_DEFINITION_REPRESENTATION.USED_REPRESENTATION') |
        (SIZEOF(['PLANT_SPATIAL_CONFIGURATION.SITE',
        'PLANT_SPATIAL_CONFIGURATION.SITE_BUILDING']) * TYPEOF(
          prop_def_rep.definition)) = 0) AND (NOT (
        'PLANT_SPATIAL_CONFIGURATION.SITE' IN TYPEOF(prop_def_rep.
        definition.definition))) AND (NOT (
        'PLANT_SPATIAL_CONFIGURATION.PLANT' IN TYPEOF(prop_def_rep.
        definition.definition.formation.of_product)))) ) ) > 0) )) >

```

```

        0) )) > 0) )) = 0));
wr4: SELF.frame_of_reference.life_cycle_stage = 'design';
wr5: SELF.frame_of_reference\application_context_element.name =
      'system';
END_ENTITY; -- plant_line_definition

ENTITY plant_line_segment_definition
  SUBTYPE OF (product_definition);
  WHERE
    wr1: SIZEOF(QUERY ( pdr <* USEDIN(SELF,
      'PLANT_SPATIAL_CONFIGURATION.PRODUCT_DEFINITION_'+
      'RELATIONSHIP.RELATED_PRODUCT_DEFINITION')
      | ('PLANT_SPATIAL_CONFIGURATION.PLANT_LINE_DEFINITION' IN
      TYPEOF(pdr.relatting_product_definition)) )) > 0;
    wr2: SIZEOF(QUERY ( pd <* USEDIN(SELF,'PLANT_SPATIAL_CONFIGURATION.' +
      'PROPERTY_DEFINITION.DEFINITION')
      | ('PLANT_SPATIAL_CONFIGURATION.SHAPEDEFINITION' IN
      TYPEOF(pd)) )) > 1;
    wr3: SELF.frame_of_reference\application_context_element.name =
      'functional_definition';
END_ENTITY; -- plant_line_segment_definition

ENTITY plant_line_segment_termination
  SUBTYPE OF (shape_aspect);
  WHERE
    wr1: 'PLANT_SPATIAL_CONFIGURATION.PLANT_LINE_SEGMENT_DEFINITION' IN
      TYPEOF(SELF.of_shape.definition);
    wr2: SIZEOF(QUERY ( sar <* (USEDIN(SELF,
      'PLANT_SPATIAL_CONFIGURATION.' +
      'SHAPE_ASPECT_RELATIONSHIP.RELATIN_SHAPE_ASPECT') + USEDIN(
      SELF,'PLANT_SPATIAL_CONFIGURATION.' +
      'SHAPE_ASPECT_RELATIONSHIP.RELATED_SHAPE_ASPECT')) | (NOT (
      SIZEOF(TYPEOF(sar) * [
        'PLANT_SPATIAL_CONFIGURATION.LINE_BRANCH_CONNECTION',
        'PLANT_SPATIAL_CONFIGURATION.LINE_PLANT_ITEM_CONNECTION',
        'PLANT_SPATIAL_CONFIGURATION.LINE_TERMINATION_CONNECTION'])
      > 0)) )) = 0;
END_ENTITY; -- plant_line_segment_termination

ENTITY plant_spatial_configuration_action_request_assignment
  SUBTYPE OF (action_request_assignment);
  items : SET [1:?] OF plant_spatial_configuration_action_request_item;
END_ENTITY; -- plant_spatial_configuration_action_request_assignment

ENTITY plant_spatial_configuration_approval_assignment
  SUBTYPE OF (approval_assignment);
  items : SET [1:?] OF approval_item;
END_ENTITY; -- plant_spatial_configuration_approval_assignment

ENTITY plant_spatial_configuration_change_assignment
  SUBTYPE OF (action_assignment);
  items : SET [1:?] OF change_item;
  WHERE
    wr1: 'PLANT_SPATIAL_CONFIGURATION.CHANGE_ACTION' IN TYPEOF(SELF.
      assigned_action);
END_ENTITY; -- plant_spatial_configuration_change_assignment

ENTITY plant_spatial_configuration_date_and_time_assignment
  SUBTYPE OF (date_and_time_assignment);

```

```
    items : SET [1:?] OF plant_spatial_configuration_date_and_time_item;
END_ENTITY; -- plant_spatial_configuration_date_and_time_assignment

ENTITY plant_spatial_configuration_date_assignment
  SUBTYPE OF (date_assignment);
  items : SET [1:?] OF plant_spatial_configuration_dated_item;
END_ENTITY; -- plant_spatial_configuration_date_assignment

ENTITY plant_spatial_configuration_document_reference
  SUBTYPE OF (document_reference);
  items : SET [1:?] OF plant_spatial_configuration_document_item;
END_ENTITY; -- plant_spatial_configuration_document_reference

ENTITY plant_spatial_configuration_organization_assignment
  SUBTYPE OF (organization_assignment);
  items : SET [1:?] OF plant_spatial_configuration_organization_item;
WHERE
  wr1: plant_spatial_configuration_organization_correlation(SELF);
END_ENTITY; -- plant_spatial_configuration_organization_assignment

ENTITY plant_spatial_configuration_person_and_organization_assignment
  SUBTYPE OF (person_and_organization_assignment);
  items : SET [1:?] OF
    plant_spatial_configuration_person_and_organization_item;
WHERE
  wr1: plant_spatial_configuration_person_and_organization_correlation(
    SELF);
END_ENTITY; -- plant_spatial_configuration_person_and_organization_assignment

ENTITY plant_spatial_configuration_person_assignment
  SUBTYPE OF (person_assignment);
  items : SET [1:?] OF plant_spatial_configuration_person_item;
WHERE
  wr1: plant_spatial_configuration_person_correlation(SELF);
END_ENTITY; -- plant_spatial_configuration_person_assignment

ENTITY point
  SUPERTYPE OF (ONEOF (cartesian_point,point_on_curve,point_on_surface,
    point_replica,degenerate_pcurve))
  SUBTYPE OF (geometric_representation_item);
END_ENTITY; -- point

ENTITY point_on_curve
  SUBTYPE OF (point);
  basis_curve      : curve;
  point_parameter : parameter_value;
END_ENTITY; -- point_on_curve

ENTITY point_on_surface
  SUBTYPE OF (point);
  basis_surface    : surface;
  point_parameter_u : parameter_value;
  point_parameter_v : parameter_value;
END_ENTITY; -- point_on_surface

ENTITY point_replica
  SUBTYPE OF (point);
  parent_pt        : point;
  transformation   : cartesian_transformation_operator;
```

```

WHERE
  wr1: transformation.dim = parent_pt.dim;
  wr2: acyclic_point_replica(SELF,parent_pt);
END_ENTITY; -- point_replica

ENTITY poly_loop
  SUBTYPE OF (loop, geometric_representation_item);
  polygon : LIST [3:?] OF UNIQUE cartesian_point;
END_ENTITY; -- poly_loop

ENTITY polyline
  SUBTYPE OF (bounded_curve);
  points : LIST [2:?] OF cartesian_point;
END_ENTITY; -- polyline

ENTITY presentation_layer_assignment;
  name          : label;
  description    : text;
  assigned_items : SET [1:?] OF layered_item;
END_ENTITY; -- presentation_layer_assignment

ENTITY process_capability
  SUBTYPE OF (property_definition);
  WHERE
    wr1: 'PLANT_SPATIAL_CONFIGURATION.PLANT' IN TYPEOF(SELF.definition\
      product_definition.formation.of_product);
    wr2: SIZEOF(QUERY ( pdr <* USEDIN(SELF,
      'PLANT_SPATIAL_CONFIGURATION.PROPERTY_DEFINITION_ ' +
      'REPRESENTATION.DEFINITION') |
      ((pdr.used_representation.name =
        'production_capacity') AND (NOT (SIZEOF(QUERY ( it <* pdr.
        used_representation.items | (('PLANT_SPATIAL_' +
        'CONFIGURATION.DESCRIPTIVE REPRESENTATION_ITEM'
        IN TYPEOF(it)) AND (it.name = 'production_type')) )) = 1)))
    )) = 0;
  END_ENTITY; -- process_capability

ENTITY product;
  id           : identifier;
  name         : label;
  description   : text;
  frame_of_reference : SET [1:?] OF product_context;
  UNIQUE
  url : id;
END_ENTITY; -- product

ENTITY product_category;
  name         : label;
  description  : OPTIONAL text;
END_ENTITY; -- product_category

ENTITY product_category_relationship;
  name         : label;
  description  : text;
  category     : product_category;
  sub_category : product_category;
  WHERE
    wr1: acyclic_product_category_relationship(SELF,[SELF.sub_category]);
  END_ENTITY; -- product_category_relationship

```

**ISO/CD 10303-227:1995(E)**

```
ENTITY product_context
  SUBTYPE OF (application_context_element);
    discipline_type : label;
END_ENTITY; -- product_context

ENTITY product_definition;
  id           : identifier;
  description   : text;
  formation     : product_definition_formation;
  frame_of_reference : product_definition_context;
END_ENTITY; -- product_definition

ENTITY product_definition_context
  SUBTYPE OF (application_context_element);
    life_cycle_stage : label;
END_ENTITY; -- product_definition_context

ENTITY product_definition_formation;
  id           : identifier;
  description   : text;
  of_product    : product;
  UNIQUE
    url : id, of_product;
END_ENTITY; -- product_definition_formation

ENTITY product_definition_formation_relationship;
  id           : identifier;
  name         : label;
  description   : text;
  relating_product_definition_formation : product_definition_formation;
  related_product_definition_formation : product_definition_formation;
END_ENTITY; -- product_definition_formation_relationship

ENTITY product_definition_formation_with_specified_source
  SUBTYPE OF (product_definition_formation);
    make_or_buy : source;
END_ENTITY; -- product_definition_formation_with_specified_source

ENTITY product_definition_relationship;
  id           : identifier;
  name         : label;
  description   : text;
  relating_product_definition : product_definition;
  related_product_definition : product_definition;
END_ENTITY; -- product_definition_relationship

ENTITY product_definition_shape
  SUBTYPE OF (property_definition);
  UNIQUE
    url : definition;
  WHERE
    wr1: 'PLANT_SPATIAL_CONFIGURATION.CHARACTERIZED_PRODUCT_DEFINITION'
      IN TYPEOF(SELF\property_definition.definition);
END_ENTITY; -- product_definition_shape

ENTITY product_definition_substitute;
  description   : text;
  context_relationship : product_definition_relationship;
  substitute_definition : product_definition;
```

```

WHERE
    wr1: context_relationship.related_product_definition :<>:
        . substitute_definition;
END_ENTITY; -- product_definition_substitute

ENTITY product_definition_usage
    SUPERTYPE OF (ONEOF (make_from_usage_option,assembly_component_usage))
    SUBTYPE OF (product_definition_relationship);
    UNIQUE
        url : id, relating_product_definition, related_product_definition;
WHERE
    wr1: acyclic_product_definition_relationship(SELF,[SELF\
        product_definition_relationship.related_product_definition],
        'PLANT_SPATIAL_CONFIGURATION.PRODUCT_DEFINITION_USAGE.' +
        'RELATED_PRODUCT_DEFINITION');
END_ENTITY; -- product_definition_usage

ENTITY product_definition_with_associated_documents
    SUBTYPE OF (product_definition);
        documentation_ids : SET [1:?] OF document;
END_ENTITY; -- product_definition_with_associated_documents

ENTITY product_related_product_category
    SUBTYPE OF (product_category);
        products : SET [1:?] OF product;
END_ENTITY; -- product_related_product_category

ENTITY property_definition;
    name : label;
    description : text;
    definition : characterized_definition;
END_ENTITY; -- property_definition

ENTITY property_definition_relationship;
    name : label;
    description : text;
    relating_property_definition : property_definition;
    related_property_definition : property_definition;
END_ENTITY; -- property_definition_relationship

ENTITY property_definition_representation;
    definition : property_definition;
    used_representation : representation;
END_ENTITY; -- property_definition_representation

ENTITY purchase_assignment
    SUPERTYPE OF (action_assignment);
        items : SET [1:?] OF purchase_item;
END_ENTITY; -- purchase_assignment

ENTITY quasi_uniform_curve
    SUBTYPE OF (b_spline_curve);
END_ENTITY; -- quasi_uniform_curve

ENTITY quasi_uniform_surface
    SUBTYPE OF (b_spline_surface);
END_ENTITY; -- quasi_uniform_surface

```

**ISO/CD 10303-227:1995(E)**

```
ENTITY ratio_measure_with_unit
  SUBTYPE OF (measure_with_unit);
  WHERE
    wr1: 'PLANT_SPATIAL_CONFIGURATION.RATIO_UNIT' IN TYPEOF(SELF\
      measure_with_unit.unit_component);
END_ENTITY; -- ratio_measure_with_unit

ENTITY ratio_unit
  SUBTYPE OF (named_unit);
  WHERE
    wr1: (SELF\named_unit.dimensions.length_exponent = 0) AND (SELF\
      named_unit.dimensions.mass_exponent = 0) AND (SELF\
      named_unit.dimensions.time_exponent = 0) AND (SELF\
      named_unit.dimensions.electric_current_exponent = 0) AND (
        SELF\named_unit.dimensions.
        thermodynamic_temperature_exponent = 0) AND (SELF\named_unit\
          .dimensions.amount_of_substance_exponent = 0) AND (SELF\
            named_unit.dimensions.luminous_intensity_exponent = 0);
END_ENTITY; -- ratio_unit

ENTITY rational_b_spline_curve
  SUBTYPE OF (b_spline_curve);
  weights_data : LIST [2:?] OF REAL;
  DERIVE
    weights : ARRAY [0:upper_index_on_control_points] OF REAL :=
      list_to_array(weights_data,0,
        upper_index_on_control_points);
  WHERE
    wr1: SIZEOF(weights_data) = SIZEOF(SELF\b_spline_curve.
      control_points_list);
    wr2: curve_weights_positive(SELF);
END_ENTITY; -- rational_b_spline_curve

ENTITY rational_b_spline_surface
  SUBTYPE OF (b_spline_surface);
  weights_data : LIST [2:?] OF LIST [2:?] OF REAL;
  DERIVE
    weights : ARRAY [0:u_upper] OF ARRAY [0:v_upper] OF REAL :=
      make_array_of_array(weights_data,0,u_upper,0,v_upper);
  WHERE
    wr1: (SIZEOF(weights_data) = SIZEOF(SELF\b_spline_surface.
      control_points_list)) AND (SIZEOF(weights_data[1]) = SIZEOF(
        SELF\b_spline_surface.control_points_list[1]));
    wr2: surface_weights_positive(SELF);
END_ENTITY; -- rational_b_spline_surface

ENTITY rectangular_composite_surface
  SUBTYPE OF (bounded_surface);
  segments : LIST [1:?] OF LIST [1:?] OF surface_patch;
  DERIVE
    n_u : INTEGER := SIZEOF(segments);
    n_v : INTEGER := SIZEOF(segments[1]);
  WHERE
    wr1: [] = QUERY ( s <* segments | (n_v <> SIZEOF(s)) );
    wr2: constraints_rectangular_composite_surface(SELF);
END_ENTITY; -- rectangular_composite_surface

ENTITY rectangular_trimmed_surface
  SUBTYPE OF (bounded_surface);
```

```

basis_surface : surface;
u1            : parameter_value;
u2            : parameter_value;
v1            : parameter_value;
v2            : parameter_value;
usense        : BOOLEAN;
vsense        : BOOLEAN;
WHERE
wr1: u1 <> u2;
wr2: v1 <> v2;
wr3: (('PLANT_SPATIAL_CONFIGURATION.ELEMENTARY_SURFACE' IN TYPEOF(
      basis_surface)) AND (NOT (
      'PLANT_SPATIAL_CONFIGURATION.PLANE' IN
      TYPEOF(basis_surface))))
      OR ('PLANT_SPATIAL_CONFIGURATION.SURFACE_OF_REVOLUTION' IN
      TYPEOF(basis_surface)) OR (usense = (u2 > u1));
wr4: ('PLANT_SPATIAL_CONFIGURATION.SPHERICAL_SURFACE' IN TYPEOF(
      basis_surface)) OR (
      'PLANT_SPATIAL_CONFIGURATION.TOROIDAL_SURFACE' IN TYPEOF(
      basis_surface)) OR (vsense = (v2 > v1));
END_ENTITY; -- rectangular_trimmed_surface

ENTITY reducer_fitting_classification
  SUBTYPE OF (group);
END_ENTITY; -- reducer_fitting_classification

ENTITY reference_geometry
  SUBTYPE OF (derived_shape_aspect);
WHERE
wr1: SIZEOF(QUERY ( pd <* USEDIN(SELF,'PLANT_SPATIAL_CONFIGURATION.'
  + 'PROPERTY_DEFINITION.DEFINITION') | (NOT
  (SIZEOF(USEDIN(pd, 'PLANT_SPATIAL_CONFIGURATION.' +
  'PROPERTY_DEFINITION_REPRESENTATION.DEFINITION')) >= 1)) ))
  = 0;
END_ENTITY; -- reference_geometry

ENTITY reparametrised_composite_curve_segment
  SUBTYPE OF (composite_curve_segment);
  param_length : parameter_value;
WHERE
wr1: param_length > 0;
END_ENTITY; -- reparametrised_composite_curve_segment

ENTITY representation;
  name          : label;
  items         : SET [1:?] OF representation_item;
  context_of_items : representation_context;
END_ENTITY; -- representation

ENTITY representation_context;
  context_identifier : identifier;
  context_type      : text;
  INVERSE
    representations_in_context : SET [1:?] OF representation FOR
                                context_of_items;
END_ENTITY; -- representation_context

ENTITY representation_item;
  name : label;

```

**ISO/CD 10303-227:1995(E)**

```
WHERE
    wr1: SIZEOF(using_representations(SELF)) > 0;
END_ENTITY; -- representation_item

ENTITY representation_map;
    mapping_origin : representation_item;
    mapped_representation : representation;
    INVERSE
        map_usage : SET [1:?] OF mapped_item FOR mapping_source;
    WHERE
        wr1: item_in_context(SELF.mapping_origin,SELF.mapped_representation.
            context_of_items);
    END_ENTITY; -- representation_map

ENTITY reserved_space
    SUBTYPE OF (shape_aspect);
    WHERE
        wr1: 'PLANT_SPATIAL_CONFIGURATION.PLANT_ITEM_DEFINITION' IN TYPEOF(
            SELF.of_shape.definition);
    END_ENTITY; -- reserved_space

ENTITY revolved_area_solid
    SUBTYPE OF (swept_area_solid);
    axis : axis1_placement;
    angle : plane_angle_measure;
    DERIVE
        axis_line : line := line(axis.location,vector(axis.z,1));
    END_ENTITY; -- revolved_area_solid

ENTITY revolved_face_solid
    SUBTYPE OF (swept_face_solid);
    axis : axis1_placement;
    angle : plane_angle_measure;
    DERIVE
        axis_line : line := line(axis.location,vector(axis.z,1));
    END_ENTITY; -- revolved_face_solid

ENTITY right_circular_cone
    SUBTYPE OF (geometric_representation_item);
    position : axis1_placement;
    height : positive_length_measure;
    radius : length_measure;
    semi_angle : plane_angle_measure;
    WHERE
        wr1: radius >= 0;
    END_ENTITY; -- right_circular_cone

ENTITY right_circular_cylinder
    SUBTYPE OF (geometric_representation_item);
    position : axis1_placement;
    height : positive_length_measure;
    radius : positive_length_measure;
    END_ENTITY; -- right_circular_cylinder

ENTITY seam_curve
    SUBTYPE OF (surface_curve);
    WHERE
        wr1: SIZEOF(SELF\surface_curve.associated_geometry) = 2;
        wr2: associated_surface(SELF\surface_curve.associated_geometry[1]) =
```

```

        associated_surface(SELF\surface_curve.associated_geometry[2]);
wr3: 'PLANT_SPATIAL_CONFIGURATION.PCURVE' IN TYPEOF(SELF\
        .surface_curve.associated_geometry[1]);
wr4: 'PLANT_SPATIAL_CONFIGURATION.PCURVE' IN TYPEOF(SELF\
        .surface_curve.associated_geometry[2]);
END_ENTITY; -- seam_curve

ENTITY shape_aspect;
    name           : label;
    description    : text;
    of_shape       : product_definition_shape;
    product_definitional : LOGICAL;
END_ENTITY; -- shape_aspect

ENTITY shape_aspect_deriving_relationship
    SUBTYPE OF (shape_aspect_relationship);
    WHERE
        wr1: 'PLANT_SPATIAL_CONFIGURATION.DERIVED_SHAPE_ASPECT' IN TYPEOF(
            SELF\shape_aspect_relationship.relatting_shape_aspect);
END_ENTITY; -- shape_aspect_deriving_relationship

ENTITY shape_aspect_relationship;
    name           : label;
    description    : text;
    relating_shape_aspect : shape_aspect;
    related_shape_aspect : shape_aspect;
END_ENTITY; -- shape_aspect_relationship

ENTITY shape_definition_representation
    SUBTYPE OF (property_definition_representation);
    WHERE
        wr1: ('PLANT_SPATIAL_CONFIGURATION.SHAPE_DEFINITION' IN TYPEOF(SELF.
            definition.definition)) OR (
            'PLANT_SPATIAL_CONFIGURATION.PRODUCT_DEFINITION_SHAPE' IN
            TYPEOF(SELF.definition));
        wr2: 'PLANT_SPATIAL_CONFIGURATION.SHAPE_REPRESENTATION' IN TYPEOF(
            SELF.used_representation);
END_ENTITY; -- shape_definition_representation

ENTITY shape_dimension_representation
    SUBTYPE OF (shape_representation);
    WHERE
        wr1: SIZEOF(QUERY ( temp <* SELF.items | ((NOT
            'PLANT_SPATIAL_CONFIGURATION.MEASURE REPRESENTATION ITEM')
            IN TYPEOF(temp)) )) = 0;
        wr2: SIZEOF(SELF.items) <= 2;
        wr3: SIZEOF(QUERY ( pos_mri <* QUERY ( real_mri <* SELF.items | (
            'REAL' IN TYPEOF(real_mri\measure_with_unit.
            value_component))
            | (NOT (pos_mri\measure_with_unit.value_component > 0)) ))
            = 0;
END_ENTITY; -- shape_dimension_representation

ENTITY shape_representation
    SUBTYPE OF (representation);
END_ENTITY; -- shape_representation

ENTITY si_unit
    SUBTYPE OF (named_unit);

```

**ISO/CD 10303-227:1995(E)**

```
prefix : OPTIONAL si_prefix;
name   : si_unit_name;
DERIVE
  SELF\named_unit.dimensions : dimensional_exponents :=
    dimensions_for_si_unit(SELF.name);
END_ENTITY; -- si_unit

ENTITY site
  SUBTYPE OF (characterized_object, property_definition);
  WHERE
    wr1: 'PLANT_SPATIAL_CONFIGURATION.PLANT' IN TYPEOF(SELF\property_definition.definition\product_definition.formation.of_product);
END_ENTITY; -- site

ENTITY site_building
  SUBTYPE OF (property_definition);
  WHERE
    wr1: 'PLANT_SPATIAL_CONFIGURATION.SITE' IN TYPEOF(SELF.definition);
    wr2: SIZEOF(USEDIN(SELF,'PLANT_SPATIAL_CONFIGURATION.' +
      'PROPERTY_DEFINITION_REPRESENTATION.DEFINITION')) > 2;
    wr3: coordinated_representation_names_and_item_types(SELF);
END_ENTITY; -- site_building

ENTITY site_feature
  SUBTYPE OF (property_definition);
  WHERE
    wr1: 'PLANT_SPATIAL_CONFIGURATION.SITE' IN TYPEOF(SELF.definition);
    wr2: SIZEOF(USEDIN(SELF,'PLANT_SPATIAL_CONFIGURATION.' +
      'PROPERTY_DEFINITION_REPRESENTATION.DEFINITION')) = 3;
    wr3: coordinated_representation_names_and_item_types(SELF);
END_ENTITY; -- site_feature

ENTITY site_representation
  SUBTYPE OF (shape_representation);
  WHERE
    wr1: SIZEOF(QUERY ( pdr <* USEDIN(SELF,
      'PLANT_SPATIAL_CONFIGURATION.' +
      'PROPERTY_DEFINITION_REPRESENTATIONUSED_REPRESENTATION') |
      (NOT ('PLANT_SPATIAL_CONFIGURATION.SITE' IN TYPEOF(pdr.definition.definition)))) ) = 0;
    wr2: ((SIZEOF(QUERY ( item <* SELF\representation.items | (NOT (
      'PLANT_SPATIAL_CONFIGURATION.CONNECTED_FACE_SET' IN TYPEOF(item)))) ) = 0) XOR (SIZEOF(QUERY ( item <* SELF\representation.items | (NOT (
      'PLANT_SPATIAL_CONFIGURATION.GEOMETRIC_CURVE_SET' IN TYPEOF(item)))) ) = 0));
    wr3: SIZEOF(QUERY ( i <* SELF\representation.items | (NOT ((NOT (
      'PLANT_SPATIAL_CONFIGURATION.CONNECTED_FACE_SET' IN
      TYPEOF(i))) OR ((rep_item_set_has_analytic(connected_face_set_class_set(i)) =
        FALSE) AND (rep_item_set_has_free_form(
        connected_face_set_class_set(i)) = FALSE)))) ) = 0;
    wr4: SIZEOF(QUERY ( i <* SELF\representation.items | (NOT ((NOT (
      'PLANT_SPATIAL_CONFIGURATION.CONNECTED_FACE_SET' IN
      TYPEOF(i))) OR (SIZEOF(QUERY ( f <* i\connected_face_set.cfs_faces | (
        NOT ((face_edge_count(f) = 3) OR (face_edge_count(f) = 4)))) ) = 0)))) ) = 0;
```

```

wr5: SIZEOF(QUERY ( i <* SELF\representation.items | (NOT ((NOT (
    'PLANT_SPATIAL_CONFIGURATION.GEOMETRIC_CURVE_SET' IN TYPEOF(
    i))) OR (SIZEOF(QUERY ( e <* i\geometric_set.elements | (((
        'PLANT_SPATIAL_CONFIGURATION.CURVE' IN TYPEOF(e)) AND (NOT (
            'PLANT_SPATIAL_CONFIGURATION.POLYLINE' IN TYPEOF(e)))) ) ) =
    0)))) ) = 0;
END_ENTITY; -- site_representation

ENTITY solid_angle_measure_with_unit
    SUBTYPE OF (measure_with_unit);
    WHERE
        wr1: 'PLANT_SPATIAL_CONFIGURATION.SOLID_ANGLE_UNIT' IN TYPEOF(SELF\
            measure_with_unit.unit_component);
END_ENTITY; -- solid_angle_measure_with_unit

ENTITY solid_angle_unit
    SUBTYPE OF (named_unit);
    WHERE
        wr1: (SELF\named_unit.dimensions.length_exponent = 0) AND (SELF\
            named_unit.dimensions.mass_exponent = 0) AND (SELF\
            named_unit.dimensions.time_exponent = 0) AND (SELF\
            named_unit.dimensions.electric_current_exponent = 0) AND (
            SELF\named_unit.dimensions.
            thermodynamic_temperature_exponent = 0) AND (SELF\named_unit
                .dimensions.amount_of_substance_exponent = 0) AND (SELF\
            named_unit.dimensions.luminous_intensity_exponent = 0);
END_ENTITY; -- solid_angle_unit

ENTITY solid_model
    SUPERTYPE OF (ONEOF (csg_solid,manifold_solid_brep,swept_face_solid,
        swept_area_solid))
    SUBTYPE OF (geometric_representation_item);
END_ENTITY; -- solid_model

ENTITY spacer_fitting_classification
    SUBTYPE OF (group);
END_ENTITY; -- spacer_fitting_classification

ENTITY specialty_item_classification
    SUBTYPE OF (group);
END_ENTITY; -- specialty_item_classification

ENTITY sphere *
    SUBTYPE OF (geometric_representation_item);
    radius : positive_length_measure;
    centre : point;
END_ENTITY; -- sphere

ENTITY spherical_surface
    SUBTYPE OF (elementary_surface);
    radius : positive_length_measure;
END_ENTITY; -- spherical_surface

ENTITY stream_design_case
    SUBTYPE OF (property_definition, characterized_object);
    WHERE
        wr1: SIZEOF(USEDIN(SELF,'PLANT_SPATIAL_CONFIGURATION.' +
            'PROPERTY_DEFINITION')) >= 1;

```

```

wr2: SIZEOF(USEDIN(SELF,'PLANT_SPATIAL_CONFIGURATION.' +
    'PROPERTY_DEFINITION_REPRESENTATION.DEFINITION')) >= 2;
wr3: SIZEOF(QUERY ( pdr <* USEDIN(SELF,
    'PLANT_SPATIAL_CONFIGURATION.' +
    'PROPERTY_DEFINITION_REPRESENTATION.DEFINITION') | (pdr.
    used_representation.name = 'flow_rate') )) = 1;
wr4: SIZEOF(QUERY ( pdr <* USEDIN(SELF,
    'PLANT_SPATIAL_CONFIGURATION.' +
    'PROPERTY_DEFINITION_REPRESENTATION.DEFINITION') | (pdr.
    used_representation.name = 'pressure') )) = 1;
END_ENTITY; -- stream_design_case

ENTITY stream_phase
    SUBTYPE OF (property_definition);
    WHERE
        wr1: 'PLANT_SPATIAL_CONFIGURATION.STREAM_DESIGN_CASE' IN TYPEOF(SELF
            .definition);
        wr2: SIZEOF(USEDIN(SELF,'PLANT_SPATIAL_CONFIGURATION.' +
            'PROPERTY_DEFINITION_REPRESENTATION.DEFINITION')) >= 3;
        wr3: SIZEOF(QUERY ( pdr <* USEDIN(SELF,
            'PLANT_SPATIAL_CONFIGURATION.' +
            'PROPERTY_DEFINITION_REPRESENTATION.DEFINITION') | (pdr.
            used_representation.name = 'constituent_mole_fraction') )) =
            1;
        wr4: SIZEOF(QUERY ( pdr <* USEDIN(SELF,
            'PLANT_SPATIAL_CONFIGURATION.' +
            'PROPERTY_DEFINITION_REPRESENTATION.DEFINITION') | (pdr.
            used_representation.name = 'constituents') )) = 1;
        wr5: SIZEOF(QUERY ( pdr <* USEDIN(SELF,
            'PLANT_SPATIAL_CONFIGURATION.' +
            'PROPERTY_DEFINITION_REPRESENTATION.DEFINITION') | (pdr.
            used_representation.name = 'temperature') )) = 1;
    END_ENTITY; -- stream_phase

ENTITY structural_load_connector_classification
    SUBTYPE OF (group);
    END_ENTITY; -- structural_load_connector_classification

ENTITY structural_system
    SUBTYPE OF (product_definition);
    WHERE
        wr1: SIZEOF(QUERY ( pdr <* USEDIN(SELF,
            'PLANT_SPATIAL_CONFIGURATION.PRODUCT_DEFINITION_' +
            'RELATIONSHIP.RELATED_PRODUCT_DEFINITION')
            | (('PLANT_SPATIAL_CONFIGURATION.PLANT' IN TYPEOF(pdr.
            relating_product_definition.formation.of_product)) AND (pdr.
            relating_product_definition.frame_of_reference.name =
            'functional_occurrence'))) ) = 1;
    END_ENTITY; -- structural_system

ENTITY support_constraint_representation
    SUBTYPE OF (representation);
    WHERE
        wr1: SIZEOF(SELF.items) >= 3;
        wr2: SIZEOF(QUERY ( it <* SELF.items | (
            'PLANT_SPATIAL_CONFIGURATION.MEASURE REPRESENTATION_ITEM' IN
            TYPEOF(it)) AND (it.name IN ['negative_x','positive_x',
            'negative_y','positive_y','negative_z','positive_z',
            'negative_x_rotation','positive_x_rotation',

```

```

    'negative_y_rotation','positive_y_rotation',
    'negative_z_rotation','positive_z_rotation'])) ) = 1;
wr3: SIZEOF(QUERY ( it <* SELF.items | (
    'PLANT_SPATIAL_CONFIGURATION.RATIO_MEASURE_WITH_UNIT' IN
    TYPEOF(it)) ) ) = 1;
wr4: SIZEOF(QUERY ( it <* SELF.items | (
    'PLANT_SPATIAL_CONFIGURATION.DESCRIPTIVE REPRESENTATION_ITEM'
    IN TYPEOF(it)) ) ) = 1;
END_ENTITY; -- support_constraint_representation

ENTITY surface
  SUPERTYPE OF (ONEOF (elementary_surface,swept_surface,bounded_surface,
    offset_surface,surface_replica))
  SUBTYPE OF (geometric_representation_item);
END_ENTITY; -- surface

ENTITY surface_curve
  SUPERTYPE OF (ONEOF (intersection_curve,seam_curve) ANDOR
    bounded_surface_curve)
  SUBTYPE OF (curve);
  curve_3d : curve;
  associated_geometry : LIST [1:2] OF pcurve_or_surface;
  master_representation : preferred_surface_curve_representation;
DERIVE
  basis_surface : SET [1:2] OF surface := get_basis_surface(SELF);
WHERE
  wr1: curve_3d.dim = 3;
  wr2: ('PLANT_SPATIAL_CONFIGURATION.PCURVE' IN TYPEOF(
    associated_geometry[1])) OR (master_representation <>
    pcurve_s1);
  wr3: ('PLANT_SPATIAL_CONFIGURATION.PCURVE' IN TYPEOF(
    associated_geometry[2])) OR (master_representation <>
    pcurve_s2);
  wr4: NOT ('PLANT_SPATIAL_CONFIGURATION.PCURVE' IN TYPEOF(curve_3d));
END_ENTITY; -- surface_curve

ENTITY surface_of_linear_extrusion
  SUBTYPE OF (swept_surface);
  extrusion_axis : vector;
END_ENTITY; -- surface_of_linear_extrusion

ENTITY surface_of_revolution
  SUBTYPE OF (swept_surface);
  axis_position : axis1_placement;
DERIVE
  axis_line : line := line(axis_position.location,vector(axis_position
    .z,1));
END_ENTITY; -- surface_of_revolution

ENTITY surface_patch;
  parent_surface : bounded_surface;
  u_transition : transition_code;
  v_transition : transition_code;
  u_sense : BOOLEAN;
  v_sense : BOOLEAN;
INVERSE
  using_surfaces : BAG [1:?] OF rectangular_composite_surface FOR
    segments;
WHERE

```

```
wr1: NOT ('PLANT_SPATIAL_CONFIGURATION.CURVE_BOUNDED_SURFACE' IN
           TYPEOF(parent_surface));
END_ENTITY; -- surface_patch

ENTITY surface_replica
  SUBTYPE OF (surface);
  parent_surface : surface;
  transformation : cartesian_transformation_operator_3d;
WHERE
  wr1: acyclic_surface_replica(SELF,parent_surface);
END_ENTITY; -- surface_replica

ENTITY swage_fitting_classification
  SUBTYPE OF (group);
END_ENTITY; -- swage_fitting_classification

ENTITY swept_area_solid
  SUPERTYPE OF (ONEOF (revolved_area_solid,extruded_area_solid))
  SUBTYPE OF (solid_model);
  swept_area : curve_bounded_surface;
WHERE
  wr1: 'PLANT_SPATIAL_CONFIGURATION.PLANE' IN TYPEOF(swept_area.
            basis_surface);
END_ENTITY; -- swept_area_solid

ENTITY swept_face_solid
  SUPERTYPE OF (ONEOF (extruded_face_solid, revolved_face_solid))
  SUBTYPE OF (solid_model);
  swept_face : face_surface;
WHERE
  wr1: 'PLANT_SPATIAL_CONFIGURATION.PLANE' IN TYPEOF(swept_face.
            face_geometry);
END_ENTITY; -- swept_face_solid

ENTITY swept_surface
  SUPERTYPE OF (ONEOF (surface_of_linear_extrusion,
                        surface_of_revolution))
  SUBTYPE OF (surface);
  swept_curve : curve;
END_ENTITY; -- swept_surface

ENTITY system_space
  SUBTYPE OF (product_definition_shape);
WHERE
  wr1: SIZEOF(TYPEOF(SELF.definition) * [
    'PLANT_SPATIAL_CONFIGURATION.ELECTRICAL_SYSTEM',
    'PLANT_SPATIAL_CONFIGURATION.HVAC_SYSTEM',
    'PLANT_SPATIAL_CONFIGURATION.' +
    'INSTRUMENTATION_AND_CONTROL_SYSTEM',
    'PLANT_SPATIAL_CONFIGURATION.PIPING_SYSTEM',
    'PLANT_SPATIAL_CONFIGURATION.STRUCTURAL_SYSTEM']) = 1;
END_ENTITY; -- system_space

ENTITY tee_fitting_classification
  SUBTYPE OF (group);
END_ENTITY; -- tee_fitting_classification

ENTITY thermodynamic_temperature_measure_with_unit
  SUBTYPE OF (measure_with_unit);
```

```

WHERE
  wr1: 'PLANT_SPATIAL_CONFIGURATION.THERMODYNAMIC_TEMPERATURE_UNIT' IN
    TYPEOF(SELF\measure_with_unit.unit_component);
END_ENTITY; -- thermodynamic_temperature_measure_with_unit

ENTITY thermodynamic_temperature_unit
  SUBTYPE OF (named_unit);
  WHERE
    wr1: (SELF\named_unit.dimensions.length_exponent = 0) AND (SELF\
      named_unit.dimensions.mass_exponent = 0) AND (SELF\
      named_unit.dimensions.time_exponent = 0) AND (SELF\
      named_unit.dimensions.electric_current_exponent = 0) AND (
      SELF\named_unit.dimensions.
      thermodynamic_temperature_exponent = 1) AND (SELF\named_unit
        .dimensions.amount_of_substance_exponent = 0) AND (SELF\
        named_unit.dimensions.luminous_intensity_exponent = 0);
END_ENTITY; -- thermodynamic_temperature_unit

ENTITY time_measure_with_unit
  SUBTYPE OF (measure_with_unit);
  WHERE
    wr1: 'PLANT_SPATIAL_CONFIGURATION.TIME_UNIT' IN TYPEOF(SELF\
      measure_with_unit.unit_component);
END_ENTITY; -- time_measure_with_unit

ENTITY time_unit
  SUBTYPE OF (named_unit);
  WHERE
    wr1: (SELF\named_unit.dimensions.length_exponent = 0) AND (SELF\
      named_unit.dimensions.mass_exponent = 0) AND (SELF\
      named_unit.dimensions.time_exponent = 1) AND (SELF\
      named_unit.dimensions.electric_current_exponent = 0) AND (
      SELF\named_unit.dimensions.
      thermodynamic_temperature_exponent = 0) AND (SELF\named_unit
        .dimensions.amount_of_substance_exponent = 0) AND (SELF\
        named_unit.dimensions.luminous_intensity_exponent = 0);
END_ENTITY; -- time_unit

ENTITY topological_representation_item
  SUPERTYPE OF (ONEOF (vertex,edge,face_bound,face,connected_face_set,
    loop ANDOR path))
  SUBTYPE OF (representation_item);
END_ENTITY; -- topological_representation_item

ENTITY toroidal_surface
  SUBTYPE OF (elementary_surface);
  major_radius : positive_length_measure;
  minor_radius : positive_length_measure;
END_ENTITY; -- toroidal_surface

ENTITY torus
  SUBTYPE OF (geometric_representation_item);
  position : axis1_placement;
  major_radius : positive_length_measure;
  minor_radius : positive_length_measure;
  WHERE
    wr1: major_radius > minor_radius;
END_ENTITY; -- torus

```

```
ENTITY trimmed_curve
  SUBTYPE OF (bounded_curve);
    basis_curve      : curve;
    trim_1           : SET [1:2] OF trimming_select;
    trim_2           : SET [1:2] OF trimming_select;
    sense_agreement : BOOLEAN;
    master_representation : trimming_preference;
  WHERE
    wr1: (HIIINDEX(trim_1) = 1) XOR (TYPEOF(trim_1[1]) <>
      TYPEOF(trim_1[2]));
    wr2: (HIIINDEX(trim_2) = 1) XOR (TYPEOF(trim_2[1]) <>
      TYPEOF(trim_2[2]));
  END_ENTITY; -- trimmed_curve

ENTITY truncated_pyramid
  SUBTYPE OF (boolean_result);
END_ENTITY; -- truncated_pyramid

ENTITY uniform_curve
  SUBTYPE OF (b_spline_curve);
END_ENTITY; -- uniform_curve

ENTITY uniform_surface
  SUBTYPE OF (b_spline_surface);
END_ENTITY; -- uniform_surface

ENTITY union_fitting_classification
  SUBTYPE OF (group);
END_ENTITY; -- union_fitting_classification

ENTITY valve_classification
  SUBTYPE OF (group);
END_ENTITY; -- valve_classification

ENTITY vector
  SUBTYPE OF (geometric_representation_item);
    orientation : direction;
    magnitude   : length_measure;
  WHERE
    wr1: magnitude >= 0;
  END_ENTITY; -- vector

ENTITY versioned_action_request;
  id          : identifier;
  version     : label;
  purpose     : text;
  description : text;
END_ENTITY; -- versioned_action_request

ENTITY vertex
  SUBTYPE OF (topological_representation_item);
END_ENTITY; -- vertex

ENTITY volume_measure_with_unit
  SUBTYPE OF (measure_with_unit);
  WHERE
    wr1: 'PLANT_SPATIAL_CONFIGURATION.VOLUME_UNIT' IN TYPEOF(SELF \
      measure_with_unit.unit_component);
  END_ENTITY; -- volume_measure_with_unit
```

```

ENTITY volume_unit
  SUBTYPE OF (named_unit);
  WHERE
    wr1: (SELF\named_unit.dimensions.length_exponent = 3) AND (SELF\
      named_unit.dimensions.mass_exponent = 0) AND (SELF\
      named_unit.dimensions.time_exponent = 0) AND (SELF\
      named_unit.dimensions.electric_current_exponent = 0) AND (
      SELF\named_unit.dimensions.
      thermodynamic_temperature_exponent = 0) AND (SELF\named_unit
      .dimensions.amount_of_substance_exponent = 0) AND (SELF\
      named_unit.dimensions.luminous_intensity_exponent = 0);
END_ENTITY; -- volume_unit

ENTITY wye_fitting_classification
  SUBTYPE OF (group);
END_ENTITY; -- wye_fitting_classification

RULE approval_requires_approval_date_time FOR (approval_date_time,
  approval);
  WHERE
    wr1: SIZEOF(QUERY ( app <* approval | (NOT (SIZEOF(QUERY ( adt <*
      approval_date_time | (app ::= adt.dated_approval) )) = 1)) )) =
      0;
END_RULE; -- approval_requires_approval_date_time

RULE approval_requires_approval_person_organization FOR (
  approval_person_organization, approval);
  WHERE
    wr1: SIZEOF(QUERY ( app <* approval | (NOT (SIZEOF(QUERY ( apo <*
      approval_person_organization | (app ::= apo.
      authorized_approval) )) = 1)) )) = 0;
END_RULE; -- approval_requires_approval_person_organization

RULE catalogue_requires_vendor FOR (document_usage_constraint,
  plant_spatial_configuration_organization_assignment,
  plant_spatial_configuration_person_assignment);

  WHERE
    wr1: SIZEOF(QUERY ( duc <* document_usage_constraint | ((duc.
      subject_element = 'item_definition') AND (NOT ((SIZEOF(
      QUERY ( pscoa <*
      plant_spatial_configuration_organization_assignment | ((duc.
        source IN pscoa.items) AND (pscoa.role.name = 'vendor')) )) =
      1) XOR (SIZEOF(QUERY ( pscpa <*
      plant_spatial_configuration_person_assignment | ((duc.source
        IN pscpa.items) AND (pscpa.role.name = 'vendor')) )) = 1)))) =
      0;
END_RULE; -- catalogue_requires_vendor

RULE change_action_requires_date FOR (change_action,
  plant_spatial_configuration_date_assignment);

  WHERE
    wr1: SIZEOF(QUERY ( ca <* change_action | (NOT (SIZEOF(

```

**ISO/CD 10303-227:1995(E)**

```
        QUERY ( pscda <* plant_spatial_configuration_date_assignment
               | (ca IN pscda.items) )) = 1)) ) ) = 0;

END_RULE; -- change_action_requires_date

RULE change_item_requires_creation_date FOR (
    plant_spatial_configuration_change_assignment,
    plant_spatial_configuration_date_assignment);

WHERE
    wr1: SIZEOF(QUERY ( pscca <*
                           plant_spatial_configuration_change_assignment | (NOT (SIZEOF(
                               QUERY ( ch_it <* pscca.items | (NOT (SIZEOF(QUERY ( pscda <*
                                   plant_spatial_configuration_date_assignment | ((NOT (ch_it IN
                                   pscda.items)) OR (pscda.role.name = 'creation_date')) )) = 1))
                           )) = 0)) ) ) = 0;

END_RULE; -- change_item_requires_creation_date

RULE change_item_requires_id FOR (
    plant_spatial_configuration_change_assignment,
    change_item_id_assignment);

WHERE
    wr1: SIZEOF(QUERY ( pscca <*
                           plant_spatial_configuration_change_assignment | (NOT (SIZEOF(
                               QUERY ( ch_it <* pscca.items | (NOT (SIZEOF(QUERY ( ciia <*
                                   change_item_id_assignment | (ch_it IN ciia.items) )) = 1)) )) = 0)) ) ) = 0;

END_RULE; -- change_item_requires_id

RULE change_life_cycle_stage_usage_requires_approval FOR (
    versioned_action_request,
    plant_spatial_configuration_approval_assignment);

WHERE
    wr1: SIZEOF(QUERY ( vareq <* versioned_action_request | ((NOT SIZEOF(
        QUERY ( pscaa <*
            plant_spatial_configuration_approval_assignment | (vareq IN
            pscaa.items) ))) = 1) ) ) = 0;

END_RULE; -- change_life_cycle_stage_usage_requires_approval

RULE change_life_cycle_stage_usage_requires_stage FOR (
    versioned_action_request, action_request_status);

WHERE
    wr1: SIZEOF(QUERY ( vareq <* versioned_action_request | ((NOT SIZEOF(
        QUERY ( ars <* action_request_status | (vareq ::=: ars.
        assigned_request) ))) = 1) ) ) = 0;

END_RULE; -- change_life_cycle_stage_usage_requires_stage

RULE compatible_dimension FOR (cartesian_point, direction,
    representation_context, geometric_representation_context);

WHERE
    wr1: SIZEOF(QUERY ( x <* cartesian_point | (SIZEOF(QUERY ( y <*
```

```

        geometric_representation_context | (item_in_context(x,y) AND (
        HIINDEX(x.coordinates) <> y.coordinate_space_dimension)) )) >
        0) )) = 0;
wr2: SIZEOF(QUERY ( x <* direction | (SIZEOF(QUERY ( y <*
        geometric_representation_context | (item_in_context(x,y) AND (
        HIINDEX(x.direction_ratios) <> y.coordinate_space_dimension)) ))
        )) > 0) )) = 0;

END_RULE; -- compatible_dimension

RULE versioned_action_request_requires_change_action FOR (change_action,
versioned_action_request);

WHERE
wr1: SIZEOF(QUERY ( vareq <* versioned_action_request | (NOT (SIZEOF(
        QUERY ( ca <* change_action | (vareq IN ca.directive.requests)
        )) = 1)) )) = 0;

END_RULE; -- versioned_action_request_requires_change_action

FUNCTION acyclic_curve_replica(
        rep: curve_replica;
        parent: curve
        ): BOOLEAN;
IF NOT ('PLANT_SPATIAL_CONFIGURATION.CURVE_REPLICA' IN TYPEOF(parent))
    THEN
        RETURN(TRUE);
END_IF;
IF parent ==: rep THEN
    RETURN(FALSE);
ELSE
    RETURN(acyclic_curve_replica(rep,parent\curve_replica.parent_curve));
END_IF;

END_FUNCTION; -- acyclic_curve_replica

FUNCTION acyclic_mapped_representation(
        parent_set: SET OF representation;
        children_set: SET OF representation_item
        ): BOOLEAN;

LOCAL
    i : INTEGER;
    x : SET OF representation_item;
    y : SET OF representation_item;
END_LOCAL;
x := QUERY ( z <* children_set | (
    'PLANT_SPATIAL_CONFIGURATION.MAPPED_ITEM' IN TYPEOF(z) ) );
IF SIZEOF(x) > 0 THEN
    REPEAT i := 1 TO HIINDEX(x) BY 1;
        IF x[i]\mapped_item.mapping_source.mapped_representation IN
            parent_set THEN
            RETURN(FALSE);
        END_IF;
        IF NOT acyclic_mapped_representation(parent_set + x[i]\mapped_item.
            .mapping_source.mapped_representation,x[i]\mapped_item.
            mapping_source.mapped_representation.items) THEN
            RETURN(FALSE);
        END_IF;

```

```

        END_REPEAT;
END_IF;
x := children_set - x;
IF SIZEOF(x) > 0 THEN
    REPEAT i := 1 TO HIINDEX(x) BY 1;
        y := QUERY ( z <* bag_to_set(USEDIN(x[i],'')) | (
            'PLANT_SPATIAL_CONFIGURATION.REPRESENTATION_ITEM' IN
            TYPEOF(z) );
        IF NOT acyclic_mapped_representation(parent_set,y) THEN
            RETURN(FALSE);
        END_IF;
    END_REPEAT;
END_IF;
RETURN(TRUE);

END_FUNCTION; -- acyclic_mapped_representation

FUNCTION acyclic_point_replica(
    rep: point_replica;
    parent: point
): BOOLEAN;
IF NOT ('PLANT_SPATIAL_CONFIGURATION.POINT_REPLICA' IN TYPEOF(parent))
    THEN
    RETURN(TRUE);
END_IF;
IF parent == rep THEN
    RETURN(FALSE);
ELSE
    RETURN(acyclic_point_replica(rep,parent\point_replica.parent_pt));
END_IF;

END_FUNCTION; -- acyclic_point_replica

FUNCTION acyclic_product_category_relationship(
    relation: product_category_relationship;
    children: SET OF product_category
): LOGICAL;

LOCAL
    i : INTEGER;
    x : SET OF product_category_relationship;
    local_children : SET OF product_category;
END_LOCAL;
REPEAT i := 1 TO HIINDEX(children) BY 1;
    IF relation.category ==: children[i] THEN
        RETURN(FALSE);
    END_IF;
END_REPEAT;
x := bag_to_set(USEDIN(relation.category,
    'PLANT_SPATIAL_CONFIGURATION.' +
    'PRODUCT_CATEGORY_RELATIONSHIP.SUB_CATEGORY'));
local_children := children + relation.category;
IF SIZEOF(x) > 0 THEN
    REPEAT i := 1 TO HIINDEX(x) BY 1;
        IF NOT acyclic_product_category_relationship(x[i],local_children)
            THEN
            RETURN(FALSE);
        END_IF;
    END_REPEAT;

```

```

END_IF;
RETURN(TRUE);

END_FUNCTION; -- acyclic_product_category_relationship

FUNCTION acyclic_product_definition_relationship(
    relation: product_definition_relationship;
    relatives: SET OF product_definition;
    specific_relation: STRING
): LOGICAL;

LOCAL
    i : INTEGER;
    x : SET OF product_definition_relationship;
    local_relatives : SET OF product_definition;
END_LOCAL;
REPEAT i := 1 TO HIINDEX(relatives) BY 1;
    IF relation.relating_product_definition == relatives[i] THEN
        RETURN(FALSE);
    END_IF;
END_REPEAT;
x := bag_to_set(USEDIN(relation.relating_product_definition,
    specific_relation));
local_relatives := relatives + relation.relating_product_definition;
IF SIZEOF(x) > 0 THEN
    REPEAT i := 1 TO HIINDEX(x) BY 1;
        IF NOT acyclic_product_definition_relationship(x[i],
            local_relatives,specific_relation) THEN
            RETURN(FALSE);
        END_IF;
    END_REPEAT;
END_IF;
RETURN(TRUE);

END_FUNCTION; -- acyclic_product_definition_relationship

FUNCTION acyclic_set_replica(
    rep: geometric_set_replica;
    parent: geometric_set
): BOOLEAN;
IF NOT ('PLANT_SPATIAL_CONFIGURATION.GEOMETRIC_SET_REPLICA' IN TYPEOF(
    parent)) THEN
    RETURN(TRUE);
END_IF;
IF parent == rep THEN
    RETURN(FALSE);
ELSE
    RETURN(acyclic_set_replica(rep,parent\geometric_set_replica.
        parent_set));
END_IF;

END_FUNCTION; -- acyclic_set_replica

FUNCTION acyclic_surface_replica(
    rep: surface_replica;
    parent: surface
): BOOLEAN;
IF NOT ('PLANT_SPATIAL_CONFIGURATION.SURFACE_REPLICA' IN
    TYPEOF(parent))

```

**ISO/CD 10303-227:1995(E)**

```
        THEN
            RETURN(TRUE);
        END_IF;
        IF parent ::= rep THEN
            RETURN(FALSE);
        ELSE
            RETURN(acyclic_surface_replica(rep,parent\surface_replica.
                parent_surface));
        END_IF;

END_FUNCTION; -- acyclic_surface_replica

FUNCTION associated_surface(
    arg: pcurve_or_surface
) : surface;

LOCAL
    surf : surface;
END_LOCAL;
IF 'PLANT_SPATIAL_CONFIGURATION.PCURVE' IN TYPEOF(arg) THEN
    surf := arg.basis_surface;
ELSE
    surf := arg;
END_IF;
RETURN(surf);

END_FUNCTION; -- associated_surface

FUNCTION bag_to_set(
    the_bag: BAG OF GENERIC:intype
) : SET OF GENERIC:intype;

LOCAL
    i : INTEGER;
    the_set : SET OF GENERIC:intype := [];
END_LOCAL;
IF SIZEOF(the_bag) > 0 THEN
    REPEAT i := 1 TO HIINDEX(the_bag) BY 1;
        the_set := the_set + the_bag[i];
    END_REPEAT;
END_IF;
RETURN(the_set);

END_FUNCTION; -- bag_to_set

FUNCTION base_axis(
    dim: INTEGER;
    axis1, axis2, axis3: direction
) : LIST [2:3] OF direction;

LOCAL
    u : LIST [2:3] OF direction;
    vec : direction;
    factor : REAL;
END_LOCAL;
IF dim = 3 THEN
    u[3] := NVL(normalise(axis3),direction([0,0,1]));
    u[1] := first_proj_axis(u[3],axis1);
    u[2] := second_proj_axis(u[3],u[1],axis2);
```

```

ELSE
  u[3] := ?;
  IF EXISTS(axis1) THEN
    u[1] := normalise(axis1);
    u[2] := orthogonal_complement(u[1]);
    IF EXISTS(axis2) THEN
      factor := dot_product(axis2,u[2]);
      IF factor < 0 THEN
        u[2].direction_ratios[1] := -u[2].direction_ratios[1];
        u[2].direction_ratios[2] := -u[2].direction_ratios[2];
      END_IF;
    END_IF;
  ELSE
    IF EXISTS(axis2) THEN
      u[2] := normalise(axis2);
      u[1] := orthogonal_complement(u[2]);
      u[1].direction_ratios[1] := -u[1].direction_ratios[1];
      u[1].direction_ratios[2] := -u[1].direction_ratios[2];
    ELSE
      u[1].direction_ratios[1] := 1;
      u[1].direction_ratios[2] := 0;
      u[2].direction_ratios[1] := 0;
      u[2].direction_ratios[2] := 1;
    END_IF;
  END_IF;
END_IF;
RETURN(u);

END_FUNCTION; -- base_axis

FUNCTION boolean_choose(
  b: BOOLEAN;
  choice1, choice2: GENERIC:item
) : GENERIC:item;
IF b THEN
  RETURN(choice1);
ELSE
  RETURN(choice2);
END_IF;

END_FUNCTION; -- boolean_choose

FUNCTION boolean_result_class_set(
  rep_item: representation_item
) : SET [0:?] OF representation_item;

LOCAL
  return_set : SET [0:?] OF representation_item := [];
END_LOCAL;
IF NOT ('PLANT_SPATIAL_CONFIGURATION.BOOLEAN_RESULT' IN TYPEOF(
  rep_item)) THEN
  RETURN(return_set);
END_IF;
return_set := return_set + boolean_result_class_set(rep_item \
  boolean_result.first_operand) + boolean_result_class_set(rep_item \
  boolean_result.second_operand) + csg_primitive_class_set(rep_item \
  boolean_result.first_operand) + csg_primitive_class_set(rep_item \
  boolean_result.second_operand) + csg_solid_class_set(rep_item \
  boolean_result.first_operand) + csg_solid_class_set(rep_item \

```

```

        boolean_result.second_operand) + manifold_solid_brep_class_set(
        rep_item\boolean_result.first_operand) +
        manifold_solid_brep_class_set(rep_item\boolean_result.
        second_operand) + swept_area_solid_class_set(rep_item\
        boolean_result.first_operand) + swept_area_solid_class_set(rep_item
        \boolean_result.second_operand);
    RETURN(return_set);

END_FUNCTION; -- boolean_result_class_set

FUNCTION build_2axes(
    ref_direction: direction
    ): LIST [2:2] OF direction;

LOCAL
    u : LIST [2:2] OF direction;
END_LOCAL;
u[1] := NVL(normalise(ref_direction),direction([1,0]));
u[2] := orthogonal_complement(u[1]);
RETURN(u);

END_FUNCTION; -- build_2axes

FUNCTION build_axes(
    axis, ref_direction: direction
    ): LIST [3:3] OF direction;

LOCAL
    u : LIST [3:3] OF direction;
END_LOCAL;
u[3] := NVL(normalise(axis),direction([0,0,1]));
u[1] := first_proj_axis(u[3],ref_direction);
u[2] := normalise(cross_product(u[3],u[1])).orientation;
RETURN(u);

END_FUNCTION; -- build_axes

FUNCTION build_transformed_set(
    tr: cartesian_transformation_operator;
    gset: geometric_set
    ): SET [0:?] OF geometric_set_select;

LOCAL
    trcurve : curve;
    s      : SET [1:?] OF geometric_set_select := gset.elements;
    trpoint : point;
    trset   : SET [0:?] OF geometric_set_select := [];
    trsurf  : surface;
END_LOCAL;
REPEAT j := 1 TO SIZEOF(s) BY 1;
    IF 'PLANT_SPATIAL_CONFIGURATION.CURVE' IN TYPEOF(s[j]) THEN
        trset := trset + curve_replica(s[j],tr);
    ELSE
        IF 'PLANT_SPATIAL_CONFIGURATION.POINT' IN TYPEOF(s[j]) THEN
            trset := trset + point_replica(s[j],tr);
        ELSE
            IF 'PLANT_SPATIAL_CONFIGURATION.SURFACE' IN TYPEOF(s[j]) THEN
                trset := trset + surface_replica(s[j],tr ||
                    cartesian_transformation_operator_3d(?));

```

```

        END_IF;
    END_IF;
END_IF;
END_REPEAT;
RETURN(trset);

END_FUNCTION; -- build_transformed_set

FUNCTION class_rep_item_in_set(
    rep_item_set: SET [1:?] OF representation_item
) : SET [0:?] OF representation_item;

LOCAL
    i : INTEGER;
    return_set : SET [0:?] OF representation_item := [];
END_LOCAL;
IF SIZEOF(rep_item_set) = 0 THEN
    RETURN(FALSE);
END_IF;
REPEAT i := 1 TO HIIINDEX(rep_item_set) BY 1;
    return_set := return_set + manifold_solid_brep_class_set(
        rep_item_set[i]) + face_class_set(rep_item_set[i]) +
        connected_face_set_class_set(rep_item_set[i]) + curve_class_set(
        rep_item_set[i]) + surface_class_set(rep_item_set[i]) +
        swept_area_solid_class_set(rep_item_set[i]) +
        boolean_result_class_set(rep_item_set[i]) + csg_solid_class_set(
        rep_item_set[i]) + csg_primitive_class_set(rep_item_set[i]) +
        geometric_set_class_set(rep_item_set[i]);
END_REPEAT;
RETURN(return_set);

END_FUNCTION; -- class_rep_item_in_set

FUNCTION conditional_reverse(
    p: BOOLEAN;
    an_item: reversible_topology
) : reversible_topology;
IF p THEN
    RETURN(an_item);
ELSE
    RETURN(topology_reversed(an_item));
END_IF;

END_FUNCTION; -- conditional_reverse

FUNCTION connected_face_set_class_set(
    rep_item: representation_item
) : SET [0:?] OF representation_item;

LOCAL
    i : INTEGER;
    return_set : SET [0:?] OF representation_item := [];
END_LOCAL;
IF NOT ('PLANT_SPATIAL_CONFIGURATION.CONNECTED_FACE_SET' IN TYPEOF(
    rep_item)) THEN
    RETURN(return_set);
END_IF;
REPEAT i := 1 TO HIIINDEX(rep_item\connected_face_set.cfs_faces) BY 1;
    return_set := return_set + face_class_set(rep_item\

```

```
    connected_face_set.cfs_faces[i]);
END_REPEAT;
IF 'PLANT_SPATIAL_CONFIGURATION.ORIENTED_CLOSED_SHELL' IN TYPEOF(
    rep_item) THEN
    return_set := return_set + connected_face_set(rep_item\
        oriented_closed_shell.closed_shell_element);
END_IF;
IF 'PLANT_SPATIAL_CONFIGURATION.ORIENTED_OPEN_SHELL' IN TYPEOF(
    rep_item) THEN
    return_set := return_set + connected_face_set(rep_item\
        oriented_open_shell.open_shell_element);
END_IF;
RETURN(return_set);

END_FUNCTION; -- connected_face_set_class_set

FUNCTION constraints_composite_curve_on_surface(
    c: composite_curve_on_surface
) : BOOLEAN;

LOCAL
    n_segments : INTEGER := SIZEOF(c.segments);
END_LOCAL;
REPEAT k := 1 TO n_segments BY 1;
    IF (NOT ('PLANT_SPATIAL_CONFIGURATION.PCURVE' IN TYPEOF(c\
        composite_curve.segments[k].parent_curve))) AND (NOT (
        'PLANT_SPATIAL_CONFIGURATION.SURFACE_CURVE' IN TYPEOF(c\
        composite_curve.segments[k].parent_curve))) AND (NOT (
        'PLANT_SPATIAL_CONFIGURATION.COMPOSITE_CURVE_ON_SURFACE' IN
        TYPEOF(c\composite_curve.segments[k].parent_curve))) THEN
        RETURN(FALSE);
    END_IF;
END_REPEAT;
RETURN(TRUE);

END_FUNCTION; -- constraints_composite_curve_on_surface

FUNCTION constraints_param_b_spline(
    degree, up_knots, up_cp: INTEGER;
    knot_mult: LIST OF INTEGER;
    knots: LIST OF parameter_value
) : BOOLEAN;

LOCAL
    k      : INTEGER;
    l      : INTEGER;
    sum   : INTEGER;
    result : BOOLEAN := TRUE;
END_LOCAL;
sum := knot_mult[1];
REPEAT i := 2 TO up_knots BY 1;
    sum := sum + knot_mult[i];
END_REPEAT;
IF (degree < 1) OR (up_knots < 2) OR (up_cp < degree) OR (sum <> (
    degree + up_cp + 2)) THEN
    result := FALSE;
    RETURN(result);
END_IF;
k := knot_mult[1];
```

```

IF (k < 1) OR (k > (degree + 1)) THEN
    result := FALSE;
    RETURN(result);
END_IF;
REPEAT i := 2 TO up_knots BY 1;
    IF (knot_mult[i] < 1) OR (knots[i] <= knots[i - 1]) THEN
        result := FALSE;
        RETURN(result);
    END_IF;
    k := knot_mult[i];
    IF (i < up_knots) AND (k > degree) THEN
        result := FALSE;
        RETURN(result);
    END_IF;
    IF (i = up_knots) AND (k > (degree + 1)) THEN
        result := FALSE;
        RETURN(result);
    END_IF;
END_REPEAT;
RETURN(result);

END_FUNCTION; -- constraints_param_b_spline

FUNCTION constraints_rectangular_composite_surface(
    s: rectangular_composite_surface
): BOOLEAN;
REPEAT i := 1 TO s.n_u BY 1;
    REPEAT j := 1 TO s.n_v BY 1;
        IF NOT (('PLANT_SPATIAL_CONFIGURATION.B_SPLINE_SURFACE' IN TYPEOF(
            s.segments[i][j].parent_surface)) OR (
            'PLANT_SPATIAL_CONFIGURATION.RECTANGULAR_TRIMMED_SURFACE' IN
            TYPEOF(s.segments[i][j].parent_surface))) THEN
            RETURN(FALSE);
        END_IF;
    END_REPEAT;
END_REPEAT;
REPEAT i := 1 TO s.n_u - 1 BY 1;
    REPEAT j := 1 TO s.n_v BY 1;
        IF s.segments[i][j].u_transition = discontinuous THEN
            RETURN(FALSE);
        END_IF;
    END_REPEAT;
END_REPEAT;
REPEAT i := 1 TO s.n_u BY 1;
    REPEAT j := 1 TO s.n_v - 1 BY 1;
        IF s.segments[i][j].v_transition = discontinuous THEN
            RETURN(FALSE);
        END_IF;
    END_REPEAT;
END_REPEAT;
RETURN(TRUE);

END_FUNCTION; -- constraints_rectangular_composite_surface

FUNCTION coordinated_representation_names_and_item_types(
    input_entity: property_definition
): BOOLEAN;

```

```

LOCAL
  type_set      : SET [1:?] OF STRING;
  i             : INTEGER;
  rep_set       : SET [0:?] OF representation;
  prop_def_rep_set : SET [0:?] OF property_definition_representation;
  rep           : representation;
END_LOCAL;
prop_def_rep_set := USEDIN(input_entity,'PLANT_SPATIAL_CONFIGURATION.'
  + 'PROPERTY_DEFINITION_REPRESENTATION.DEFINITION');
rep_set := [];
REPEAT i := 1 TO HIINDEX(prop_def_rep_set) BY 1;
  rep_set := rep_set + prop_def_rep_set[i].used_representation;
END_REPEAT;
type_set := TYPEOF(input_entity);
IF 'PLANT_SPATIAL_CONFIGURATION.SITE_PROPERTY_DEFINITION' IN type_set
  THEN
    REPEAT i := 1 TO HIINDEX(rep_set) BY 1;
      IF ((rep_set[i].name = 'site_address') AND (SIZEOF(QUERY ( item <*
        rep_set[i].items | (NOT (('PLANT_SPATIAL_CONFIGURATION.' +
        'DESCRIPTIVE REPRESENTATION_ITEM') IN TYPEOF(item)))) ) > 0))
        THEN
          RETURN(FALSE);
      END_IF;
      IF ((rep_set[i].name = 'site_coordinate') AND (SIZEOF(
        QUERY ( item <* rep_set[i].items | (NOT (SIZEOF([
          'PLANT_SPATIAL_CONFIGURATION.MEASURE_REPRESENTATION_ITEM',
          'PLANT_SPATIAL_CONFIGURATION.PLANE_ANGLE_MEASURE'] *
          TYPEOF(item)) = 2)) )) > 0)) THEN
        RETURN(FALSE);
      END_IF;
      IF ((rep_set[i].name = 'site_elevation') AND (SIZEOF(
        QUERY ( item <* rep_set[i].items | (NOT (SIZEOF([
          'PLANT_SPATIAL_CONFIGURATION.MEASURE_REPRESENTATION_ITEM',
          'PLANT_SPATIAL_CONFIGURATION.LENGTH_ANGLE_MEASURE'] *
          TYPEOF(item)) = 2)) )) > 0)) THEN
        RETURN(FALSE);
      END_IF;
      IF ((rep_set[i].name = 'site_locality') AND (SIZEOF(QUERY ( item <*
        rep_set[i].items | (NOT (('PLANT_SPATIAL_CONFIGURATION.' +
        'DESCRIPTIVE REPRESENTATION_ITEM') IN TYPEOF(item)))) ) > 0))
        THEN
          RETURN(FALSE);
      END_IF;
      IF ((rep_set[i].name = 'site_shape') AND (NOT (
        'PLANT_SPATIAL_CONFIGURATION.SHAPE_REPRESENTATION' IN
        TYPEOF(rep_set[i])))) THEN
        RETURN(FALSE);
      END_IF;
    END_REPEAT;
    RETURN(TRUE);
ELSE
  IF 'PLANT_SPATIAL_CONFIGURATION.SITE_BUILDING' IN type_set THEN
    REPEAT i := 1 TO HIINDEX(rep_set) BY 1;
      IF ((rep_set[i].name = 'building_number') AND (SIZEOF(
        QUERY ( item <* rep_set[i].items | (NOT (('
        'PLANT_SPATIAL_CONFIGURATION.' +
        'DESCRIPTIVE REPRESENTATION_ITEM') IN TYPEOF(item)))) ) > 0))
        THEN
          RETURN(FALSE);

```

```

END_IF;
IF ((rep_set[i].name = 'building_location_and_orientation') AND (
    NOT ((SIZEOF(QUERY ( item <* rep_set[i].items | (SIZEOF([
        'PLANT_SPATIAL_CONFIGURATION.AXIS2_PLACEMENT_2D',
        'PLANT_SPATIAL_CONFIGURATION.AXIS2_PLACEMENT_3D'] *
        TYPEOF(item)) = 1) )) = 1) AND (SIZEOF(QUERY ( item <* rep_set
[i].items | (SIZEOF(['PLANT_SPATIAL_CONFIGURATION.' +
        'LENGTH_MEASURE_WITH_UNIT', 'PLANT_SPATIAL_CONFIGURATION.' +
        'MEASURE_REPRESENTATION_ITEM']) * TYPEOF(item)) = 2) )) > 0)
    AND (SIZEOF(QUERY ( item <* rep_set[i].items | (SIZEOF([
        'PLANT_SPATIAL_CONFIGURATION.LENGTH_MEASURE_WITH_UNIT',
        'PLANT_SPATIAL_CONFIGURATION.' +
        'MEASURE_REPRESENTATION_ITEM']) * TYPEOF(item)) = 2) OR
    (SIZEOF(['PLANT_SPATIAL_CONFIGURATION.AXIS2_PLACEMENT_2D',
        'PLANT_SPATIAL_CONFIGURATION.AXIS2_PLACEMENT_3D'] *
        TYPEOF(item)) = 1) )) = 0)))) THEN
    RETURN(FALSE);
END_IF;
IF ((rep_set[i].name = 'building_shape') AND (NOT (
    'PLANT_SPATIAL_CONFIGURATION.SHAPE_REPRESENTATION' IN
    TYPEOF(rep_set[i])))) THEN
    RETURN(FALSE);
END_IF;
END_REPEAT;
RETURN(TRUE);
ELSE
    IF 'PLANT_SPATIAL_CONFIGURATION.SITE_FEATURE' IN type_set THEN
        REPEAT i := 1 TO HIINDEX(rep_set) BY 1;
            IF (rep_set[i].name = 'site_feature_type') AND (SIZEOF(
                QUERY ( item <* rep_set[i].items | (NOT (
                    'PLANT_SPATIAL_CONFIGURATION.' +
                    'DESCRIPTIVE REPRESENTATION_ITEM') IN TYPEOF(item)))) ) >
                0)
                THEN
                    RETURN(FALSE);
            END_IF;
            IF (rep_set[i].name = 'site_feature_location_and_orientation')
                AND (SIZEOF(QUERY ( item <* rep_set[i].items | (NOT (
                    SIZEOF(['PLANT_SPATIAL_CONFIGURATION.' +
                        'AXIS2_PLACEMENT_2D', 'PLANT_SPATIAL_CONFIGURATION.' +
                        'AXIS2_PLACEMENT_3D'] * TYPEOF(item)) = 1)) )) > 0) THEN
                RETURN(FALSE);
            END_IF;
            IF (rep_set[i].name = 'site_feature_shape') AND (NOT (
                'PLANT_SPATIAL_CONFIGURATION.' + 'SHAPE_REPRESENTATION') IN
                TYPEOF(rep_set[i]))) THEN
                RETURN(FALSE);
            END_IF;
            RETURN(TRUE);
        END_REPEAT;
    ELSE
        IF ('PLANT_SPATIAL_CONFIGURATION.PLANT_ITEM_' +
            'CONNECTOR_PROPERTY_DEFINITION') IN type_set THEN
            REPEAT i := 1 TO HIINDEX(rep_set) BY 1;
                IF (rep_set[i].name = 'point') AND (SIZEOF(QUERY ( item <*
                    rep_set[i].items | (NOT (('PLANT_SPATIAL_CONFIGURATION.' +
                        'POINT') IN TYPEOF(item)))) ) > 0) THEN
                    RETURN(FALSE);
            END_IF;

```

```

        IF (rep_set[i].name = 'direction') AND (SIZEOF(
            QUERY ( item <* rep_set[i].items | (NOT (
                'PLANT_SPATIAL_CONFIGURATION.' + 'DIRECTION') IN TYPEOF(
                item)))) ) > 0) THEN
            RETURN(FALSE);
        END_IF;
        IF (rep_set[i].name = 'connector_location_and_orientation')
            AND (SIZEOF(QUERY ( item <* rep_set[i].items | (NOT (
                SIZEOF(['PLANT_SPATIAL_CONFIGURATION.' +
                    'AXIS2_PLACEMENT_2D', 'PLANT_SPATIAL_CONFIGURATION.' +
                    'AXIS2_PLACEMENT_3D']) * TYPEOF(item)) = 1)) ) > 0) THEN
            RETURN(FALSE);
        END_IF;
        RETURN(TRUE);
    END_REPEAT;
    END_IF;
    END_IF;
END_IF;
RETURN(TRUE);

END_FUNCTION; -- coordinated_representation_names_and_item_types

FUNCTION cross_product(
    arg1, arg2: direction
): vector;

LOCAL
    v2      : LIST [3:3] OF REAL;
    v1      : LIST [3:3] OF REAL;
    mag     : REAL;
    res    : direction;
    result : vector;
END_LOCAL;
IF (NOT EXISTS(arg1)) OR (arg1.dim = 2) OR (NOT EXISTS(arg2)) OR (arg2
    .dim = 2) THEN
    RETURN(?);
ELSE
    BEGIN
        v1 := normalise(arg1).direction_ratios;
        v2 := normalise(arg2).direction_ratios;
        res.direction_ratios[1] := (v1[2] * v2[3]) - (v1[3] * v2[2]);
        res.direction_ratios[2] := (v1[3] * v2[1]) - (v1[1] * v2[3]);
        res.direction_ratios[3] := (v1[1] * v2[2]) - (v1[2] * v2[1]);
        mag := 0;
        REPEAT i := 1 TO 3 BY 1;
            mag := mag + (res.direction_ratios[i] * res.direction_ratios[i]);
        END_REPEAT;
        IF mag > 0 THEN
            result.orientation := res;
            result.magnitude := SQRT(mag);
        ELSE
            result.orientation := arg1;
            result.magnitude := 0;
        END_IF;
        RETURN(result);
    END;
END_IF;

```

```

END_FUNCTION; -- cross_product

FUNCTION csg_primitive_class_set(
    rep_item: representation_item
): SET [0:?] OF representation_item;

LOCAL
    return_set : SET [0:?] OF representation_item := [];
END_LOCAL;
IF NOT (SIZEOF(['PLANT_SPATIAL_CONFIGURATION.TORUS' +
    'PLANT_SPATIAL_CONFIGURATION.RIGHT_CIRCULAR_CYLINDER' +
    'PLANT_SPATIAL_CONFIGURATION.SPHERE' +
    'PLANT_SPATIAL_CONFIGURATION.BLOCK' +
    'PLANT_SPATIAL_CONFIGURATION.RIGHT_CIRCULAR_CONE']) * TYPEOF(
    rep_item)) > 0) THEN
    RETURN(return_set);
END_IF;
return_set := return_set + rep_item;
RETURN(return_set);

END_FUNCTION; -- csg_primitive_class_set

FUNCTION csg_solid_class_set(
    rep_item: representation_item
): SET [0:?] OF representation_item;

LOCAL
    return_set : SET [0:?] OF representation_item := [];
END_LOCAL;
IF NOT ('PLANT_SPATIAL_CONFIGURATION.CSG_SOLID' IN TYPEOF(rep_item))
    THEN
    RETURN(return_set);
END_IF;
return_set := return_set + boolean_result_class_set(rep_item\csg_solid
    .tree_root_expression) + csg_primitive_class_set(rep_item\csg_solid
    .tree_root_expression);
RETURN(return_set);

END_FUNCTION; -- csg_solid_class_set

FUNCTION curve_bounded_surface_class_set(
    rep_item: representation_item
): SET [0:?] OF representation_item;

LOCAL
    i : INTEGER;
    return_set : SET [0:?] OF representation_item := [];
END_LOCAL;
IF NOT ('PLANT_SPATIAL_CONFIGURATION.CURVE_BOUNDED_SURFACE' IN TYPEOF(
    rep_item)) THEN
    RETURN(return_set);
END_IF;
return_set := return_set + surface_class_set(rep_item\
    curve_bounded_surface.basis_surface);
REPEAT i := 1 TO HIINDEX(rep_item\curve_bounded_surface.boundaries)
    BY 1;
    return_set := return_set + curve_class_set(rep_item\
        curve_bounded_surface.boundaries[i]);

```

**ISO/CD 10303-227:1995(E)**

```
END_REPEAT;
RETURN(return_set);

END_FUNCTION; -- curve_bounded_surface_class_set

FUNCTION curve_class_set(
    rep_item: representation_item
) : SET [0:?] OF representation_item;

LOCAL
    i : INTEGER;
    return_set : SET [0:?] OF representation_item := [];
END_LOCAL;
IF NOT ('PLANT_SPATIAL_CONFIGURATION.CURVE' IN TYPEOF(rep_item)) THEN
    RETURN(return_set);
END_IF;
IF SIZEOF(['PLANT_SPATIAL_CONFIGURATION.POLYLINE',
    'PLANT_SPATIAL_CONFIGURATION.B_SPLINE_CURVE',
    'PLANT_SPATIAL_CONFIGURATION.CIRCLE',
    'PLANT_SPATIAL_CONFIGURATION.ELLIPSE',
    'PLANT_SPATIAL_CONFIGURATION.PARABOLA',
    'PLANT_SPATIAL_CONFIGURATION.HYPERBOLA',
    'PLANT_SPATIAL_CONFIGURATION.LINE'] * TYPEOF(rep_item)) > 0 THEN
    return_set := return_set + rep_item;
END_IF;
IF 'PLANT_SPATIAL_CONFIGURATION.COMPOSITE_CURVE' IN TYPEOF(rep_item)
    THEN
    REPEAT i := 1 TO HIINDEX(rep_item\composite_curve.segments) BY 1;
        return_set := return_set + curve_class_set(rep_item\
            composite_curve.segments[i].parent_curve);
    END_REPEAT;
END_IF;
IF 'PLANT_SPATIAL_CONFIGURATION.TRIMMED_CURVE' IN TYPEOF(rep_item)
    THEN
    return_set := return_set + curve_class_set(rep_item\trimmed_curve.
        basis_curve);
END_IF;
IF 'PLANT_SPATIAL_CONFIGURATION.SURFACE_CURVE' IN TYPEOF(rep_item)
    THEN
    return_set := return_set + curve_class_set(rep_item\surface_curve.
        curve_3d);
    REPEAT i := 1 TO HIINDEX(rep_item\surface_curve.associated_geometry)
        BY 1;
        return_set := return_set + surface_class_set(rep_item\
            surface_curve.associated_geometry[i]);
    END_REPEAT;
END_IF;
RETURN(return_set);

END_FUNCTION; -- curve_class_set

FUNCTION curve_weights_positive(
    b: rational_b_spline_curve
) : BOOLEAN;

LOCAL
    result : BOOLEAN := TRUE;
END_LOCAL;
REPEAT i := 0 TO b.upper_index_on_control_points BY 1;
```

```

IF b.weights[i] <= 0 THEN
    result := FALSE;
    RETURN(result);
END_IF;
END_REPEAT;
RETURN(result);

END_FUNCTION; -- curve_weights_positive

FUNCTION derive_dimensional_exponents(
    x: unit
) : dimensional_exponents;

LOCAL
    i      : INTEGER;
    result : dimensional_exponents := dimensional_exponents(0,0,0,0,0,0,
        0);
END_LOCAL;
IF 'PLANT_SPATIAL_CONFIGURATION.DERIVED_UNIT' IN TYPEOF(x) THEN
    REPEAT i := LOINDEX(x.elements) TO HIINDEX(x.elements) BY 1;
        result.length_exponent := result.length_exponent + (x.elements[i].
            exponent * x.elements[i].unit.dimensions.length_exponent);
        result.mass_exponent := result.mass_exponent + (x.elements[i].
            exponent * x.elements[i].unit.dimensions.mass_exponent);
        result.time_exponent := result.time_exponent + (x.elements[i].
            exponent * x.elements[i].unit.dimensions.time_exponent);
        result.electric_current_exponent := result.
            electric_current_exponent + (x.elements[i].exponent * x.
            elements[i].unit.dimensions.electric_current_exponent);
        result.thermodynamic_temperature_exponent := result.
            thermodynamic_temperature_exponent + (x.elements[i].exponent *
            x.elements[i].unit.dimensions.
            thermodynamic_temperature_exponent);
        result.amount_of_substance_exponent := result.
            amount_of_substance_exponent + (x.elements[i].exponent * x.
            elements[i].unit.dimensions.amount_of_substance_exponent);
        result.luminous_intensity_exponent := result.
            luminous_intensity_exponent + (x.elements[i].exponent * x.
            elements[i].unit.dimensions.luminous_intensity_exponent);
    END_REPEAT;
ELSE
    result := x.dimensions;
END_IF;
RETURN(result);

END_FUNCTION; -- derive_dimensional_exponents

FUNCTION dimension_of(
    item: geometric_representation_item
) : dimension_count;

LOCAL
    x : SET OF representation;
    y : representation_context;
END_LOCAL;
x := using_representations(item);
y := x[1].context_of_items;
RETURN(y\geometric_representation_context.coordinate_space_dimension);

```

```

END_FUNCTION; -- dimension_of

FUNCTION dimensions_for_si_unit(
    n: si_unit_name
) : dimensional_exponents;
CASE n OF
    metre      : RETURN(dimensional_exponents(1,0,0,0,0,0,0));
    gram       : RETURN(dimensional_exponents(0,1,0,0,0,0,0));
    second     : RETURN(dimensional_exponents(0,0,1,0,0,0,0));
    ampere     : RETURN(dimensional_exponents(0,0,0,1,0,0,0));
    kelvin     : RETURN(dimensional_exponents(0,0,0,0,1,0,0));
    mole       : RETURN(dimensional_exponents(0,0,0,0,0,1,0));
    candela    : RETURN(dimensional_exponents(0,0,0,0,0,0,1));
    radian     : RETURN(dimensional_exponents(0,0,0,0,0,0,0));
    steradian  : RETURN(dimensional_exponents(0,0,0,0,0,0,0));
    hertz      : RETURN(dimensional_exponents(0,0,-1,0,0,0,0));
    newton     : RETURN(dimensional_exponents(1,1,-2,0,0,0,0));
    pascal     : RETURN(dimensional_exponents(-1,1,-2,0,0,0,0));
    joule      : RETURN(dimensional_exponents(2,1,-2,0,0,0,0));
    watt       : RETURN(dimensional_exponents(2,1,-3,0,0,0,0));
    coulomb    : RETURN(dimensional_exponents(0,0,1,1,0,0,0));
    volt       : RETURN(dimensional_exponents(2,1,-3,-1,0,0,0));
    farad     : RETURN(dimensional_exponents(-2,-1,4,1,0,0,0));
    ohm        : RETURN(dimensional_exponents(2,1,-3,-2,0,0,0));
    siemens   : RETURN(dimensional_exponents(-2,-1,3,2,0,0,0));
    weber     : RETURN(dimensional_exponents(2,1,-2,-1,0,0,0));
    tesla      : RETURN(dimensional_exponents(0,1,-2,-1,0,0,0));
    henry      : RETURN(dimensional_exponents(2,1,-2,-2,0,0,0));
    degree_celsius : RETURN(dimensional_exponents(0,0,0,0,1,0,0));
    lumen      : RETURN(dimensional_exponents(0,0,0,0,0,0,1));
    lux        : RETURN(dimensional_exponents(-2,0,0,0,0,0,1));
    becquerel  : RETURN(dimensional_exponents(0,0,-1,0,0,0,0));
    gray       : RETURN(dimensional_exponents(2,0,-2,0,0,0,0));
    sievert    : RETURN(dimensional_exponents(2,0,-2,0,0,0,0));
END_CASE;

END_FUNCTION; -- dimensions_for_si_unit

FUNCTION dot_product(
    arg1, arg2: direction
) : REAL;

LOCAL
    ndim   : INTEGER;
    scalar : REAL;
    vec1   : direction;
    vec2   : direction;
END_LOCAL;
IF (NOT EXISTS(arg1)) OR (NOT EXISTS(arg2)) THEN
    scalar := ?;
ELSE
    IF arg1.dim <> arg2.dim THEN
        scalar := ?;
    ELSE
        BEGIN
            vec1 := normalise(arg1);
            vec2 := normalise(arg2);
            ndim := arg1.dim;
            scalar := 0;

```

```

    REPEAT i := 1 TO ndim BY 1;
        scalar := scalar + (vec1.direction_ratios[i] * vec2.
            direction_ratios[i]);
    END_REPEAT;
    END;
    END_IF;
END_IF;
RETURN(scalar);

END_FUNCTION; -- dot_product

FUNCTION edge_reversed(
    an_edge: edge
): edge;

LOCAL
    the_reverse : edge;
END_LOCAL;
IF 'PLANT_SPATIAL_CONFIGURATION.ORIENTED_EDGE' IN TYPEOF(an_edge)
    THEN
        the_reverse := oriented_edge(an_edge\oriented_edge.edge_element, NOT
            an_edge\oriented_edge.orientation);
    ELSE
        the_reverse := oriented_edge(an_edge, FALSE);
    END_IF;
RETURN(the_reverse);

END_FUNCTION; -- edge_reversed

FUNCTION elementary_surface_class_set(
    rep_item: representation_item
): SET [0:?] OF representation_item;

LOCAL
    return_set : SET [0:?] OF representation_item := [];
END_LOCAL;
IF NOT ('PLANT_SPATIAL_CONFIGURATION.ELEMENTARY_SURFACE' IN TYPEOF(
    rep_item)) THEN
    RETURN(return_set);
END_IF;
return_set := return_set + rep_item;
RETURN(return_set);

END_FUNCTION; -- elementary_surface_class_set

FUNCTION face_bound_reversed(
    a_face_bound: face_bound
): face_bound;

LOCAL
    the_reverse : face_bound;
END_LOCAL;
IF 'PLANT_SPATIAL_CONFIGURATION.FACE_OUTER_BOUND' IN TYPEOF(
    a_face_bound) THEN
    the_reverse := face_bound(a_face_bound\face_bound.bound, NOT
        a_face_bound\face_bound.orientation);
ELSE
    the_reverse := face_bound(a_face_bound.bound, NOT a_face_bound.
        orientation);

```

**ISO/CD 10303-227:1995(E)**

```
END_IF;
RETURN(the_reverse);

END_FUNCTION; -- face_bound_reversed

FUNCTION face_class_set(
    rep_item: representation_item
): SET [0:?] OF representation_item;

LOCAL
    local_loop : loop;
    i          : INTEGER;
    j          : INTEGER;
    local_oedge : oriented_edge;
    return_set : SET [0:?] OF representation_item := [];
END_LOCAL;
IF NOT ('PLANT_SPATIAL_CONFIGURATION.FACE' IN TYPEOF(rep_item)) THEN
    RETURN(return_set);
END_IF;
REPEAT i := 1 TO HIINDEX(rep_item\face.bounds) BY 1;
    local_loop := rep_item\face.bounds[i].bound;
    IF 'PLANT_SPATIAL_CONFIGURATION.POLY_LOOP' IN TYPEOF(local_loop)
        THEN
            return_set := return_set + local_loop;
    END_IF;
    IF 'PLANT_SPATIAL_CONFIGURATION.EDGE_LOOP' IN TYPEOF(local_loop)
        THEN
            REPEAT j := 1 TO HIINDEX(local_loop\path.edge_list) BY 1;
                local_oedge := local_loop\path.edge_list[j];
                return_set := return_set + local_oedge.edge_element\edge_curve.
                    edge_geometry;
            END_REPEAT;
    END_IF;
END_REPEAT;
IF 'PLANT_SPATIAL_CONFIGURATION.FACE_SURFACE' IN TYPEOF(rep_item)
    THEN
        return_set := return_set + surface_class_set(rep_item\face_surface.
            face_geometry);
    END_IF;
RETURN(return_set);

END_FUNCTION; -- face_class_set

FUNCTION face_edge_count(
    face_with_edges: face
): INTEGER;

LOCAL
    local_loop : loop;
    i          : INTEGER;
    edge_count : INTEGER := 0;
END_LOCAL;
IF NOT ('PLANT_SPATIAL_CONFIGURATION.FACE' IN TYPEOF(face_with_edges))
    THEN
        RETURN(0);
END_IF;
REPEAT i := 1 TO HIINDEX(face_with_edges\face.bounds) BY 1;
    local_loop := face_with_edges\face.bounds[i].bound;
    IF 'PLANT_SPATIAL_CONFIGURATION.EDGE_LOOP' IN TYPEOF(local_loop)
```

```

        THEN
    edge_count := edge_count + HIINDEX(local_loop\path.edge_list);
END_IF;
IF 'PLANT_SPATIAL_CONFIGURATION.POLY_LOOP' IN TYPEOF(local_loop)
    THEN
    edge_count := edge_count + HIINDEX(local_loop\poly_loop.polygon);
END_IF;
END_REPEAT;
RETURN(edge_count);

END_FUNCTION; -- face_edge_count

FUNCTION face_reversed(
    a_face: face
) : face;

LOCAL
    the_reverse : face;
END_LOCAL;
IF 'PLANT_SPATIAL_CONFIGURATION.ORIENTED_FACE' IN TYPEOF(a_face) THEN
    the_reverse := oriented_face(a_face\oriented_face.face_element,NOT
        a_face\oriented_face.orientation);
ELSE
    the_reverse := oriented_face(a_face,FALSE);
END_IF;
RETURN(the_reverse);

END_FUNCTION; -- face_reversed

FUNCTION first_proj_axis(
    z_axis, arg: direction
) : direction;

LOCAL
    x_vec   : vector;
    v       : direction;
    z       : direction;
    x_axis : direction;
END_LOCAL;
IF (NOT EXISTS(z_axis)) OR (NOT EXISTS(arg)) OR (arg.dim <> 3) THEN
    x_axis := ?>;
ELSE
    z_axis := normalise(z_axis);
    IF NOT EXISTS(arg) THEN
        IF z_axis <> direction([1,0,0]) THEN
            v := direction([1,0,0]);
        ELSE
            v := direction([0,1,0]);
        END_IF;
    ELSE
        IF cross_product(arg,z).magnitude = 0 THEN
            RETURN(?);
        ELSE
            v := normalise(arg);
        END_IF;
    END_IF;
    x_vec := scalar_times_vector(dot_product(v,z),z_axis);
    x_axis := vector_difference(v,x_vec).orientation;
    x_axis := normalise(x_axis);
END_IF;

```

```

END_IF;
RETURN(x_axis);

END_FUNCTION; -- first_proj_axis

FUNCTION geometric_set_class_set(
    rep_item: representation_item
): SET [0:?] OF representation_item;

LOCAL
    i : INTEGER;
    return_set : SET [0:?] OF representation_item := [];
END_LOCAL;
IF NOT ('PLANT_SPATIAL_CONFIGURATION.GEOMETRIC_SET' IN
    TYPEOF(rep_item))
THEN
    RETURN(return_set);
END_IF;
REPEAT i := 1 TO HIINDEX(rep_item\geometric_set.elements) BY 1;
    return_set := return_set + curve_class_set(rep_item\geometric_set.
        elements[i]);
END_REPEAT;
RETURN(return_set);

END_FUNCTION; -- geometric_set_class_set

FUNCTION get_basis_surface(
    c: curve_on_surface
): SET [0:2] OF surface;

LOCAL
    surfs : SET [0:2] OF surface;
    n : INTEGER;
END_LOCAL;
surfs := [];
IF 'PLANT_SPATIAL_CONFIGURATION.PCURVE' IN TYPEOF(c) THEN
    surfs := [c\pcurve.basis_surface];
ELSE
    IF 'PLANT_SPATIAL_CONFIGURATION.SURFACE_CURVE' IN TYPEOF(c) THEN
        n := SIZEOF(c\surface_curve.associated_geometry);
        REPEAT i := 1 TO n BY 1;
            surfs := surfs + associated_surface(c\surface_curve.
                associated_geometry[i]);
        END_REPEAT;
    END_IF;
END_IF;
IF 'PLANT_SPATIAL_CONFIGURATION.COMPOSITE_CURVE_ON_SURFACE' IN TYPEOF(
    c) THEN
    n := SIZEOF(c\composite_curve_on_surface.segments);
    surfs := get_basis_surface(c\composite_curve_on_surface.segments[1].
        parent_curve);
    IF n > 1 THEN
        REPEAT i := 2 TO n BY 1;
            surfs := surfs * get_basis_surface(c\composite_curve_on_surface.
                segments[i].parent_curve);
        END_REPEAT;
    END_IF;
END_IF;
RETURN(surfs);

```

```

END_FUNCTION; -- get_basis_surface

FUNCTION item_in_context(
    item: representation_item;
    ctxtxt: representation_context
) : BOOLEAN;

LOCAL
    i : INTEGER;
    y : BAG OF representation_item;
END_LOCAL;
IF SIZEOF(USEDIN(item,
    'PLANT_SPATIAL_CONFIGURATION.REPRESENTATION.ITEMS') * ctxtxt.
    representations_in_context) > 0 THEN
    RETURN(TRUE);
ELSE
    y := QUERY ( z <* USEDIN(item,'') | (
        'PLANT_SPATIAL_CONFIGURATION.REPRESENTATION_ITEM' IN TYPEOF(z))
    );
    IF SIZEOF(y) > 0 THEN
        REPEAT i := 1 TO HIINDEX(y) BY 1;
            IF item_in_context(y[i],ctxtxt) THEN
                RETURN(TRUE);
            END_IF;
        END_REPEAT;
    END_IF;
    RETURN(FALSE);

END_FUNCTION; -- item_in_context

FUNCTION leap_year(
    year: year_number
) : BOOLEAN;
IF (((year MOD 4) = 0) AND ((year MOD 100) <> 0)) OR ((year MOD 400) =
    0) THEN
    RETURN(TRUE);
ELSE
    RETURN(FALSE);
END_IF;

END_FUNCTION; -- leap_year

FUNCTION list_face_loops(
    f: face
) : LIST [0:?] OF loop;

LOCAL
    loops : LIST [0:?] OF loop := [];
END_LOCAL;
REPEAT i := 1 TO SIZEOF(f.bounds) BY 1;
    loops := loops + f.bounds[i].bound;
END_REPEAT;
RETURN(loops);

END_FUNCTION; -- list_face_loops

FUNCTION list_of_topology_reversed(
    a_list: list_of_reversible_topology_item
)

```

```
: list_of_reversible_topology_item;

LOCAL
    the_reverse : list_of_reversible_topology_item;
END_LOCAL;
the_reverse := [];
REPEAT i := 1 TO SIZEOF(a_list) BY 1;
    the_reverse := topology_reversed(a_list[i]) + the_reverse;
END_REPEAT;
RETURN(the_reverse);

END_FUNCTION; -- list_of_topology_reversed

FUNCTION list_to_array(
    lis: LIST [0:?] OF GENERIC:t;
    low, u: INTEGER
): ARRAY [low:u] OF GENERIC:t;

LOCAL
    n : INTEGER;
    res : ARRAY [low:u] OF GENERIC:t;
END_LOCAL;
n := SIZEOF(lis);
IF n <> ((u - low) + 1) THEN
    RETURN(?);
ELSE
    REPEAT i := 1 TO n BY 1;
        res[(low + i) - 1] := lis[i];
    END_REPEAT;
    RETURN(res);
END_IF;

END_FUNCTION; -- list_to_array

FUNCTION list_to_set(
    l: LIST [0:?] OF GENERIC:t
): SET OF GENERIC:t;

LOCAL
    s : SET OF GENERIC:t := [];
END_LOCAL;
REPEAT i := 1 TO SIZEOF(l) BY 1;
    s := s + l[i];
END_REPEAT;
RETURN(s);

END_FUNCTION; -- list_to_set

FUNCTION make_array_of_array(
    lis: LIST [1:?] OF LIST [1:?] OF GENERIC:t;
    low1, u1, low2, u2: INTEGER
): ARRAY [low1:u1] OF ARRAY [low2:u2] OF GENERIC:t;

LOCAL
    n2 : INTEGER;
    n1 : INTEGER;
    res : ARRAY [low1:u1] OF ARRAY [low2:u2] OF GENERIC:t;
    res1 : LIST [1:?] OF ARRAY [low2:u2] OF GENERIC:t;
END_LOCAL;
```

```

n1 := SIZEOF(lis);
n2 := SIZEOF(lis[1]);
IF (n1 <> ((u1 - low1) + 1)) AND (n2 <> ((u2 - low2) + 1)) THEN
    RETURN(?);
END_IF;
REPEAT i := 1 TO n1 BY 1;
    IF SIZEOF(lis[i]) <> n2 THEN
        RETURN(?);
    END_IF;
END_REPEAT;
REPEAT i := 1 TO n1 BY 1;
    res1[i] := list_to_array(lis[i],low2,u2);
END_REPEAT;
res := list_to_array(res1,low1,u1);
RETURN(res);

END_FUNCTION; -- make_array_of_array

FUNCTION manifold_solid_brep_class_set(
    rep_item: representation_item
): SET [0:?] OF representation_item;

LOCAL
    i : INTEGER;
    return_set : SET [0:?] OF representation_item := [];
END_LOCAL;
IF NOT ('PLANT_SPATIAL_CONFIGURATION.MANIFOLD_SOLID_BREP' IN TYPEOF(
    rep_item)) THEN
    RETURN(return_set);
END_IF;
return_set := return_set + connected_face_set_class_set(rep_item\
    manifold_solid_brep.outer);
IF 'PLANT_SPATIAL_CONFIGURATION.BREP_WITH_Voids' IN TYPEOF(rep_item)
    THEN
    REPEAT i := 1 TO HIINDEX(rep_item\brep_with_voids.voids) BY 1;
        return_set := return_set + connected_face_set_class_set(rep_item\
            brep_with_voids.voids[i]);
    END_REPEAT;
END_IF;
RETURN(return_set);

END_FUNCTION; -- manifold_solid_brep_class_set

FUNCTION mixed_loop_type_set(
    l: SET [0:?] OF loop
): LOGICAL;

LOCAL
    i : INTEGER;
    poly_loop_type : LOGICAL;
END_LOCAL;
IF SIZEOF(l) <= 1 THEN
    RETURN(FALSE);
END_IF;
poly_loop_type := 'PLANT_SPATIAL_CONFIGURATION.POLY_LOOP' IN TYPEOF(l[1]);
REPEAT i := 2 TO SIZEOF(l) BY 1;
    IF ('PLANT_SPATIAL_CONFIGURATION.POLY_LOOP' IN TYPEOF(l[i])) <>
        poly_loop_type THEN

```

```
        RETURN(TRUE);
    END_IF;
END_REPEAT;
RETURN(FALSE);

END_FUNCTION; -- mixed_loop_type_set

FUNCTION normalise(
    arg: vector_or_direction
): vector_or_direction;

LOCAL
    ndim    : INTEGER;
    v       : direction;
    vec     : vector;
    mag     : REAL;
    result  : vector_or_direction;
END_LOCAL;
IF NOT EXISTS(arg) THEN
    result := ?>;
ELSE
    ndim := arg.dim;
    IF 'PLANT_SPATIAL_CONFIGURATION.VECTOR' IN TYPEOF(arg) THEN
        BEGIN
            vec := arg;
            v := arg.orientation;
            IF arg.magnitude = 0 THEN
                RETURN(?);
            ELSE
                vec.magnitude := 1;
            END_IF;
        END;
    ELSE
        v := arg;
    END_IF;
    mag := 0;
    REPEAT i := 1 TO ndim BY 1;
        mag := mag + (v.direction_ratios[i] * v.direction_ratios[i]);
    END_REPEAT;
    IF mag > 0 THEN
        mag := SQRT(mag);
        REPEAT i := 1 TO ndim BY 1;
            v.direction_ratios[i] := v.direction_ratios[i] / mag;
        END_REPEAT;
        IF 'PLANT_SPATIAL_CONFIGURATION.VECTOR' IN TYPEOF(arg) THEN
            vec.orientation := v;
            result := vec;
        ELSE
            result := v;
        END_IF;
    ELSE
        RETURN(?);
    END_IF;
END_IF;
RETURN(result);

END_FUNCTION; -- normalise
```

```

FUNCTION orthogonal_complement(
    vec: direction
) : direction;

LOCAL
    result : direction;
END_LOCAL;
IF (vec.dim <> 2) OR (NOT EXISTS(vec)) THEN
    RETURN(?);
ELSE
    result.direction_ratios[1] := -vec.direction_ratios[2];
    result.direction_ratios[2] := vec.direction_ratios[1];
    RETURN(result);
END_IF;

END_FUNCTION; -- orthogonal_complement

FUNCTION path_head_to_tail(
    a_path: path
) : LOGICAL;

LOCAL
    n : INTEGER;
    p : BOOLEAN := TRUE;
END_LOCAL;
n := SIZEOF(a_path.edge_list);
REPEAT i := 2 TO n BY 1;
    p := p AND (a_path.edge_list[i - 1].edge_end :: a_path.edge_list[i]
        .edge_start);
END_REPEAT;
RETURN(p);

END_FUNCTION; -- path_head_to_tail

FUNCTION path_reversed(
    a_path: path
) : path;

LOCAL
    the_reverse : path;
END_LOCAL;
IF 'PLANT_SPATIAL_CONFIGURATION.ORIENTED_PATH' IN TYPEOF(a_path) THEN
    the_reverse := oriented_path(a_path\oriented_path.path_element, NOT
        a_path\oriented_path.orientation);
ELSE
    the_reverse := oriented_path(a_path, FALSE);
END_IF;
RETURN(the_reverse);

END_FUNCTION; -- path_reversed

FUNCTION plant_spatial_configuration_organization_correlation(
    e: plant_spatial_configuration_organization_assignment
) : BOOLEAN;

LOCAL
    o_role : STRING;
END_LOCAL;
o_role := e\organization_assignment.role.name;

```

```

CASE o_role OF
  'vendor' : IF SIZEOF(e.items) <> SIZEOF(QUERY ( x <*
    e.items | (SIZEOF(['PLANT_SPATIAL_CONFIGURATION.PRODUCT',
    'PLANT_SPATIAL_CONFIGURATION.DOCUMENT']) * TYPEOF(x)) = 1) ))
    THEN
      RETURN(FALSE);
    END_IF;
  'owner' : IF SIZEOF(e.items) <> SIZEOF(QUERY ( x <*
    e.items | (SIZEOF(['PLANT_SPATIAL_CONFIGURATION.SITE',
    'PLANT_SPATIAL_CONFIGURATION.DOCUMENT']) * TYPEOF(x)) = 1) ))
    THEN
      RETURN(FALSE);
    END_IF;
  'plant_operator' : IF SIZEOF(e.items) <> SIZEOF(
    QUERY ( x <* e.items | ('PLANT_SPATIAL_CONFIGURATION.PLANT' IN
    TYPEOF(x)) )) THEN
    RETURN(FALSE);
  END_IF;
  'plant_owner' : IF SIZEOF(e.items) <> SIZEOF(QUERY ( x <*
    e.items | ('PLANT_SPATIAL_CONFIGURATION.PLANT' IN TYPEOF(x)) ))
    THEN
      RETURN(FALSE);
    END_IF;
  'project_owner' : IF SIZEOF(e.items) <> SIZEOF(QUERY ( x <*
    e.items | ('PLANT_SPATIAL_CONFIGURATION.DESIGN_PROJECT' IN
    TYPEOF(x)) )) THEN
    RETURN(FALSE);
  END_IF;
  'assessor' : IF SIZEOF(e.items) <> SIZEOF(QUERY ( x <*
    e.items | (('PLANT_SPATIAL_CONFIGURATION.' +
    'PRODUCT_DEFINITION_RELATIONSHIP') IN TYPEOF(x)) )) THEN
    RETURN(FALSE);
  END_IF;
END_CASE;
RETURN(TRUE);

END_FUNCTION; -- plant_spatial_configuration_organization_correlation

FUNCTION plant_spatial_configuration_person_and_organization_correlation(
  e: plant_spatial_configuration_person_and_organization_assignment
) : BOOLEAN;

LOCAL
  po_role : STRING;
END_LOCAL;
po_role := e\person_and_organization_assignment.role.name;
CASE po_role OF
  'owner' : IF SIZEOF(e.items) <> SIZEOF(QUERY ( x <*
    e.items | (SIZEOF(['PLANT_SPATIAL_CONFIGURATION.SITE',
    'PLANT_SPATIAL_CONFIGURATION.' + 'CHANGE_ITEM']) * TYPEOF(x)) =
    1) )) THEN
    RETURN(FALSE);
  END_IF;
  'plant_owner' : IF SIZEOF(e.items) <> SIZEOF(QUERY ( x <*
    e.items | ('PLANT_SPATIAL_CONFIGURATION.PLANT' IN TYPEOF(x)) ))
    THEN
      RETURN(FALSE);
    END_IF;
  'plant_operator' : IF SIZEOF(e.items) <> SIZEOF(

```

```

        QUERY ( x <* e.items | ('PLANT_SPATIAL_CONFIGURATION.PLANT' IN
            TYPEOF(x)) ) THEN
            RETURN(FALSE);
        END_IF;
    END_CASE;
    RETURN(TRUE);

END_FUNCTION; --
plant_spatial_configuration_person_and_organization_correlation

FUNCTION plant_spatial_configuration_person_correlation(
    e: plant_spatial_configuration_person_assignment
): BOOLEAN;

LOCAL
    p_role : STRING;
END_LOCAL;
p_role := e\person_assignment.role.name;
CASE p_role OF
    'vendor' : IF SIZEOF(e.items) <> SIZEOF(QUERY ( x <* e.
        items | ('PLANT_SPATIAL_CONFIGURATION.DOCUMENT' IN TYPEOF(x))
    ))
        THEN
            RETURN(FALSE);
    END_IF;
    'owner' : IF SIZEOF(e.items) <> SIZEOF(QUERY ( x <* e.
        items | (SIZEOF(['PLANT_SPATIAL_CONFIGURATION.SITE',
            'PLANT_SPATIAL_CONFIGURATION.DOCUMENT']) * TYPEOF(x)) = 1) )
        THEN
            RETURN(FALSE);
    END_IF;
    'plant_owner' : IF SIZEOF(e.items) <> SIZEOF(QUERY ( x <* e.
        items | ('PLANT_SPATIAL_CONFIGURATION.PLANT' IN TYPEOF(x)) ))
        THEN
            RETURN(FALSE);
    END_IF;
    'assessor' : IF SIZEOF(e.items) <> SIZEOF(QUERY ( x <* e.
        items | (('PLANT_SPATIAL_CONFIGURATION.' +
            'PRODUCT_DEFINITION_RELATIONSHIP') IN TYPEOF(x)) )) THEN
        RETURN(FALSE);
    END_IF;
END_CASE;
RETURN(TRUE);

END_FUNCTION; -- plant_spatial_configuration_person_correlation

FUNCTION rectangular_composite_surface_class_set(
    rep_item: representation_item
): SET [0:?] OF representation_item;

LOCAL
    i : INTEGER;
    patch : surface_patch;
    return_set : SET [0:?] OF representation_item := [];
END_LOCAL;
IF NOT ('PLANT_SPATIAL_CONFIGURATION.RECTANGULAR_COMPOSITE_SURFACE' IN
    TYPEOF(rep_item)) THEN
    RETURN(return_set);
END_IF;

```

**ISO/CD 10303-227:1995(E)**

```
REPEAT i := 1 TO HIINDEX(rep_item\rectangular_composite_surface.
    segments) BY 1;
    patch := rep_item\rectangular_composite_surface.segments[i];
    return_set := return_set + surface_class_set(patch.parent_surface);
END_REPEAT;
RETURN(return_set);

END_FUNCTION; -- rectangular_composite_surface_class_set

FUNCTION rectangular_trimmed_surface_class_set(
    rep_item: representation_item
): SET [0:?] OF representation_item;

LOCAL
    return_set : SET [0:?] OF representation_item := [];
END_LOCAL;
IF NOT ('PLANT_SPATIAL_CONFIGURATION.RECTANGULAR_TRIMMED_SURFACE' IN
    TYPEOF(rep_item)) THEN
    RETURN(return_set);
END_IF;
return_set := return_set + surface_class_set(rep_item\
    rectangular_trimmed_surface.basis_surface);
RETURN(return_set);

END_FUNCTION; -- rectangular_trimmed_surface_class_set

FUNCTION rep_item_set_has_analytic(
    rep_item_set: SET [0:?] OF representation_item
): BOOLEAN;

LOCAL
    set_iterator : INTEGER;
END_LOCAL;
IF SIZEOF(rep_item_set) = 0 THEN
    RETURN(FALSE);
END_IF;
REPEAT set_iterator := 1 TO HIINDEX(rep_item_set) BY 1;
    IF SIZEOF(['PLANT_SPATIAL_CONFIGURATION.CIRCLE',
        'PLANT_SPATIAL_CONFIGURATION.ELLIPSE',
        'PLANT_SPATIAL_CONFIGURATION.PARABOLA',
        'PLANT_SPATIAL_CONFIGURATION.HYPERBOLA',
        'PLANT_SPATIAL_CONFIGURATION.CONICAL_SURFACE',
        'PLANT_SPATIAL_CONFIGURATION.CYLINDRICAL_SURFACE',
        'PLANT_SPATIAL_CONFIGURATION.SPHERICAL_SURFACE',
        'PLANT_SPATIAL_CONFIGURATION.TOROIDAL_SURFACE'] * TYPEOF(
        rep_item_set[set_iterator])) > 0) THEN
        RETURN(TRUE);
    END_IF;
END_REPEAT;
RETURN(FALSE);

END_FUNCTION; -- rep_item_set_has_analytic

FUNCTION rep_item_set_has_free_form(
    rep_item_set: SET [0:?] OF representation_item
): BOOLEAN;

LOCAL
    set_iterator : INTEGER;
```

```

END_LOCAL;
IF SIZEOF(rep_item_set) = 0 THEN
    RETURN(FALSE);
END_IF;
REPEAT set_iterator := 1 TO HIINDEX(rep_item_set) BY 1;
    IF SIZEOF(([ 'PLANT_SPATIAL_CONFIGURATION.B_SPLINE_CURVE',
        'PLANT_SPATIAL_CONFIGURATION.B_SPLINE_SURFACE'] * TYPEOF(
            rep_item_set[set_iterator])) > 0) THEN
        RETURN(TRUE);
    END_IF;
END_REPEAT;
RETURN(FALSE);

END_FUNCTION; -- rep_item_set_has_free_form

FUNCTION scalar_times_vector(
    scalar: REAL;
    vec: vector_or_direction
): vector;

LOCAL
    v      : direction;
    mag   : REAL;
    result : vector;
END_LOCAL;
IF (NOT EXISTS(scalar)) OR (NOT EXISTS(vec)) THEN
    result := ?;
ELSE
    IF 'PLANT_SPATIAL_CONFIGURATION.VECTOR' IN TYPEOF(vec) THEN
        v := vec.orientation;
        mag := scalar * vec.magnitude;
    ELSE
        v := vec;
        mag := scalar;
    END_IF;
    IF mag < 0 THEN
        REPEAT i := 1 TO SIZEOF(v.direction_ratios) BY 1;
            v.direction_ratios[i] := -v.direction_ratios[i];
        END_REPEAT;
        mag := -mag;
    END_IF;
    result.orientation := normalise(v);
    result.magnitude := mag;
END_IF;
RETURN(result);

END_FUNCTION; -- scalar_times_vector

FUNCTION second_proj_axis(
    z_axis, x_axis, arg: direction
): direction;

LOCAL
    temp   : vector;
    v      : direction;
    y_axis : vector;
END_LOCAL;
IF NOT EXISTS(arg) THEN
    v := direction([0,1,0]);

```

```

ELSE
  v := arg;
END_IF;
temp := scalar_times_vector(dot_product(v,z_axis),z_axis);
y_axis := vector_difference(v,temp);
temp := scalar_times_vector(dot_product(v,x_axis),x_axis);
y_axis := vector_difference(y_axis,temp);
y_axis := normalise(y_axis);
RETURN(y_axis.orientation);

END_FUNCTION; -- second_proj_axis

FUNCTION set_of_topology_reversed(
  a_set: set_of_reversible_topology_item
) : set_of_reversible_topology_item;

LOCAL
  the_reverse : set_of_reversible_topology_item;
END_LOCAL;
the_reverse := [];
REPEAT i := 1 TO SIZEOF(a_set) BY 1;
  the_reverse := the_reverse + topology_reversed(a_set[i]);
END_REPEAT;
RETURN(the_reverse);

END_FUNCTION; -- set_of_topology_reversed

FUNCTION shell_reversed(
  a_shell: shell
) : shell;

LOCAL
  the_reverse : shell;
END_LOCAL;
IF 'PLANT_SPATIAL_CONFIGURATION.ORIENTED_OPEN_SHELL' IN TYPEOF(a_shell)
  THEN
    the_reverse := oriented_open_shell(a_shell\oriented_open_shell.
      open_shell_element,NOT a_shell\oriented_open_shell.orientation);
ELSE
  IF 'PLANT_SPATIAL_CONFIGURATION.OPEN_SHELL' IN TYPEOF(a_shell) THEN
    the_reverse := oriented_open_shell(a_shell,FALSE);
  ELSE
    IF 'PLANT_SPATIAL_CONFIGURATION.ORIENTED_CLOSED_SHELL' IN TYPEOF(
      a_shell) THEN
      the_reverse := oriented_closed_shell(a_shell\
        oriented_closed_shell.closed_shell_element,NOT a_shell\
        oriented_closed_shell.orientation);
    ELSE
      IF 'PLANT_SPATIAL_CONFIGURATION.CLOSED_SHELL' IN TYPEOF(a_shell)
        THEN
          the_reverse := oriented_closed_shell(a_shell,FALSE);
        ELSE
          the_reverse := ?;
        END_IF;
      END_IF;
    END_IF;
  END_IF;
RETURN(the_reverse);

```

```

END_FUNCTION; -- shell_reversed

FUNCTION surface_class_set(
    rep_item: representation_item
) : SET [0:?] OF representation_item;

LOCAL
    i : INTEGER;
    return_set : SET [0:?] OF representation_item := [];
END_LOCAL;
IF NOT ('PLANT_SPATIAL_CONFIGURATION.SURFACE' IN TYPEOF(rep_item))
    THEN
        RETURN(return_set);
END_IF;
IF 'PLANT_SPATIAL_CONFIGURATION.B_SPLINE_SURFACE' IN TYPEOF(rep_item)
    THEN
        return_set := return_set + rep_item;
END_IF;
return_set := return_set + curve_bounded_surface_class_set(rep_item) +
    rectangular_composite_surface_class_set(rep_item) +
    rectangular_trimmed_surface_class_set(rep_item) +
    elementary_surface_class_set(rep_item);
RETURN(return_set);

END_FUNCTION; -- surface_class_set

FUNCTION surface_weights_positive(
    b: rational_b_spline_surface
) : BOOLEAN;

LOCAL
    result : BOOLEAN := TRUE;
END_LOCAL;
REPEAT i := 0 TO b.u_upper BY 1;
    REPEAT j := 0 TO b.v_upper BY 1;
        IF b.weights[i][j] <= 0 THEN
            result := FALSE;
            RETURN(result);
        END_IF;
    END_REPEAT;
END_REPEAT;
RETURN(result);

END_FUNCTION; -- surface_weights_positive

FUNCTION swept_area_solid_class_set(
    rep_item: representation_item
) : SET [0:?] OF representation_item;

LOCAL
    return_set : SET [0:?] OF representation_item := [];
END_LOCAL;
IF NOT ('PLANT_SPATIAL_CONFIGURATION.SWEPT_AREA_SOLID' IN TYPEOF(
    rep_item)) THEN
    RETURN(return_set);
END_IF;
return_set := return_set + rep_item + curve_bounded_surface_class_set(
    rep_item\swept_area_solid.swept_area);
RETURN(return_set);

```

**ISO/CD 10303-227:1995(E)**

```
END_FUNCTION; -- swept_area_solid_class_set

FUNCTION topology_reversed(
    an_item: reversible_topology
) : reversible_topology;
IF 'PLANT_SPATIAL_CONFIGURATION.EDGE' IN TYPEOF(an_item) THEN
    RETURN(edge_reversed(an_item));
END_IF;
IF 'PLANT_SPATIAL_CONFIGURATION.PATH' IN TYPEOF(an_item) THEN
    RETURN(path_reversed(an_item));
END_IF;
IF 'PLANT_SPATIAL_CONFIGURATION.FACE_BOUND' IN TYPEOF(an_item) THEN
    RETURN(face_bound_reversed(an_item));
END_IF;
IF 'PLANT_SPATIAL_CONFIGURATION.FACE' IN TYPEOF(an_item) THEN
    RETURN(face_reversed(an_item));
END_IF;
IF 'PLANT_SPATIAL_CONFIGURATION.SHELL' IN TYPEOF(an_item) THEN
    RETURN(shell_reversed(an_item));
END_IF;
IF 'SET' IN TYPEOF(an_item) THEN
    RETURN(set_of_topology_reversed(an_item));
END_IF;
IF 'LIST' IN TYPEOF(an_item) THEN
    RETURN(list_of_topology_reversed(an_item));
END_IF;
RETURN(?);

END_FUNCTION; -- topology_reversed

FUNCTION using_representations(
    item: representation_item
) : SET OF representation;

LOCAL
    results          : SET OF representation;
    i                : INTEGER;
    intermediate_items : SET OF representation_item;
    result_bag       : BAG OF representation;
END_LOCAL;
result_bag := USEDIN(item,
    'PLANT_SPATIAL_CONFIGURATION.REPRESENTATION.ITEMS');
IF SIZEOF(result_bag) > 0 THEN
    REPEAT i := 1 TO HIINDEX(result_bag) BY 1;
        results := results + result_bag[i];
    END_REPEAT;
END_IF;
intermediate_items := QUERY ( z <* bag_to_set(USEDIN(item,'')) | (
    'PLANT_SPATIAL_CONFIGURATION.REPRESENTATION_ITEM' IN TYPEOF(z) );
IF SIZEOF(intermediate_items) > 0 THEN
    REPEAT i := 1 TO HIINDEX(intermediate_items) BY 1;
        results := results + using_representations(intermediate_items[i]);
    END_REPEAT;
END_IF;
RETURN(results);

END_FUNCTION; -- using_representations
```

```

FUNCTION valid_calendar_date(
    date: calendar_date
) : LOGICAL;
IF NOT ((1 <= date.day_component) AND (date.day_component <= 31))
    THEN
    RETURN(FALSE);
END_IF;
CASE date.month_component OF
    4 :      RETURN((1 <= date.day_component) AND (date.day_component
                <= 30));
    6 :      RETURN((1 <= date.day_component) AND (date.day_component
                <= 30));
    9 :      RETURN((1 <= date.day_component) AND (date.day_component
                <= 30));
    11 :     RETURN((1 <= date.day_component) AND (date.
                day_component <= 30));
    2 :      BEGIN
        IF leap_year(date.year_component) THEN
            RETURN((1 <= date.day_component) AND (date.day_component
                <= 29));
        ELSE
            RETURN((1 <= date.day_component) AND (date.day_component
                <= 28));
        END_IF;
    END;
END_CASE;

END_FUNCTION; -- valid_calendar_date

FUNCTION valid_time(
    time: local_time
) : BOOLEAN;
IF EXISTS(time.second_component) THEN
    RETURN(EXISTS(time.minute_component));
ELSE
    RETURN(TRUE);
END_IF;

END_FUNCTION; -- valid_time

FUNCTION valid_units(
    m: measure_with_unit
) : BOOLEAN;
IF 'PLANT_SPATIAL_CONFIGURATION.LENGTH_MEASURE' IN TYPEOF(m.
    value_component) THEN
    IF derive_dimensional_exponents(m.unit_component) <>
        dimensional_exponents(1,0,0,0,0,0,0) THEN
        RETURN(FALSE);
    END_IF;
END_IF;
IF 'PLANT_SPATIAL_CONFIGURATION.MASS_MEASURE' IN TYPEOF(m.
    value_component) THEN
    IF derive_dimensional_exponents(m.unit_component) <>
        dimensional_exponents(0,1,0,0,0,0,0) THEN
        RETURN(FALSE);
    END_IF;
END_IF;
IF 'PLANT_SPATIAL_CONFIGURATION.TIME_MEASURE' IN TYPEOF(m.
    value_component) THEN

```

```
IF derive_dimensional_exponents(m.unit_component) <>
    dimensional_exponents(0,0,1,0,0,0,0) THEN
    RETURN(FALSE);
END_IF;
END_IF;
IF 'PLANT_SPATIAL_CONFIGURATION.ELECTRIC_CURRENT_MEASURE' IN TYPEOF(m.
    value_component) THEN
    IF derive_dimensional_exponents(m.unit_component) <>
        dimensional_exponents(0,0,0,1,0,0,0) THEN
        RETURN(FALSE);
    END_IF;
END_IF;
IF 'PLANT_SPATIAL_CONFIGURATION.THERMODYNAMIC_TEMPERATURE_MEASURE' IN
    TYPEOF(m.value_component) THEN
    IF derive_dimensional_exponents(m.unit_component) <>
        dimensional_exponents(0,0,0,0,1,0,0) THEN
        RETURN(FALSE);
    END_IF;
END_IF;
IF 'PLANT_SPATIAL_CONFIGURATION.AMOUNT_OF_SUBSTANCE_MEASURE' IN
    TYPEOF(m.value_component) THEN
    IF derive_dimensional_exponents(m.unit_component) <>
        dimensional_exponents(0,0,0,0,0,1,0) THEN
        RETURN(FALSE);
    END_IF;
END_IF;
IF 'PLANT_SPATIAL_CONFIGURATION.LUMINOUS_INTENSITY_MEASURE' IN TYPEOF(
    m.value_component) THEN
    IF derive_dimensional_exponents(m.unit_component) <>
        dimensional_exponents(0,0,0,0,0,0,1) THEN
        RETURN(FALSE);
    END_IF;
END_IF;
IF 'PLANT_SPATIAL_CONFIGURATION.PLANE_ANGLE_MEASURE' IN TYPEOF(m.
    value_component) THEN
    IF derive_dimensional_exponents(m.unit_component) <>
        dimensional_exponents(0,0,0,0,0,0,0) THEN
        RETURN(FALSE);
    END_IF;
END_IF;
IF 'PLANT_SPATIAL_CONFIGURATION.SOLID_ANGLE_MEASURE' IN TYPEOF(m.
    value_component) THEN
    IF derive_dimensional_exponents(m.unit_component) <>
        dimensional_exponents(0,0,0,0,0,0,0) THEN
        RETURN(FALSE);
    END_IF;
END_IF;
IF 'PLANT_SPATIAL_CONFIGURATION.AREA_MEASURE' IN TYPEOF(m.
    value_component) THEN
    IF derive_dimensional_exponents(m.unit_component) <>
        dimensional_exponents(2,0,0,0,0,0,0) THEN
        RETURN(FALSE);
    END_IF;
END_IF;
IF 'PLANT_SPATIAL_CONFIGURATION.VOLUME_MEASURE' IN TYPEOF(m.
    value_component) THEN
    IF derive_dimensional_exponents(m.unit_component) <>
        dimensional_exponents(3,0,0,0,0,0,0) THEN
        RETURN(FALSE);
    END_IF;
END_IF;
```

```

        END_IF;
    END_IF;
    IF 'PLANT_SPATIAL_CONFIGURATION.RATIO_MEASURE' IN TYPEOF(m.
        value_component) THEN
        IF derive_dimensional_exponents(m.unit_component) <>
            dimensional_exponents(0,0,0,0,0,0,0) THEN
            RETURN(FALSE);
        END_IF;
    END_IF;
    IF 'PLANT_SPATIAL_CONFIGURATION.POSITIVE_LENGTH_MEASURE' IN TYPEOF(m.
        value_component) THEN
        IF derive_dimensional_exponents(m.unit_component) <>
            dimensional_exponents(1,0,0,0,0,0,0) THEN
            RETURN(FALSE);
        END_IF;
    END_IF;
    IF 'PLANT_SPATIAL_CONFIGURATION.POSITIVE_PLANE_ANGLE_MEASURE' IN
        TYPEOF(m.value_component) THEN
        IF derive_dimensional_exponents(m.unit_component) <>
            dimensional_exponents(0,0,0,0,0,0,0) THEN
            RETURN(FALSE);
        END_IF;
    END_IF;
    RETURN(TRUE);

END_FUNCTION; -- valid_units

FUNCTION vector_difference(
    arg1, arg2: vector_or_direction
): vector;

LOCAL
    ndim    : INTEGER;
    mag2   : REAL;
    mag1   : REAL;
    mag    : REAL;
    res    : direction;
    vec1   : direction;
    vec2   : direction;
    result : vector;
END_LOCAL;
IF (NOT EXISTS(arg1)) OR (NOT EXISTS(arg2)) OR (arg1.dim <> arg2.dim)
    THEN
    result := ?;
ELSE
    BEGIN
        IF 'PLANT_SPATIAL_CONFIGURATION.VECTOR' IN TYPEOF(arg1) THEN
            mag1 := arg1.magnitude;
            vec1 := arg1.orientation;
        ELSE
            mag1 := 1;
            vec1 := arg1;
        END_IF;
        IF 'PLANT_SPATIAL_CONFIGURATION.VECTOR' IN TYPEOF(arg2) THEN
            mag2 := arg2.magnitude;
            vec2 := arg2.orientation;
        ELSE
            mag2 := 1;
            vec2 := arg2;

```

```
END_IF;
vec1 := normalise(vec1);
vec2 := normalise(vec2);
ndim := SIZEOF(vec1.direction_ratios);
mag := 0;
REPEAT i := 1 TO ndim BY 1;
    res.direction_ratios[i] := (mag1 * vec1.direction_ratios[i]) - (
        mag2 * vec2.direction_ratios[i]);
    mag := mag + (res.direction_ratios[i] * res.direction_ratios[i]);
END_REPEAT;
IF mag > 0 THEN
    result.magnitude := SQRT(mag);
    result.orientation := res;
ELSE
    result.magnitude := 0;
    result.orientation := vec1;
END_IF;
END;
END_IF;
RETURN(result);

END_FUNCTION; -- vector_difference

END_SCHEMA; -- plant_spatial_configuration
(*
```

**Annex B**  
(normative)

**AIM short names**

Table B.1 provides the short names of entities specified in the AIM of this part of ISO 10303. Requirements on the use of the short names are found in the implementation methods included in ISO 10303.

**Table B.1 - Short names of entities**

Entity names	Short names
ACTION	ACTION
ACTION_ASSIGNMENT	ACTASS
ACTION_DIRECTIVE	ACTDRC
ACTION_METHOD	ACTMTH
ACTION_METHOD_RELATIONSHIP	ACMTRL
ACTION_RELATIONSHIP	ACTRLT
ACTION_REQUEST_ASSIGNMENT	ACRQAS
ACTION_REQUEST_SOLUTION	ACRQSL
ACTION_REQUEST_STATUS	ACRQST
ACTION_STATUS	ACTSTT
ADVANCED_CSG_SHAPE_REPRESENTATION	ACSR
AMOUNT_OF_SUBSTANCE_MEASURE_WITH_UNIT	AOSMWU
AMOUNT_OF_SUBSTANCE_UNIT	AOSU
ANGULAR_LOCATION	ANGLCT
APPLICATION_CONTEXT	APPCNT
APPLICATION_CONTEXT_ELEMENT	APCNEL
APPLICATION_PROTOCOL_DEFINITION	APPRDF
APPROVAL	APPRVL
APPROVAL_ASSIGNMENT	APPASS
APPROVAL_DATE_TIME	APDTTM

**Table B.1 - Short names of entities (continued)**

Entity names	Short names
APPROVAL_PERSON_ORGANIZATION	APPROR
APPROVAL_ROLE	APPRL
APPROVAL_STATUS	APPSTT
AREA_MEASURE_WITH_UNIT	AMWU
AREA_UNIT	ARUNT
ASSEMBLY_COMPONENT_USAGE	ASCMUS
AXIS1_PLACEMENT	AX1PLC
AXIS2_PLACEMENT_2D	A2PL2D
AXIS2_PLACEMENT_3D	A2PL3D
BEZIER_CURVE	BZRCRV
BEZIER_SURFACE	BZRSRF
BLANK_FITTING_CLASSIFICATION	BLFTCL
BLOCK	BLOCK
BOOLEAN_RESULT	BLNRSL
BOUNDARY_CURVE	BNDCR
BOUNDED_CURVE	BNDCRV
BOUNDED_PCURVE	BNDPCR
BOUNDED_SURFACE	BNDSRF
BOUNDED_SURFACE_CURVE	BNSRCR
BREP_WITH_VOIDS	BRWTVD
BUSHING_FITTING_CLASSIFICATION	BSFTCL
B_SPLINE_CURVE	BSPCR
B_SPLINE_CURVE_WITH_KNOTS	BSCWK
B_SPLINE_SURFACE	BSPSR
B_SPLINE_SURFACE_WITH_KNOTS	BSSWK

**Table B.1 - Short names of entities (continued)**

Entity names	Short names
CALENDAR_DATE	CLNDT
CARTESIAN_POINT	CRTPNT
CARTESIAN_TRANSFORMATION_OPERATOR	CRTROP
CARTESIAN_TRANSFORMATION_OPERATOR_3D	CTO3
CATALOGUE_ITEM	CTLITM
CENTRE_OF_SYMMETRY	CNOFSY
CHANGE_ACTION	CHNACT
CHANGE_FROM_ASSIGNMENT	CHFRAS
CHANGE_ITEM_ID_ASSIGNMENT	CIIA
CHANGE_TO_ASSIGNMENT	CHTAS
CHARACTERIZED_OBJECT	CHROBJ
CIRCLE	CIRCLE
CLASSIFICATION_ASSIGNMENT	CLSASS
CLOSED_SHELL	CLSSHLL
COLOUR	COLOUR
COLOUR_RGB	CLRRGB
COLOUR_SPECIFICATION	CLRSPC
COMPOSITE_CURVE	CMPCRV
COMPOSITE_CURVE_ON_SURFACE	CCOS
COMPOSITE_CURVE_SEGMENT	CMCRSG
CONIC	CONIC
CONICAL_SURFACE	CNCSRF
CONNECTED_FACE_SET	CNFCST
CONNECTION_FUNCTIONAL_CLASSIFICATION	CNFNCL
CONNECTION_MOTION_CLASSIFICATION	CNMTCL

**Table B.1 - Short names of entities (continued)**

Entity names	Short names
CONNECTION_NODE	CNNND
CONNECTOR_END_TYPE_CLASSIFICATION	CETC
CONTEXT_DEPENDENT_UNIT	CNDPUN
CONVERSION_BASED_UNIT	CNBSUN
COORDINATED_UNIVERSAL_TIME_OFFSET	CUTO
COUPLING_FITTING_CLASSIFICATION	CPFTCL
CROSS_FITTING_CLASSIFICATION	CRFTCL
CSG_SOLID	CSGSLD
CURVE	CURVE
CURVE_BOUNDED_SURFACE	CRBNSR
CURVE_REPLICA	CRVRPL
CYLINDRICAL_SURFACE	CYLSRF
DATE	DATE
DATE_AND_TIME	DTANTM
DATE_AND_TIME_ASSIGNMENT	DATA
DATE_ASSIGNMENT	DTASS
DATE_ROLE	DTRL
DATE_TIME_ROLE	DTTMRL
DEFINITIONAL REPRESENTATION	DFNRPR
DEGENERATE_PCURVE	DGNPCR
DEGENERATE_TOROIDAL_SURFACE	DGTRSR
DERIVED_SHAPE_ASPECT	DRSHAS
DERIVED_UNIT	DRVUNT
DERIVED_UNIT_ELEMENT	DRUNEL
DESCRIPTIVE_COLOUR	DSCCLR

**Table B.1 - Short names of entities (continued)**

Entity names	Short names
DESCRIPTIVE_REPRESENTATION_ITEM	DSRPIT
DESIGN_PROJECT	DSGPRJ
DESIGN_PROJECT_ASSIGNMENT	DSPRAS
DIMENSIONAL_CHARACTERISTIC REPRESENTATION	DMCHRP
DIMENSIONAL_EXPONENTS	DMNEXP
DIMENSIONAL_LOCATION	DMNLCT
DIMENSIONAL_SIZE	DMNSZ
DIRECTED_ACTION	DRCACT
DIRECTION	DRCTN
DOCUMENT	DCMNT
DOCUMENT_REFERENCE	DCMRFR
DOCUMENT_RELATIONSHIP	DCMRLT
DOCUMENT_TYPE	DCMTYP
DOCUMENT_USAGE_CONSTRAINT	DCUSCN
EDGE	EDGE
EDGE_CURVE	EDGCRV
EDGE_LOOP	EDGLP
ELBOW_FITTING_CLASSIFICATION	ELFTCL
ELECTRICAL_CONNECTOR_CLASSIFICATION	ELCNCL
ELECTRICAL_SYSTEM	ELCSYS
ELEMENTARY_SURFACE	ELMSRF
ELLIPSE	ELLPSS
EVALUATED_DEGENERATE_PCURVE	EVDGPC
EXECUTED_ACTION	EXCACT
EXTERNALLY_DEFINED_ITEM	EXDFIT

**Table B.1 - Short names of entities (continued)**

Entity names	Short names
EXTERNALLY_DEFINED_PLANT_ITEM_DEFINITION	EDPID
EXTERNAL_SOURCE	EXTSRC
EXTRUDED_AREA_SOLID	EXARSL
EXTRUDED_FACE_SOLID	EXFCSL
FACE	FACE
FACETED_BREP	FCTBR
FACE_BOUND	FCBND
FACE_SURFACE	FCSR
FLANGE_FITTING_CLASSIFICATION	FLFTCL
FLANGE_FITTING_NECK_TYPE_CLASSIFICATION	FFNTC
FUNCTIONALLY_DEFINED_TRANSFORMATION	FNDFTR
GEOMETRIC_CURVE_SET	GMCRST
GEOMETRIC_REPRESENTATION_CONTEXT	GMRPCN
GEOMETRIC_REPRESENTATION_ITEM	GMRPIT
GEOMETRIC_SET	GMTST
GEOMETRIC_SET_REPLICA	GMSTRP
GROUP	GROUP
GROUP_ASSIGNMENT	GRPASS
HEAT_TRACING REPRESENTATION	HTTRRP
HVAC_SYSTEM	HVC SYS
HYBRID_SHAPE_REPRESENTATION	HYSHRP
HYPERBOLA	HYPRBL
INLINE_EQUIPMENT	INLEQP
INSERT_FITTING_CLASSIFICATION	INF TCL
INSTRUMENTATION_AND_CONTROL_SYSTEM	IACS

**Table B.1 - Short names of entities (continued)**

Entity names	Short names
INTERFERING_SHAPE_ELEMENT	INSHEL
INTERSECTION_CURVE	INTCRV
LAP_JOINT_STUB_END_FITTING_CLASSIFICATION	LJSEFC
LATERAL_FITTING_CLASSIFICATION	LTFTCL
LENGTH_MEASURE_WITH_UNIT	LMWU
LENGTH_UNIT	LNGUNT
LINE	LINE
LINE_BRANCH_CONNECTION	LNBRDN
LINE_LESS_PIPING_SYSTEM	LLPS
LINE_PLANT_ITEM_BRANCH_CONNECTION	LPIBC
LINE_PLANT_ITEM_CONNECTION	LPIC
LINE_TERMINATION_CONNECTION	LNTRCN
LOCAL_TIME	LCLTM
LOOP	LOOP
MAKE_FROM_USAGE_OPTION	MFUO
MANIFOLD_SOLID_BREP	MNSLBR
MAPPED_ITEM	MPPITM
MASS_MEASURE_WITH_UNIT	MMWU
MASS_UNIT	MSSUNT
MATERIAL_DESIGNATION	MTRDSG
MATERIAL_DESIGNATION_RELATIONSHIP	MTDSRL
MATERIAL_PROPERTY	MTRPRP
MEASURE REPRESENTATION ITEM	MSRPIT
MEASURE_WITH_UNIT	MSWTUN
NAMED_UNIT	NMDUNT

**Table B.1 - Short names of entities (continued)**

Entity names	Short names
NAME_ASSIGNMENT	NMASS
OFFSET_CURVE_2D	OFCR2D
OFFSET_CURVE_3D	OFCR3D
OFFSET_SURFACE	OFFSRF
OLET_FITTING_CLASSIFICATION	OLFTCL
OPEN_SHELL	OPNSHL
ORGANIZATION	ORGNZT
ORGANIZATIONAL_PROJECT	ORGPRJ
ORGANIZATION_ASSIGNMENT	ORGASS
ORGANIZATION_ROLE	ORGRL
ORIENTED_CLOSED_SHELL	ORCLSH
ORIENTED_EDGE	ORNEDG
ORIENTED_FACE	ORNFC
ORIENTED_OPEN_SHELL	OROPSH
ORIENTED_PATH	ORNPTH
ORIFICE_PLATE_FITTING_CLASSIFICATION	OPFC
PARABOLA	PRBL
PATH	PATH
PCURVE	PCURVE
PERSON	PERSON
PERSON_AND_ORGANIZATION	PRANOR
PERSON_AND_ORGANIZATION_ASSIGNMENT	PAOA
PERSON_AND_ORGANIZATION_ROLE	PAOR
PERSON_ASSIGNMENT	PRSASS
PERSON_ROLE	PRSRL

**Table B.1 - Short names of entities (continued)**

Entity names	Short names
PIPE_CAP_FITTING_CLASSIFICATION	PCFC
PIPE_CLASSIFICATION	PPCLS
PIPING_COMPONENT_DEFINITION	PPCMDF
PIPING_CONNECTOR_CLASSIFICATION	PPCNCL
PIPING DESIGN_CSG_SHAPE_REPRESENTATION	PDCSR
PIPING_SYSTEM	PPNSYS
PLACEMENT	PLCMNT
PLANE	PLANE
PLANE_ANGLE_MEASURE_WITH_UNIT	PAMWU
PLANE_ANGLE_UNIT	PLANUN
PLANT	PLANT
PLANT_ITEM_CONNECTION	PLITCN
PLANT_ITEM_CONNECTOR	PLTCN
PLANT_ITEM_DEFINITION	PLITDF
PLANT_ITEM_DEFINITION_CLASS	PIDC
PLANT_ITEM_INTERFERENCE	PLITIN
PLANT_ITEM_ROUTE	PLITRT
PLANT_ITEM_WEIGHT REPRESENTATION	PIWR
PLANT_LINE_DEFINITION	PLLNDL
PLANT_LINE_SEGMENT_DEFINITION	PLSD
PLANT_LINE_SEGMENT_TERMINATION	PLST
PLANT_SPATIAL_CONFIGURATION_ACTION_REQUEST_ASSIGNMENT	PSCARA
PLANT_SPATIAL_CONFIGURATION_APPROVAL_ASSIGNMENT	PSCAA
PLANT_SPATIAL_CONFIGURATION_CHANGE_ASSIGNMENT	PSCCA
PLANT_SPATIAL_CONFIGURATION_DATE_AND_TIME_ASSIGNMENT	PSCDAT

**Table B.1 - Short names of entities (continued)**

Entity names	Short names
PLANT_SPATIAL_CONFIGURATION_DATE_ASSIGNMENT	PSCDA
PLANT_SPATIAL_CONFIGURATION_DOCUMENT_REFERENCE	PSCDR
PLANT_SPATIAL_CONFIGURATION_ORGANIZATION_ASSIGNMENT	PSCOA
PLANT_SPATIAL_CONFIGURATION_PERSON_AND_ORGANIZATION_ASSIGNMENT	PSCPAAO
PLANT_SPATIAL_CONFIGURATION_PERSON_ASSIGNMENT	PSCPA
POINT	POINT
POINT_ON_CURVE	PNONCR
POINT_ON_SURFACE	PNONSR
POINT_REPLICA	PNTRPL
POLYLINE	PLYLN
POLY_LOOP	PLYLP
PRESENTATION_LAYER_ASSIGNMENT	PRLYAS
PROCESS_CAPABILITY	PRCCPB
PRODUCT	PRDCT
PRODUCT_CATEGORY	PRDCTG
PRODUCT_CATEGORY_RELATIONSHIP	PRCTRL
PRODUCT_CONTEXT	PRDCNT
PRODUCT_DEFINITION	PRDDFN
PRODUCT_DEFINITION_CONTEXT	PRDFCN
PRODUCT_DEFINITION_FORMATION	PRDFFR
PRODUCT_DEFINITION_FORMATION_RELATIONSHIP	PDFR
PRODUCT_DEFINITION_FORMATION_WITH_SPECIFIED_SOURCE	PDFWSS
PRODUCT_DEFINITION_RELATIONSHIP	PRDFRL
PRODUCT_DEFINITION_SHAPE	PRDFSH

**Table B.1 - Short names of entities (continued)**

Entity names	Short names
PRODUCT_DEFINITION_SUBSTITUTE	PRDFSB
PRODUCT_DEFINITION_USAGE	PRDFUS
PRODUCT_DEFINITION_WITH_ASSOCIATED_DOCUMENTS	PDWAD
PRODUCT RELATED PRODUCT CATEGORY	PRPC
PROPERTY_DEFINITION	PRPDFN
PROPERTY_DEFINITION_RELATIONSHIP	PRDFR
PROPERTY_DEFINITION_REPRESENTATION	PRDFRP
PURCHASE_ASSIGNMENT	PRCASS
QUASI_UNIFORM_CURVE	QSUNCR
QUASI_UNIFORM_SURFACE	QSUNSR
RATIONAL_B_SPLINE_CURVE	RBSC
RATIONAL_B_SPLINE_SURFACE	RBSS
RATIO_MEASURE_WITH_UNIT	RMWU
RATIO_UNIT	RTUNT
RECTANGULAR_COMPOSITE_SURFACE	RCCMSR
RECTANGULAR_TRIMMED_SURFACE	RCTRSR
REDUCER_FITTING_CLASSIFICATION	RDFTCL
REFERENCE_GEOMETRY	RFRGMT
REPARAMETRISED_COMPOSITE_CURVE_SEGMENT	RCCS
REPRESENTATION	RPRSNT
REPRESENTATION_CONTEXT	RPRCNT
REPRESENTATION_ITEM	RPRITM
REPRESENTATION_MAP	RPRMP
RESERVED_SPACE	RSRSPC
REVOLVED_AREA_SOLID	RVARSL

**Table B.1 - Short names of entities (continued)**

Entity names	Short names
REVOLVED_FACE_SOLID	RVFCSL
RIGHT_CIRCULAR_CONE	RGCRN
RIGHT_CIRCULAR_CYLINDER	RGCRCY
SEAM_CURVE	SMCRV
SHAPE_ASPECT	SHPASP
SHAPE_ASPECT_DERIVING_RELATIONSHIP	SADR
SHAPE_ASPECT_RELATIONSHIP	SHASRL
SHAPE_DEFINITION_REPRESENTATION	SHDFRP
SHAPE_DIMENSION_REPRESENTATION	SHDMRP
SHAPE REPRESENTATION	SHPRPR
SITE	SITE
SITE_BUILDING	STBLD
SITE_FEATURE	STFTR
SITE_REPRESENTATION	STRPR
SI_UNIT	SUNT
SOLID_ANGLE_MEASURE_WITH_UNIT	SAMWU
SOLID_ANGLE_UNIT	SLANUN
SOLID_MODEL	SLDMDL
SPACER_FITTING_CLASSIFICATION	SPFTCL
SPECIALTY_ITEM_CLASSIFICATION	SPITCL
SPHERE	SPHERE
SPHERICAL_SURFACE	SPHSRF
STREAM DESIGN_CASE	STDSCS
STREAM_PHASE	STRPHS
STRUCTURAL_LOAD_CONNECTOR_CLASSIFICATION	SLCC

**Table B.1 - Short names of entities (continued)**

Entity names	Short names
STRUCTURAL_SYSTEM	STRSYS
SUPPORT_CONSTRAINT REPRESENTATION	SPCNRP
SURFACE	SRFC
SURFACE_CURVE	SRFCRV
SURFACE_OF_LINEAR_EXTRUSION	SL
SURFACE_OF_REVOLUTION	SROFRV
SURFACE_PATCH	SRFPTC
SURFACE_REPLICA	SRFRPL
SWAGE_FITTING_CLASSIFICATION	SWFTCL
SWEPT_AREA_SOLID	SWARSL
SWEPT_FACE_SOLID	SWFCSL
SWEPT_SURFACE	SWPSRF
SYSTEM_SPACE	SYSSPC
TEE_FITTING_CLASSIFICATION	TFTCL
THERMODYNAMIC_TEMPERATURE_MEASURE_WITH_UNIT	TTMWU
THERMODYNAMIC_TEMPERATURE_UNIT	THTMUN
TIME_MEASURE_WITH_UNIT	TMWU
TIME_UNIT	TMUNT
TOPOLOGICAL_REPRESENTATION_ITEM	TPRPIT
TOROIDAL_SURFACE	TRDSRF
TORUS	TORUS
TRIMMED_CURVE	TRMCRV
TRUNCATED_PYRAMID	TRNPYR
UNIFORM_CURVE	UNFCRV
UNIFORM_SURFACE	UNFSRF

**Table B.1 - Short names of entities (concluded)**

Entity names	Short names
UNION_FITTING_CLASSIFICATION	UNFTCL
VALVE_CLASSIFICATION	VLVCLS
VECTOR	VECTOR
VERSIONED_ACTION_REQUEST	VRACRQ
VERTEX	VERTEX
VOLUME_MEASURE_WITH_UNIT	VMWU
VOLUME_UNIT	VLMUNT
WYE_FITTING_CLASSIFICATION	WYFTCL

**Annex C**  
(normative)

**Implementation method specific requirements**

The implementation method defines what types of exchange behaviour are required with respect to this part of ISO 10303. Conformance to this part of ISO 10303 shall be realized in an exchange structure. The file format shall be encoded according to the syntax and EXPRESS language mapping defined in ISO 10303-21 and the AIM defined in annex A of this part of ISO 10303. The header of the exchange structure shall identify the use of this part of ISO 10303 by the schema name ‘plant\_spatial\_configuration’.

**Annex D**  
(normative)

**Protocol Information Conformance Statement (PICS) proforma**

The PICS proforma is supplied for completion by the person or organization (the client) requesting conformance testing. Its purpose is to ascertain the scope of claimed conformance to a particular application protocol by an implementation under test (IUT) using a defined implementation method. Through the completion of this form, the PICS Proforma becomes a PICS.

The information contained in the PICS is used to configure an appropriate executable test suite for use by the client.

Ten conformance classes are identified in this part of ISO 10303. A conforming implementation shall support at least one conformance class. Each class specifies a subset of ISO 10303-227 AIM constructs. These classes are detailed in clause 6 of ISO 10303-227.

Questions:

1. Please provide an identifier for the product or system for which conformance is claimed:

Product name and current version number: \_\_\_\_\_

2. Please indicate the implementation method chosen:

— ISO 10303-21 Exchange Structure -- preprocessor  
Preprocessor name and current version number: \_\_\_\_\_

— ISO 10303-21 Exchange Structure -- postprocessor  
Postprocessor name and current version number: \_\_\_\_\_

3. Please indicate the classes for which conformance is claimed:

- Class 1: \_\_\_\_\_
- Class 2: \_\_\_\_\_
- Class 3: \_\_\_\_\_
- Class 4: \_\_\_\_\_
- Class 5: \_\_\_\_\_
- Class 6: \_\_\_\_\_

- Class 7:\_\_\_\_\_
- Class 8:\_\_\_\_\_
- Class 9:\_\_\_\_\_
- Class 10:\_\_\_\_\_

1

**Annex E**  
(normative)

**Information object registration**

**E.1 Document identification**

In order to provide for unambiguous identification of an information object in an open system, the object identifier

{ iso standard 10303 part(227) version(-1) }

is assigned to this part of ISO 10303. The meaning of this value is defined in ISO/IEC 8824-1, and is described in ISO 10303-1.

**E.2 Schema identification**

In order to provide for unambiguous identification of the schema specifications given in this application protocol in an open information system, object identifiers are assigned as follows:

{ iso standard 10303 part(227) version(-1) object(1) plant-spatial-configuration(1) }

is assigned to the **plant\_spatial\_configuration** expanded schema (see annex A).

{ iso standard 10303 part(227) version(-1) object(1) plant-spatial-configuration-schema(2) }

is assigned to the **plant\_spatial\_configuration** short form schema (see 5.2).

The meaning of these values is defined in ISO/IEC 8824-1, and is described in ISO 10303-1.

## Annex F

(informative)

### Application activity model

The AAM is provided to aid the understanding of the scope and information requirements defined in this application protocol. The model is presented as a set of definitions of the activities and the data, and a set of activity figures. The viewpoint of the AAM is the users of plant spatial configuration information, including architect, engineer, and builder.

#### F.1 Application activity model definitions and abbreviations

The following terms are used in the application activity model. Terms marked with an asterisk are outside the scope of this application protocol.

The definitions given in this annex do not supersede the definitions given in the main body of the text.

**F.1.1 Analyze Final Plant Design (AAM A345):** Examine all aspects of final design for compliance to performance criteria and generate any necessary changes required to meet these criteria.

**F.1.2 Authorization Plan\*:** High level plan, justification, and forecast for design and construction of a Plant. The authorization plan describes how funds, people, and resources are to be allocated for the plant project. It is a document used internally; it is sometimes called a "white paper".

**F.1.3 As-built Documents\*:** Site plans, detailed equipment descriptions, electrical instrument diagrams, and P&I diagrams that record the as-built conditions of a Plant. They aid in meeting government documentation and safety requirements. Frequently, they are simply corrections or mods to existing design documents delivered to construction.

**F.1.4 Bids\*:** Commercial proposal by vendor or supplier for provision of equipment, supplies, or services.

**F.1.5 Calculate Heat/Mass Balance (A312):** Calculations performed based on Design Basis, Unit operations, Fuel and/or Materials in the process, along with associated chemical properties to optimize Plant and operational cost.

**F.1.6 Capital Appropriation\*:** Authorization of funding for capital project or expenditure.

**F.1.7 Change Request:** A request made by user of data (other than engineering user) for changes to original process plant design due to errors, omissions, and or other reasons (e.g., new requirements). A request is followed by review, analysis, and approval. Change requests are tracked in terms of cost and schedule (a kind of mini-project within project). Change requests may originate from construction or operations, for example.

**ISO/CD 10303-227:1995(E)**

Changes requests may be made against:

- supplier list;
- process;
- plant;
- procedure;
- design basis.

**F.1.8 Chem Props\***: Important chemical data needed by the Process Engineer during design. This data will typically include, but is not limited to:

- Boiling Point
- Critical Pressure
- Critical Temperature
- Density
- Enthalpy
- Entropy
- Flash Point
- Heat of Vapourization
- Melting Point
- Molecular Weight
- Specific Heat
- Thermal Conductivity
- Viscosity

**F.1.9 Codes**: A widely recognized, accepted, and sometimes legally mandated set of rules that apply during the life-cycle of the Plant. These rules govern life-cycle activities such as design, fabrication, and operation and characteristics such as safety. Codes are a consensus documents/specifications and are sometimes a subset of regulatory requirements. The ANSI 31.x series of codes are an example.

The design basis data specified will guide the code application, i.e., how the code is applied, e.g., 31.3 overpressurizing is allowed for short periods of times to accommodate specific design basis scenarios.)

**F.1.10 Commission Plant (AAM A56):** Test the functionality of the completed Plant prior to operation. Develop final operating and maintenance procedures. Obtain final regulatory approval to operate the Plant.

**F.1.11 Commissioned Plant\*:** A Plant that has been proven to be operational through commissioning procedures.

**F.1.12 Commissioning Procedures\*:** Step-by-step explanation of start-up actions required to commission Plant.

**F.1.13 Confirm Safety and Regulatory Compliance (AAM A344):** Establish that the final design of the Plant meets specified safety and regulatory criteria.

**F.1.14 Construct Plant (AAM A5):** The process of building a physical Plant, ready for use, using plans and building materials. The layout drawings and material requirements are used to establish the physical arrangement and to procure the materials required. A plan for erecting the Plant is determined from material schedules, heavy equipment schedules, labor schedules, and environmental conditions (such as weather). Temporary erection material is procured as needed (such as scaffolding). Regulatory requirements and client requirements are used to plan and erect the Plant, and for the final testing and certification for operation.

**F.1.15 Construction Plan:** A plan for building or fabricating a Plant or Plant Item.

**F.1.16 Construction Services\*:** Constructor activities/ability to be used to construct the Plant.

**F.1.17 Control and Approve Activities (AAM A11):** Prepare plans, check conformance to plan, and arrange for corrective action.

**F.1.18 Control Requirements:** Requirements/criteria specified in operating procedures and safety requirements imposed on the mechanisms/systems that monitor and control Plant operation.

**F.1.19 Corporate Standards:** Procedures, instructions, or specifications that may be used in the execution of a plant project and are standardized within an organization; they are not project specific, but may be used (and possibly customized) by a variety of projects. Corporate standards are developed over a long period of time as standard, recommended, or best practice.

Kinds of standards include:

- safety;
- design;
- maintenance.

**F.1.20 Define Plant Operating Philosophy (AAM A331):** Ascertain and confirm those plant operating characteristics and activities necessary to achieve Plant owner's operational goals such as Methods of Production, Technology, Plant Safety, or Plant Availability. Includes selecting types and sequences of unit operations and processing steps so that the Plant production objectives can be achieved. Specify alternate or abnormal operating conditions and procedures such as startup and shutdowns.

**F.1.21 Define Procedures, Standards, Guidelines, Specifications, and Codes (AAM A13):** Define the engineering policies to be used and determine appropriate procedures, codes, standards, guidelines, and specifications that may apply.

**F.1.22 Delivery Dates\*:** Scheduled date for delivery of procured items to meet or support construction.

**F.1.23 Deploy Component/Service (AAM A44):** The process by which the part/service is delivered and the acquisition agreement is fulfilled.

**F.1.24 Design Basis:** A document provided by the Plant owner or developed by the AEC contractors which establishes or defines the information/data on which Plant engineering is to be based. It consists of guidelines/requirements, corporate standards, codes, references to regulatory agreements, form of deliverables, plant/production capacity.

The design basis will specify:

- Type of plant;
- Plant product or output (type and capacity);
- Plant inputs (e.g., fuel, feedstock);
- Plant operating requirements;
- Plant process requirements;
- Site parameters (geographical, meteorological, soils, hydrological);
- Environmental requirements;
- Design Safety Philosophy;
- Plant license/permit requirements.

It also addresses performance objectives for the Plant such as:

- Safety and health;
- Environmental;

- Investment and project economics;
- Schedule;
- Capacity;
- Product and raw material storage;
- Product and plant quality;
- Engineering quality;
- Project execution;
- Technology.

Performance objectives usually take the form of a written document owned and maintained by the project team (consisting of members from the business, engineering, construction, and Plant site).

NOTE - This definition is from an owners perspective.

**F.1.25 Design Plant (AAM A3):** The activity of extending a concept into a detailed Plant definition suitable to support component purchase and Plant construction.

**F.1.26 Design Strategy:** The "how-to" for the design. It encompasses building technology, mechanical technology, utility technology, automation technology, schedules, scope, standards and regulations, process definition, control philosophies, costs, benefits and timings, and project approach (AE, CM, internal).

**F.1.27 Dispose of Plant (AAM A64):** Plan and complete the activities required to dispose of the Plant.

**F.1.28 Engineer/Design Equipment (AAM A323):** Preliminary sizing of all major pieces of equipment required is made at this time with enough detail to obtain budget quotes. This should include equipment such as refrigeration machines, purchase power substations, secondary substations, switch gear, compressors, and boilers, as well as the major process equipment specific to the Plant.

**F.1.29 Engineer/Design Plant Systems (AAM A322):** At the conceptual level, this is a preliminary scoping of all major modifications or additions to major Plant distribution systems such as steam, compressed air, electrical power, refrigeration, water, firewater, and sewers (storm, process, sanitary). Impact on distribution pipe lines and feeder systems quantity and size are also included. A consideration of system operation in terms of reliability, uptime, planned maintenance, and winter/summer operations are vital to proper planning.

**F.1.30 Environmental Impact Assessment\*:** Evaluation of project/plant's affect on the environment. A report is usually required by an environmental regulatory agency before construction can begin.

**F.1.31 Equipment Characteristics:** Attributes of an item that have a name and measurable value. Equipment characteristics may be subdivided into physical and functional/performance characteristics.

Physical equipment characteristics describe or specify the size, material, or shape of the equipment. They are items of information that describe the shape, position, and orientation of equipment. For a pump, such information might include primitive elements (e.g., boxes and cylinders) to describe the shape, the position of suction and discharge nozzles and flange ratings of the nozzles.

Functional/performance characteristics describe or specify the process requirements for the equipment: what it is supposed to do and how much it is supposed to do it. They are items of information that describe: (1) the effect that equipment has on the process, (2) the service provided to the process by the equipment, or (3) other operational information. For a pump, such information might include flow rate, total developed head, efficiency, and a descriptive name or title, such as 1502-B Condensate Return Pump B.

Equipment Process Requirements are a subset of Equipment Functional Data that describe the contribution to the process desired from equipment. Such data is specified prior to the actual selection of specific equipment to fulfill the purpose.

**F.1.32 Equipment ID:** An identifier assigned to a piece of Equipment.

**F.1.33 Equipment List:** A list of equipment in the process plant. List is comprised of, but not limited to, name, identifier (e.g., tag), location (e.g., building, elevation, area, column row), contract numbers (e.g., purchase, install), spare requirements, service requirements (e.g., air, water, structural base, electrical power, control circuitry), drawing references (e.g., P&I diagrams, plant arrangements) and if applicable, electrical load and type. The list may not include all equipment; it does not include miscellaneous equipment/devices (e.g., y-pattern strainers, inline flow meters, instruments) or valves.

**F.1.34 Erect Plant (AAM A53):** Utilizing plans, materials, services and labor, build the physical Plant which conforms with the detailed design. This process begins with the site preparation; grading and primary foundations poured, and temporary roads and rails created. Utility services are provided and temporary warehouses are built. Major equipment is moved, often in pieces, and installed on foundations with supporting steel. Site permanent buildings are built, as are pipe racks and other permanent steel. Pipe runs and pipe spools are put in place with valves and miscellaneous equipment and welded or joined. Other items such as ducting, electrical, instrumentation are installed.

**F.1.35 Establish Plant Design Basis (AAM A23):** The activity of collecting a complete and consistent set of constraints, requirements, and guidelines for subsequent engineering activities. This activity results in the development of the design basis documents. See Design Basis.

**F.1.36 Establish Initial Process Control Logic (AAM A314) :** Document philosophical and operational requirements between instrumentation, equipment and process.

**F.1.37 Evaluate Bids and Negotiate Purchase (AAM A43):** The process by which bid packages are evaluated, a vendor is selected, and an agreement is entered into for the acquisition of the part.

**F.1.38 Facilities\*:** Resources such as structures and infrastructures which are allocated/committed for a Plant project.

**F.1.39 Finalize Layout/Arrangement/Spatial Design (AAM A342):** Develop the spatial design of the Plant to its final approved-for-construction state; the primary input is the finalized system design.

**F.1.40 Finalize System Design (AAM A341):** Develop the system design, expressed by flow and control information and equipment performance data, to its final state. The resulting design serves as a basis for detailed Plant design.

**F.1.41 Guidelines/Requirements:** Specifications, instructions, and mandates specified by management that shall be followed in Plant project. They may be project specific. Guidelines are more generally applicable than requirements, which tend to be specific in terms of what must be done.

Originators and users of guidelines and requirements are:

- A&E;
- E&C;
- EPC;
- Owner;
- Constructor;
- CM;
- Contractor (basic practices).

These categories not mutually exclusive.

**F.1.42 Heat/Mass Calculations:** Calculations performed based on Design Basis, Unit operations, Fuel and/or Materials in the process, along with associated chemical properties to optimize Plant and operational cost.

**F.1.43 Identify/Analyze Safety Requirements/Hazards (AAM A315):** Review Design Basis, Unit Operations, Heat/Mass Balances, Materials, Identified Equipment, Control Logic and Process Flow Diagram against federal, state and/or local regulations, codes and/or standards to determine compliance and produce an analysis of results.

**F.1.44 Identify/Define Unit Operations (AAM 311):** Incorporate Design Basis and Owner Requirements to define and document basis for conceptual process design. If the design activity is related to an existing Plant, then existing operations are incorporated into the conceptual process design. This activity also results in estimated time and cost expenditures.

**F.1.45 Identify Plant Performance Requirements and Establish Design Strategy (AAM A321):** Plant Performance Requirements are a quantitative description of the quantity and quality of a product to be produced by the Plant in a yearly time period. Usually stated as "units of product/unit time". Additional qualifications are made regarding the quality of the Plant. Examples include: time between major shutdowns for continuous processes, percent uptime required, and expected yield.

Design strategy is a description of major steps required to complete enough design to obtain a budget estimate for business calculations as well as begin the identification of process unknowns which may or may not require piloting.

**F.1.46 Identify/Size Equipment (AAM A313):** Identify equipment requirements based on Design Basis and Unit Operations. Sizing of the equipment is based on the Heat/Mass Balance calculations and Unit Operations.

**F.1.47 Inspection plan\*:** The description of anticipated activities necessary for surveillance of vendors, fabricators and assemblers to verify compliance to contractual specifications, codes and good practice. The plan usually lists the items to be inspected, the place at which the inspections are expected to occur, anticipated frequency of inspection and type of activity to be undertaken at each inspection. The reporting procedure for the surveillance results is usually included in the developed inspection plan.

**F.1.48 Inspection Results\*:** Reports that result from inspection and vendor surveillance activities.

**F.1.49 Layout Plant (AAM A324):** A general arrangement of the Plant in plan view, showing all the major components of the distribution systems affected by the Plant and the location of the Plant. A general arrangement of all major equipment within the battery limits of the Plant is also included.

**F.1.50 Line Sched/list:** A subset of information presented on the P&I diagram (and possibly the Heat/Mass balance) that describes the characteristics of pipelines required for a given process. This information is used by the Piping Designer during the Detail Design. Analogous to equipment list.

**F.1.51 Maintain Plant (AAM A63):** Conduct and monitor the activities required to maintain the Plant.

**F.1.52 Maintain Suppliers List (AAM A41):** The process by which a list of accepted/approved suppliers is kept up to date.

**F.1.53 Manage, Operate, Maintain, and Dispose of Plant (AAM A6):** The activities required to manage, operate, maintain, and dispose of the Plant safely, efficiently, and according to operating procedures and regulations.

**F.1.54 Manage Plant (AAM A61):** Direct and administrate the operations, maintenance, and disposal of the Plant.

**F.1.55 Manage Project (AAM A1):** Provide sufficient resources to execute the project and check that the execution is done in accordance with the plans and regulations.

**F.1.56 Management Authorizations/Controls\***: Management authorization, imperatives, directives, and procedures for initiating and executing plant management activities.

**F.1.57 Material Requirements**: The specification of materials, material options, and/or material parameters for a Plant item. Includes references to applicable specifications and standards.

**F.1.58 Money\***: Funds available or committed for Plant project.

**F.1.59 Obtain Agreements with Regulatory Bodies (AAM A22)**: The activity of confirming that the intended design, construction, commissioning, operation, and decommissioning of the proposed project will comply with requirements of the regulatory body. This confirmation is recorded by formal documentation such as written agreements and safety compliance reports.

**F.1.60 Obtain Construction Services (AAM A52)**: Use the construction plan as a requirements list for outside services needed and their schedule. Negotiate contracts and agreements with sub-contractors, equipment suppliers, and labor unions as needed for the erection of the Plant. Adjust schedule of construction plan to allow for availability of sub-contractors, equipment and labor.

**F.1.61 Operate Plant (AAM A62)**: Conduct and monitor the activities required to operate the Plant.

**F.1.62 Operating Philosophy**: The Plant owner's operational goals, such as Methods of Production, Technology, Plant Safety, and Plant Availability.

**F.1.63 Operating Procedures\***: Documentation necessary to run Plant safely; it covers many different phases and aspects of Plant operation.

**F.1.64 Optimize for Environment (AAM A336)**: Evaluate the Plant design against the applicable environmental regulations (Federal, State, and local) and modify where required. These regulations influence many of the activities in Plant and process design such as operating procedures, Plant and process control strategies, specification and design of piping, instrumentation, and equipment, as well as site selection. Broad regulatory interpretations often mean that conservative measures are incorporated in Plant design.

**F.1.65 Owner Requirements\***: An initial statement of Plant requirements provided by the owner. It is an aggregation of items such as design requirements, specifications, standards, and client general specifications. The owner requirement may be provided at any level of abstraction from very general to very specific. Leads to design\_basis.

**F.1.66 Personnel\***: A body of persons, usually employed in a factory, office, or organization.

**F.1.67 Piping and Instrumentation (P&I) Diagram**: A schematic diagram which shows engineering details of the equipment, instruments, pipes, valves, and their connectivity and sequence.

The following are kinds of P&I diagrams which reflect the evolutionary cycle of design:

- Preliminary: Conveys the flow of the fluids from equipment to equipment in the system. It shows the valves which are used to control the flow. The major fluid containing lines have been sized.

- Approved for Design (AFD): Process definition firm, needs instrumentation.
- Design: Instrumentation details are included. All lines and valves have been sized. All valving, vents and drains are included. Instrumentation and loops are indicated but final instrumentation may not have been selected.
- Final: Complete P&I diagram; approved for release by engineering for construction; a sealed document. It is a last version of the design P&I diagram. It contains all changes which were incorporated during the physical design of the systems. It reflects the Plant as it was, or will be, constructed.

**F.1.68 Plan/Analyze Project Finances (AAM A21):** The activity of anticipating and estimating the financial resource requirements for a project. This activity establishes the expected financial performance for the project and the project financial plan.

**F.1.69 Plan Plant Project (AAM A2):** The activity that established a detailed technical plan and a financial plan that are consistent with the engineering, construction, and commissioning activities required to fulfill the project objectives.

**F.1.70 Plant:** Produces chemicals, pharmaceutical, electrical power, petroleum, and similar products (i.e., produces "stuff" rather than "things").

**F.1.71 Plant Items:** A Plant Item is an item or piece of Equipment that may be used as a component of the Plant.

**F.1.72 Pre-commission Plant (AAM A55):** Resolve any differences between the detailed design and the as-built Plant. Changes occur primarily to the documentation of the Plant. Perform all testing required by regulatory agencies and the client. Resolve any problems which were discovered during testing. Obtain regulatory permission to start-up the Plant for functional testing.

**F.1.73 Plant Performance Requirements:** Plant Performance Requirements are a quantitative description of the quantity and quality of a product to be produced by the Plant in a yearly time period. Usually stated as "units of product/unit time". Additional qualifications are made regarding the quality of the Plant. Examples include: time between major shutdowns for continuous processes, percent uptime required, and expected yield.

**F.1.74 Pre-commissioned Plant\*:** A Plant that is completed and ready for check out. Mechanical complete; transfer of ownership, operation remain.

**F.1.75 Prepare Bid Packages and Solicit Bids (AAM A42):** The process by which the technical and commercial requirements for a part are compiled and sent out for pricing by multiple vendors.

**F.1.76 Process Control Logic\*:** Prose/diagrammatic explanation of mechanisms/systems that monitor and control a process.

**F.1.77 Process Flow Diagram (PFD):** A diagram of the Plant process flow scheme and related information. The PROCESS is defined as the chemical, physical or other schemes which are used to produce a resulting product. The FLOW is defined as the relationship of operations, reactions and other steps that are required to produce the product. It also may specify the stream connections, stream flow rates and compositions, and operating conditions.

The diagram usually contains simplified representation of basic instrumentation, operating conditions and material information necessary to provide a basic understanding of the process flow.

PFDs evolve through stages like P&I diagrams and other design documentation.

**F.1.78 Procure Components (AAM A4):** The process by which needed parts, equipment, or services are purchased or acquired.

**F.1.79 Procured item\*:** Plant item that has been obtained from vendor or supplier for incorporation into the Plant.

States or status of procured items include:

- In\_fabrication;
- Accepted;
- Shipped;
- Delivered\_to\_site.

**F.1.80 Produce As-built Surveys (AAM A54):** The completed Plant is given a physical inspection to determine where the Plant no longer conforms to the detailed design. The detail design drawings and other documents are updated to reflect these changes. Remove construction materials, temporary buildings, and equipment from the completed Plant. Place surplus Plant material in the spare parts warehouse or otherwise dispose of.

**F.1.81 Produce Conceptual Plant Design (AAM A32):** The activity of extending the conceptual process design into a preliminary Plant spatial arrangement.

**F.1.82 Produce Conceptual Process Design (AAM A31):** The activity of defining the basic parameters of Plant flow scheme. Parameters include relationship of operations necessary to transform feed stock into a product.

**F.1.83 Produce Conceptual Safety Engineering Designs (AAM A325):** Designs which specifically address how the major hazards associated with the new Plant are to be dealt with to ensure the safety of all personnel working in the Plant as well as the general site and surrounding neighborhood population. These hazards will have been identified during the preliminary screening reviews to identify chemical, fire and health hazards associated with the specific chemical and/or mechanical characteristics of the process.

**F.1.84 Produce Construction Plans (AAM A51):** Using site drawings, layout drawings, and other documents, determine the desired sequence to building the Plant which will meet contract budget and schedule. Determine those services which will be needed from sub-contractors for the site preparation, erection, and testing of the Plant. Develop detailed erection drawings and schedules for each section of the Plant and for temporary structures.

**F.1.85 Produce Final Plant Design (AAM A34):** Activity of producing Plant definition based on final process design and conceptual process design.

**F.1.86 Produce Final Process Design (AAM A33):** Integration of conceptual process and Plant designs to fully define parameters of Plant flow scheme.

**F.1.87 Produce Process Flow Diagram (AAM A316):** Production of a schematic showing basic process flow developed from the cumulative results of Unit Operations, Equipment Sizing, Initial Logic and Safety Requirements along with related chemical properties. If design activity is related to a modification or addition to an existing Plant then the existing Plant information is reflected in the developed Process Flow Diagram.

**F.1.88 Product\*:** Marketable output of Plant.

**F.1.89 Project Authorizations/Controls\*:** Management authorization, imperatives, directives, and procedures for initiating and executing project activities.

**F.1.90 Project Financial Plan\*:** Plan that states how much the Plant will cost to construct, how it is to be paid for, and when payments are to be made. It is a general financing and cash flow plan.

**F.1.91 Project Specific Procs/Stds/Gdlns/Specs/Codes:** Procedures, Standards, Guidelines, Specifications, and Codes created specifically for the Plant project. They may call out and add to, modify, or tailor a standard. Portions are derived from design basis.

Project specific procedures, standards, guidelines, specifications, and codes evolve through stages like P&I diagrams and other design documentation.

**F.1.92 Provide Resources (AAM A12):** Acquire and deploy personnel, facilities, and funding to perform the project activities.

**F.1.93 PSM Report (AAM A63):** Plant safety management report.

**F.1.94 Purchase Agreement\*:** Contract between two parties to provide a service or item for designated payment.

**F.1.95 Qualified Construction Firms\*:** List of construction firms that are capable and acceptable to construct Plant.

**F.1.96 Regulatory Agreements\*:** Mutual agreement between owner/operators and regulatory agencies

**F.1.97 Regulatory Authorizations\***: Approval from regulatory agencies to initiate activities.

**F.1.98 Regulations/Regulatory requirements\***: Federal, state, or local laws, codes, or standards that impact various activities related to the process Plant. Regulatory requirements may apply to, but are not limited to, permitting, engineering, construction, operations and decommissioning.

**F.1.99 Resources\***: Technology, people, facilities.

**F.1.100 Restored Site\***: Remediation of the site to environmentally acceptable conditions.

**F.1.101 Safety Compliance Reports\***: Documentation of analyses and evaluations of Plant with respect to safety considerations.

**F.1.102 Safety Hazop Analysis\***: The results of the analysis of the Plant design with respect to safety and hazardous operations. Identifies possible causes of faults and consequences, and recommends remedies.

**F.1.103 Safety System Spec**: Job specific specifications related to Plant safety. May be developed from applying the design safety philosophy to Plant design.

**F.1.104 Satisfy Safety Requirements (HazOps) (AAM A335)**: Perform a formal Plant process design, operation, and control review (HazOps or Hazardous Operations review). Plant safety requirements involve issues such as source terms for spill scenarios, vapour dispersion for combustible and toxic releases, reliability of metallurgy and other materials, component failure rates, operator response and error, fail-safe instrumentation, equipment spacing, number and size of equipment trains, radiation from fires, relief system design philosophies, deflagration test results, thermal runaways and associated vent sizing, detonations and resulting shock waves. A formal HAZOPS review is performed against Plant designs which affect these issues.

**F.1.105 Schedules\***: A time-based list of project tasks that describes:

- what is supposed to happen;
- when it is supposed to happen;
- task sequence and dependencies;
- restraint and constraints;
- float;
- critical path.

**ISO/CD 10303-227:1995(E)**

Kinds of schedules include:

- reqd on site;
- planned.

**F.1.106 Schematic Diagrams:** A physically non-dimensional, 2D graphical representation of the logical/functional design of a system that do not (necessarily) encompass physical information.

Examples include:

- PFD;
- P&I diagram;
- electrical single line;
- motor control;
- control loops;
- HVAC;
- plumbing;
- I/O.

Schematic diagrams evolve through stages like P&I diagrams and other design documentation.

**F.1.107 Site Information\*:** Information about the physical location where the Plant will be constructed and the conditions of any Plant on the site (if one exists). It includes:

- geological data, such as before and after terrain contours, and subterranean structure, and seismic activity.
- meteorological data such as seasonal wind profile, precipitation, snowfall, ambient temperature, and such.
- Road data;
- cadastre (property lines) zones;
- utilities.

A kind of site information is verified field dimensions. They are parameters which specify the physical and spatial characteristics of an existing item or component in a Plant which have been verified by

measurements taken by a second, independent agency. For example, field dimensions provided by the Plant owner for piping tie-in locations (coordinate locations and sizes) are considered as VERIFIED when duplicated by the AEC representative. If discrepancies are discovered during verification of the field dimensions, the initial and verification measurement processes must be repeated to assure verified dimensions.

Existing Plant Conditions are the characteristics of existing Plant relevant to Plant project. Used with revamps, retrofits, or expansion.

**F.1.108 Specifications & Standards:** Consensus or mandated technical descriptions of Plant hardware or systems that control the design or construction of a Plant.

**F.1.109 Specify Building and Plant Services (AAM A343):** Establish utility and other service needs for the building and Plant based on owner requirements, final system design, and final spatial design.

**F.1.110 Specify Control Requirements (AAM A334):** Instrumentation and control system characteristics required to fulfill requirements for Plant operation are defined by the operating procedures and safety requirements. Control systems are used to help maintain Plant safety, ensure product quality, and to safeguard equipment. These systems are used to control areas such as process reactions, flows, temperatures, pressures, and levels. They operate automatically, or provide indications to Plant personnel. Control Requirements are generally defined in the operating procedures and specified on the P&I diagram and in the instrument list.

**F.1.111 Specify Equipment Functional Characteristics (AAM A333):** The Functional Characteristics of each major item of equipment are defined based on confirmed Plant operating requirements, process technologies, and process optimization. Functional characteristics include equipment type, process stream inputs/outputs/capacities/conditions, equipment metallurgy, piping and instrumentation, power requirements, and auxiliary systems.

**F.1.112 Specify Piping and Instrumentation (AAM A332):** Piping and instrumentation functional requirements are developed based on Plant production capacities, process type/technology, control methodology, chemical content of process streams, and equipment layout. Alternative operating conditions, maintenance requirements, Plant operating and personal safety are issues considered. The results of this activity are detailed on P&I diagrams, line lists, equipment lists, and instrument lists.

**F.1.113 Status\*:** A report of the current state of a task, design, action, or schedule. It is a quality assurance feedback mechanism.

**F.1.114 Stream Data:** Chemical composition, physical state, and mass quantities of process flows. Part of a PFD.

**F.1.115 Suppliers List\*:** A list of vendors that provide commodities or services to an organization.

Kinds or statuses of supplier lists include:

- Approved;
- Recommended;
- Partnered.

**F.1.116 System Layout/Design:** The definitions/representation of the system sufficient for construction. This definition results from the use of the system design basis, P&I diagrams, specifications, and other documentation/information to specify the physical components/items and spatial configuration of the process Plant.

Note - The definition of "system" is broader than common usage, e.g., it encompasses structural systems.

System layout/designs can be viewed or categorized according to three different breakdowns:

1. Evolutionary Phase

- Initial;
- Design;
- Final.

2. System Type

- Piping;
- HVAC;
- Electrical
- I&C;
- Structural/Civil;
- Architecture;
- Safety.

3. Functional Views

- conceptual arrangement;
- Spatial information;

- Schematic diagram;
- P&I diagram (includes piping connectivity/sequencing).

For example, the final HVAC spatial information system design/layout will specify the definition, physical dimensions, location coordinates, and characteristics for all HVAC components which occupy space in the Plant. Only those physical dimensions, location coordinates, and characteristics required to specify the spatial instance of each component are included in this definition.

**F.1.117 Technologies:** Resources created through the practical application of scientific methods.

**F.1.118 Time/Cost Estimates\*:** Projected or forecasted cost and length of time to:

- design, produce, or procure a Plant Item;
- obtain a service;
- achieve some goal.

**F.1.119 Unit Operations:** Design Basis and Owner Requirements that define basis for conceptual process design.

**F.1.120 Vendor data:** Documentation received from vendor concerning procured\_items; drawings, manuals, calculations, anything necessary to define their deliverable items and services.


Kinds of vendor data include:

- Preliminary: in process design information;
- Certified: information from the supplier of equipment or other components which is warranted to correctly describe the as-delivered functional and/or physical data;
- released for fabrication/construction.


## F.2 Application activity model diagrams

The application activity model is given in figures F.2 through F.13. The diagrams use IDEF0 function modelling. Figure 1 describes the basic notation used in IDEF0 modelling. Each activity may be decomposed to provide more detail. If an activity has been decomposed, a separate diagram is included.

As with any IDEF0 model, the AAM is dependent on a particular viewpoint and purpose. The purpose of the AAM is to describe the exchange of process plant spatial configuration information and design, fabrication, and maintenance information for process plant piping systems. Activities and data flows that are out of scope are marked with asterisks.



**Figure F.1 - IDEF0 basic notation**




A-0 - Process Plants

**PURPOSE:** To describe the exchange of process plant spatial configuration information and design, fabrication, and maintenance information for process plant piping systems.


**VIEWPOINT:** The user(s) of plant spatial configuration information, including architect, engineer, and builder.

Figure F.2 - A-0: Process Plants in IDEF0




A0 - Plan, Construct, and Operate Plant

Figure F.3 - A0: Plan, Construct, and Operate Plant




A1 - Manage Project

Figure F.4 - A1: Manage Project in IDEF0




**Figure F.5 - A2:** Plan Plant Project in IDEFO

A2 - Plan Plant Project




**Figure F.6 - A3:** Design Plant in IDEFO




**Figure F.7 - A31: Produce Conceptual Process Design in IDEFO**

A31 - Produce Conceptual Process Design




A32 - Produce Conceptual Plant Design

Figure F.8 - A32: Produce Conceptual Plant Design in IDEFO




**Figure F.9 - A33: Produce Final Process Design in IDEF0**



A34 - Produce Final Plant Design

Figure F.10 - A34: Produce Final Plant Design in IDEF0



**Figure F.11 - A4:** Procure Component in DEF0

A4 - Procure Component





Figure F.12 - A5: Construct Plant in IDEF0



A6 - Manage, Operate, Maintain, and Dispose of Plant

**Figure F.13 - A6: Manage, Operate, Maintain, and Dispose of Plant in IDEF0**

**Annex G**  
(informative)

**Application reference model**

This annex provides the application reference model for this part of ISO 10303. The application reference model is a graphical representation of the structure and constraints of the application objects specified in clause 4. The application reference model is independent from any implementation method.

The graphical form of the application reference model is presented in IDEF1X. Extensions to the IDEF1X notation are used within the diagrams. The graphical extensions are based on EXPRESS-G off page connectors.





Figure G.1 - ARM diagram 1 of 25 in IDEF1X



**Figure G.2 - ARM diagram 2 of 25 in IDEEIX**




Figure G.3 - ARM diagram 3 of 25 in IDEFIX




Figure G.4 - ARM diagram 4 of 25 in MDEF1X




Figure G.5 - ARM diagram 5 of 25 in IDEF1X




Figure G.6 - ARM diagram 6 of 25 in MEF1X





Figure G.7 - ARM diagram 7 of 25 in IDEF1X



**Figure G.8 -** ARM diagram 8 of 25 in IMDEFIX




Figure G.9 - ARM diagram 9 of 25 in IDEFIX




Figure G.10 - ARM diagram 10 of 25 in DEF1X




Figure G.11 - ARM diagram 11 of 25 in IDEF1X




Figure G.12 - ARM diagram 12 of 25 in MDEF1X




Figure G.13 - ARM diagram 13 of 25 in IDEF1X





Figure G.14 - ARM diagram 14 of 25 in IDEF1X



**Figure G.15 - ARM diagram 15 of 25 in IDEFIX**




Figure G.16 - ARM diagram 16 of 25 in IDEFIX





Figure G.17 - ARM diagram 17 of 25 in IDEF1X



**Figure G.18 - ARM diagram 18 of 25 in IMEEF1X**





Figure G.19 - ARM diagram 19 of 25 in IDEFIX



**Figure G.20 - ARM diagram 20 of 25 in INDEX**




Figure G.21 - ARM diagram 21 of 25 in DEF1X




Figure G.22 - ARM diagram 22 of 25 in MDEF1X




Figure G.23 - ARM diagram 23 of 25 in IDEF1X




Figure G.24 - ARM diagram 24 of 25 in IDEF1X





Figure G.25 - ARM diagram 25 of 25 in IDEF1X

**Annex H**  
(informative)

**AIM EXPRESS-G**

Figures H.1 through H.32 correspond to the AIM EXPRESS expanded listing given in annex A. The figures use the EXPRESS-G graphical notation for the EXPRESS language. EXPRESS-G is defined in annex A of ISO 10303-11.



**Figure H.1 - AIM EXPRESS-G diagram 1 of 32**




Figure H.2 - AIM EXPRESS-G diagram 2 of 32





Figure H.3 - AIM EXPRESS-G diagram 3 of 32

**Figure H.4 - AIM EXPRESS-G diagram 4 of 32**





Figure H.5 - AIM EXPRESS-G diagram 5 of 32

**Figure H.6 - AIM EXPRESS-G diagram 6 of 32**







Figure H.7 - AIM EXPRESS-G diagram 7 of 32

**Figure H.8 - AIM EXPRESS-G diagram 8 of 32**



**Figure H.9 - AIM EXPRESS-G diagram 9 of 32**



**Figure H.10 - AIM EXPRESS-G diagram 10 of 32**




Figure H.11 - AIM EXPRESS-G diagram 11 of 32





Figure H.12 - AIM EXPRESS-G diagram 12 of 32



**Figure H.13 - AIM EXPRESS-G diagram 13 of 32**




Figure H.14 - AIM EXPRESS-G diagram 14 of 32




Figure H.15 - AIM EXPRESS-G diagram 15 of 32





Figure H.16 - AIM EXPRESS-G diagram 16 of 32



**Figure H.17 - AIM EXPRESS-G diagram 17 of 32**




Figure H.18 - AIM EXPRESS-G diagram 18 of 32




Figure H.19 - AIM EXPRESS-G diagram 19 of 32




Figure H.20 - AIM EXPRESS-G diagram 20 of 32




Figure H.21 - AIM EXPRESS-G diagram 21 of 32





Figure H.22 - AIM EXPRESS-G diagram 22 of 32



**Figure H.23 - AIM EXPRESS-G diagram 23 of 32**





Figure H.24 - AIM EXPRESS-G diagram 24 of 32



**Figure H.25 - AIM EXPRESS-G diagram 25 of 32**





Figure H.26 - AIM EXPRESS-G diagram 26 of 32



**Figure H.27 - AIM EXPRESS-G diagram 27 of 32**





Figure H.28 - AIM EXPRESS-G diagram 28 of 32



**Figure H.29 - AIM EXPRESS-G diagram 29 of 32**






Figure H.30 - AIM EXPRESS-G diagram 30 of 32



**Figure H.31 - AIM EXPRESS-G diagram 31 of 32**

**Figure H.32 - AIM EXPRESS-G diagram 32 of 32**

**Annex J**  
(informative)

**AIM EXPRESS listing**

This annex provides a listing of the EXPRESS specified in the AIM of this part of ISO 10303. No text or annotation is included. This annex is provided only in computer-interpretable form.

NOTE - The information provided on this diskette is informative; the normative text is that contained in the body of this part of ISO 10303.

**Annex K**  
(informative)**Application reference model wallpaper version**


This annex provides a "wallpaper" version of the application reference model for the exchange of plant spatial configuration information. This application reference model presents a graphical representation of the structure and constraints of the application objects specified in clause 4 of this part of ISO 10303. This version of the application reference model is structured for pasting together to facilitate viewing of the complete model. The application reference model is independent of any implementation method.

**NOTES**

1 - The application reference model is represented using the IDEF1X modelling language.

2 - The application reference model is presented in a tiled diagram format. The complete diagram may be assembled according to the following template:

Figure K.1	Figure K.2	Figure K.3	Figure K.4	Figure K.5
Figure K.6	Figure K.7	Figure K.8	Figure K.9	Figure K.10
Figure K.11	Figure K.12	Figure K.13	Figure K.14	Figure K.15
Figure K.16	Figure K.17	Figure K.18		
Figure K.19				



**Figure K.1 - ARM diagram 1 of 19 in IDEFIX**




Figure K.2 - ARM diagram 2 of 19 in IDEFIX




Figure K.3 - ARM diagram 3 of 19 in IDEFIX




Figure K.4 - ARM diagram 4 of 19 in IDEFIX




Figure K.5 - ARM diagram 5 of 19 in IDEFIX




Figure K.6 - ARM diagram 6 of 19 in IDEFIX





Figure K.7 - ARM diagram 7 of 19 in IDEFIX



**Figure K.8 - ARM diagram 8 of 19 in IDEFIX**




Figure K.9 - ARM diagram 9 of 19 in IDEFIX




Figure K.10 - ARM diagram 10 of 19 in IDEF1X




Figure K.11 - ARM diagram 11 of 19 in DEF1X




Figure K.12 - ARM diagram 12 of 19 in IDEF1X




Figure K.13 - ARM diagram 13 of 19 in IDEFIX




Figure K.14 - ARM diagram 14 of 19 in DEFIX




Figure K.15 - ARM diagram 15 of 19 in IDEF1X




Figure K.16 - ARM diagram 16 of 19 in DEFIX




Figure K.17 - ARM diagram 17 of 19 in DDEFIX




Figure K.18 - ARM diagram 18 of 19 in IDEF1X




Figure K.19 - ARM diagram 19 of 19 in IDEFIX

**Annex L**  
(informative)

**Bibliography**

- [1] IDEF0 *Federal Information Processing Standards Publication 183, Integration Definition for Function Modeling (IDEF0)*, FIPS PUB 183, National Institute of Standards and Technology, December 1993.
- [2] IDEF1X *Federal Information Processing Standards Publication 184, Integration Definition for Information Modeling (IDEFIX)*, FIPS PUB 184, National Institute of Standards and Technology, December 1993.
- [3] *Functional Data and their Schematic Representation for Process Plant*, ISO 10303-221, CDC Version, 28 November 1994.
- [4] *Cast Iron Pipe Flanges and Flanged Fittings*, ANSI B16.1, American National Standards Institute, 1989.
- [5] *Pipe Flanges and Flanged Fittings*, ANSI B16.5, American National Standards Institute, 1988.
- [6] *Welded and Seamless Wrought Steel Pipe*, ANSI B36.10, American National Standards Institute, 1985.
- [7] *Stainless Steel Pipe*, ANSI B36.19, American National Standards Institute, 1985.
- [8] *The Piping Guide for the Design and Drafting of Industrial Piping Systems*, Sherwood, David R., Whistance, Dennis J., Syentek Books Company, Inc., 1991.
- [9] *Piping Handbook*, Nayyar, Mohinder L., McGraw-Hill, Inc., Sixth Edition, 1992.
- [10] *Guidelines on Terminology for Valves and Fittings*, MSS SP-96, Manufacturers Standardization Society of the Valve and Fittings Industry, Inc., 1991.

## Index

AAM . . . . .	9
Abstract test suite . . . . .	5
Action	
AIM diagrams . . . . .	735
AIM EXPRESS listing entities . . . . .	563
Action_assignment	
AIM diagrams . . . . .	736
AIM EXPRESS listing entities . . . . .	563
Action_directive	
AIM diagrams . . . . .	735
AIM EXPRESS listing entities . . . . .	563
Action_method	
AIM diagrams . . . . .	735
AIM EXPRESS listing entities . . . . .	563
Action_method_relationship	
AIM diagrams . . . . .	735
AIM EXPRESS listing entities . . . . .	563
Action_relationship	
AIM diagrams . . . . .	735
AIM EXPRESS listing entities . . . . .	564
Action_request_assignment	
AIM diagrams . . . . .	735
AIM EXPRESS listing entities . . . . .	564
Action_request_solution	
AIM diagrams . . . . .	735
AIM EXPRESS listing entities . . . . .	564
Action_request_status	
AIM diagrams . . . . .	735
AIM EXPRESS listing entities . . . . .	564
Action_status	
AIM diagrams . . . . .	735
AIM EXPRESS listing entities . . . . .	564
Actual . . . . .	5
Acyclic_curve_replica	
AIM EXPRESS listing functions . . . . .	613
Acyclic_mapped_representation	
AIM EXPRESS listing functions . . . . .	613
Acyclic_point_replica	
AIM EXPRESS listing functions . . . . .	614
Acyclic_product_category_relationship	
AIM EXPRESS listing functions . . . . .	614
Acyclic_product_definition_relationship	
AIM EXPRESS listing functions . . . . .	615
Acyclic_set_replica	
AIM EXPRESS listing functions . . . . .	615

Acyclic_surface_replica	
AIM EXPRESS listing functions	615
Advanced_csg_representation	
mapping table	143
unit of functionality	11
Advanced_csg_shape_representation	
AIM diagrams	726
AIM EXPRESS listing entities	564
AIM EXPRESS short listing entities	466
mapping table	197, 438-441
AE	9
AEC	9
Ahead_or_behind	
AIM diagrams	732
AIM EXPRESS listing types	555
AIC	9
AIM	9
Amount_of_substance_measure	
AIM diagrams	734
AIM EXPRESS listing types	555
Amount_of_substance_measure_with_unit	
AIM diagrams	729
AIM EXPRESS listing entities	564
Amount_of_substance_unit	
AIM diagrams	730
AIM EXPRESS listing entities	565
Angle_relator	
AIM diagrams	740
AIM EXPRESS listing types	555
Angular_location	
AIM diagrams	740
AIM EXPRESS listing entities	565
AP	9
Application	4
Application activity model	4
Application interpreted model	4
Application protocol	4
Application reference model	4, 9
Application_context	
AIM diagrams	724
AIM EXPRESS listing entities	565
Application_context_element	
AIM diagrams	724
AIM EXPRESS listing entities	565
Application_protocol_definition	
AIM diagrams	724
AIM EXPRESS listing entities	565

## **ISO/CD 10303-227:1995(E)**

<b>Approval</b>	
AIM diagrams .....	731
AIM EXPRESS listing entities .....	565
<b>Approval_assignment</b>	
AIM diagrams .....	731
AIM EXPRESS listing entities .....	565
<b>Approval_date_time</b>	
AIM diagrams .....	731
AIM EXPRESS listing entities .....	565
<b>Approval_item</b>	
AIM diagrams .....	731
AIM EXPRESS listing types .....	555
AIM EXPRESS short listing types .....	461
mapping table .....	159
<b>Approval_person_organization</b>	
AIM diagrams .....	731
AIM EXPRESS listing entities .....	565
<b>Approval_requires_approval_date_time</b>	
AIM EXPRESS listing rules .....	611
AIM EXPRESS short listing rules .....	513
<b>Approval_requires_approval_person_organization</b>	
AIM EXPRESS listing rules .....	611
AIM EXPRESS short listing rules .....	513
<b>Approval_role</b>	
AIM diagrams .....	731
AIM EXPRESS listing entities .....	566
<b>Approval_status</b>	
AIM diagrams .....	731
AIM EXPRESS listing entities .....	566
<b>Area_measure</b>	
AIM diagrams .....	734
AIM EXPRESS listing types .....	555
<b>Area_measure_with_unit</b>	
AIM diagrams .....	729
AIM EXPRESS listing entities .....	566
<b>Area_unit</b>	
AIM diagrams .....	730
AIM EXPRESS listing entities .....	566
<b>ARM</b> .....	9
<b>Assembly_component_usage</b>	
AIM diagrams .....	725
AIM EXPRESS listing entities .....	566
<b>Associated_surface</b>	
AIM EXPRESS listing functions .....	616
<b>ATS</b> .....	9
<b>Axis1_placement</b>	
AIM diagrams .....	741
AIM EXPRESS listing entities .....	566

Axis2_placement	
AIM diagrams	741
AIM EXPRESS listing types	555
Axis2_placement_2d	
AIM diagrams	741
AIM EXPRESS listing entities	566
Axis2_placement_3d	
AIM diagrams	741
AIM EXPRESS listing entities	566
B-rep	9
B_rep_element	
application object	25
ARM diagrams	702
mapping table	455
B_spline_curve	
AIM diagrams	750
AIM EXPRESS listing entities	567
B_spline_curve_form	
AIM diagrams	750
AIM EXPRESS listing types	555
B_spline_curve_with_knots	
AIM diagrams	750
AIM EXPRESS listing entities	567
B_spline_surface	
AIM diagrams	754
AIM EXPRESS listing entities	567
B_spline_surface_form	
AIM diagrams	754
AIM EXPRESS listing types	555
B_spline_surface_with_knots	
AIM diagrams	754
AIM EXPRESS listing entities	568
Bag_to_set	
AIM EXPRESS listing functions	517, 616
AIM EXPRESS short listing functions	517
Base_axis	
AIM EXPRESS listing functions	616
Basic engineering data	5
Bezier_curve	
AIM diagrams	750
AIM EXPRESS listing entities	568
Bezier_surface	
AIM diagrams	754
AIM EXPRESS listing entities	568
Blank	
application object	26
ARM diagrams	716
mapping table	219

<b>Blank_fitting_classification</b>	
AIM diagrams . . . . .	733
AIM EXPRESS listing entities . . . . .	568
AIM EXPRESS short listing entities . . . . .	467
mapping table . . . . .	219, 280, 306
<b>Blind_flange</b>	
application object . . . . .	26
ARM diagrams . . . . .	716
mapping table . . . . .	222
<b>Block</b>	
AIM diagrams . . . . .	744
AIM EXPRESS listing entities . . . . .	568
application object . . . . .	26
ARM diagrams . . . . .	702
mapping table . . . . .	143
<b>Boolean_choose</b>	
AIM EXPRESS listing functions . . . . .	617
<b>Boolean_operand</b>	
AIM diagrams . . . . .	743
AIM EXPRESS listing types . . . . .	556
<b>Boolean_operator</b>	
AIM diagrams . . . . .	743
AIM EXPRESS listing types . . . . .	556
<b>Boolean_result</b>	
AIM diagrams . . . . .	743
AIM EXPRESS listing entities . . . . .	568
<b>Boolean_result_class_set</b>	
AIM EXPRESS listing functions . . . . .	617
AIM EXPRESS short listing functions . . . . .	518
<b>Boundary_curve</b>	
AIM diagrams . . . . .	749
AIM EXPRESS listing entities . . . . .	569
<b>Bounded_curve</b>	
AIM diagrams . . . . .	749
AIM EXPRESS listing entities . . . . .	569
<b>Bounded_pcurve</b>	
AIM diagrams . . . . .	749
AIM EXPRESS listing entities . . . . .	569
<b>Bounded_surface</b>	
AIM diagrams . . . . .	753
AIM EXPRESS listing entities . . . . .	569
<b>Bounded_surface_curve</b>	
AIM diagrams . . . . .	749
AIM EXPRESS listing entities . . . . .	569
<b>Branch</b> . . . . .	5

Breakline	
application assertion . . . . .	121, 124, 136
application object . . . . .	26
ARM diagrams . . . . .	707
mapping table . . . . .	442
Brep_with_voids	
AIM diagrams . . . . .	746
AIM EXPRESS listing entities . . . . .	569
Build_2axes	
AIM EXPRESS listing functions . . . . .	618
Build_axes	
AIM EXPRESS listing functions . . . . .	618
Build_transformed_set	
AIM EXPRESS listing functions . . . . .	618
Building	
application assertion . . . . .	122, 138
application object . . . . .	26
ARM diagrams . . . . .	707
mapping table . . . . .	442
Bushing	
application object . . . . .	27
ARM diagrams . . . . .	716
mapping table . . . . .	222
Bushing_fitting_classification	
AIM diagrams . . . . .	733
AIM EXPRESS listing entities . . . . .	569
AIM EXPRESS short listing entities . . . . .	468
mapping table . . . . .	222
Buttweld	
application object . . . . .	28
ARM diagrams . . . . .	705
mapping table . . . . .	176
Cable_support	
application object . . . . .	28
ARM diagrams . . . . .	704
mapping table . . . . .	378
Calendar_date	
AIM diagrams . . . . .	732
AIM EXPRESS listing entities . . . . .	569
Cartesian_point	
AIM diagrams . . . . .	741
AIM EXPRESS listing entities . . . . .	569
Cartesian_transformation_operator	
AIM diagrams . . . . .	727
AIM EXPRESS listing entities . . . . .	570
Cartesian_transformation_operator_3d	
AIM diagrams . . . . .	727
AIM EXPRESS listing entities . . . . .	570

## ISO/CD 10303-227:1995(E)

Catalogue	5
Catalogue_definition	
application assertion	122, 134
application object	28
ARM diagrams	711
mapping table	378
Catalogue_item	
AIM diagrams	724
AIM EXPRESS listing entities	570
AIM EXPRESS short listing entities	468
application assertion	122, 134
application object	29
ARM diagrams	711
mapping table	380-382, 403
Catalogue_item_substitute	
application assertion	122
application object	30
ARM diagrams	711
mapping table	382
Catalogue_requires_vendor	
AIM EXPRESS listing rules	611
AIM EXPRESS short listing rules	514
Centre_of_symmetry	
AIM diagrams	740
AIM EXPRESS listing entities	570
Change	
application assertion	122
application object	30
ARM diagrams	717
mapping table	146
Change_action	
AIM diagrams	735
AIM EXPRESS listing entities	570
AIM EXPRESS short listing entities	469
mapping table	146-148, 159
Change_action_requires_date	
AIM EXPRESS listing rules	611
AIM EXPRESS short listing rules	514
Change_approval	
application assertion	123
application object	32
ARM diagrams	717
mapping table	148
Change_delta	
application assertion	122
application object	32
ARM diagrams	717
mapping table	149

Change_delta_item	
AIM diagrams	736
AIM EXPRESS listing types	556
AIM EXPRESS short listing types	462
mapping table	150, 154, 157, 159-161, 163
Change_from_assignment	
AIM diagrams	736
AIM EXPRESS listing entities	571
AIM EXPRESS short listing entities	469
mapping table	149, 154
Change_information	
mapping table	146
unit of functionality	12
Change_item	
AIM diagrams	736
AIM EXPRESS listing types	556
AIM EXPRESS short listing types	462
application assertion	122
application object	32
ARM diagrams	717
mapping table	148, 150-157, 159-163
Change_item_id_assignment	
AIM diagrams	736
AIM EXPRESS listing entities	571
AIM EXPRESS short listing entities	470
mapping table	150
Change_item_requires_creation_date	
AIM EXPRESS listing rules	612
AIM EXPRESS short listing rules	515
Change_item_requires_id	
AIM EXPRESS listing rules	612
AIM EXPRESS short listing rules	515
Change_life_cycle_stage	
application assertion	122, 123
application object	34
ARM diagrams	717
mapping table	157
Change_life_cycle_stage_sequence	
application assertion	122
application object	34
ARM diagrams	717
mapping table	158
Change_life_cycle_stage_usage	
application assertion	122, 123
application object	34
ARM diagrams	717
mapping table	158

## **ISO/CD 10303-227:1995(E)**

<i>Change_life_cycle_stage_usage_requires_approval</i>	
AIM EXPRESS listing rules . . . . .	612
AIM EXPRESS short listing rules . . . . .	516
<i>Change_life_cycle_stage_usage_requires_stage</i>	
AIM EXPRESS listing rules . . . . .	612
AIM EXPRESS short listing rules . . . . .	516
<i>Change_to_assignment</i>	
AIM diagrams . . . . .	736
AIM EXPRESS listing entities . . . . .	571
AIM EXPRESS short listing entities . . . . .	470
mapping table . . . . .	149, 157
<i>Changed_line_assignment</i>	
application assertion . . . . .	126
application object . . . . .	35
ARM diagrams . . . . .	718
mapping table . . . . .	159
<i>Changed_line_branch_connection</i>	
application assertion . . . . .	125
application object . . . . .	35
ARM diagrams . . . . .	718
mapping table . . . . .	159
<i>Changed_line_plant_item_branch_connection</i>	
application assertion . . . . .	126
application object . . . . .	35
ARM diagrams . . . . .	718
mapping table . . . . .	160
<i>Changed_line_plant_item_connection</i>	
application assertion . . . . .	126
application object . . . . .	35
ARM diagrams . . . . .	718
mapping table . . . . .	160
<i>Changed_line_to_line_connection</i>	
application assertion . . . . .	126
application object . . . . .	35
ARM diagrams . . . . .	718
mapping table . . . . .	160
<i>Changed_material_specification_selection</i>	
application assertion . . . . .	127
application object . . . . .	36
ARM diagrams . . . . .	718
mapping table . . . . .	160
<i>Changed_piping_system_line</i>	
application assertion . . . . .	129
application object . . . . .	36
ARM diagrams . . . . .	718
mapping table . . . . .	160

Changed_piping_system_line_segment	
application assertion	129
application object	36
ARM diagrams	718
mapping table	160
Changed_piping_system_line_segment_termination	
application assertion	130
application object	36
ARM diagrams	718
mapping table	160
Changed_planned_physical_plant	
application assertion	130
application object	36
ARM diagrams	717
mapping table	161
Changed_plant	
application assertion	131
application object	36
ARM diagrams	717
mapping table	161
Changed_plant_item	
application assertion	132
application object	36
ARM diagrams	718
mapping table	161
Changed_plant_item_collection	
application assertion	133
application object	36
ARM diagrams	718
mapping table	161
Changed_plant_item_connection	
application assertion	133
application object	37
ARM diagrams	718
mapping table	161
Changed_plant_item_connector	
application assertion	134
application object	37
ARM diagrams	718
mapping table	162
Changed_plant_item_design_view	
application assertion	134
application object	37
ARM diagrams	718
mapping table	162

## **ISO/CD 10303-227:1995(E)**

<b>Changed_plant_item_shape</b>	
application assertion . . . . .	136
application object . . . . .	37
ARM diagrams . . . . .	717
mapping table . . . . .	162
<b>Changed_plant_process_capability</b>	
application assertion . . . . .	136
application object . . . . .	37
ARM diagrams . . . . .	717
mapping table . . . . .	162
<b>Changed_plant_system</b>	
application assertion . . . . .	136
application object . . . . .	37
ARM diagrams . . . . .	718
mapping table . . . . .	162
<b>Changed_reference_geometry</b>	
application assertion . . . . .	137
application object . . . . .	37
ARM diagrams . . . . .	717
mapping table . . . . .	163
<b>Changed_required_material_description</b>	
application assertion . . . . .	137
<b>Changed_required_material_description</b>	
application assertion . . . . .	137
application object . . . . .	37
ARM diagrams . . . . .	718
mapping table . . . . .	163
<b>Changed_sited_plant</b>	
application assertion . . . . .	138
application object . . . . .	37
ARM diagrams . . . . .	717
mapping table . . . . .	163
<b>Changed_sub_plant_relationship</b>	
application assertion . . . . .	139
application object . . . . .	38
ARM diagrams . . . . .	717
mapping table . . . . .	163
<b>Characterized_definition</b>	
AIM diagrams . . . . .	738
AIM EXPRESS listing types . . . . .	556
<b>Characterized_material_property</b>	
AIM diagrams . . . . .	738
AIM EXPRESS listing types . . . . .	556
<b>Characterized_object</b>	
AIM diagrams . . . . .	738
AIM EXPRESS listing entities . . . . .	571

<b>Characterized_product_definition</b>	
AIM diagrams .....	725
AIM EXPRESS listing types .....	557
<b>Circle</b>	
AIM diagrams .....	748
AIM EXPRESS listing entities .....	571
<b>Circular_ellipsoid</b>	
application object .....	38
ARM diagrams .....	702
mapping table .....	335
<b>Class_rep_item_in_set</b>	
AIM EXPRESS listing functions .....	619
AIM EXPRESS short listing functions .....	519
<b>Classification_assignment</b>	
AIM diagrams .....	733
AIM EXPRESS listing entities .....	571
AIM EXPRESS short listing entities .....	471
mapping table ..	167-170, 176, 179, 180, 184, 185, 192, 193, 202, 203, 219, 222, 225, 227, 234,
	236, 238, 244, 245, 248, 252, 257, 263, 265, 271, 274, 280, 283, 287, 290, 293, 296, 298,
	301, 303, 306, 310, 312, 314, 316, 321, 326-328
<b>Classification_item</b>	
AIM diagrams .....	733
AIM EXPRESS listing types .....	557
AIM EXPRESS short listing types .....	463
mapping table ..	167-170, 176, 179, 180, 184, 185, 192, 193, 202, 203, 219, 222, 225, 227, 234,
	236, 238, 244, 245, 248, 252, 257, 263, 265, 271, 274, 280, 283, 287, 290, 293, 296, 298,
	301, 303, 306, 310, 312, 314, 316, 321, 326-328
<b>Closed_shell</b>	
AIM diagrams .....	755
AIM EXPRESS listing entities .....	572
<b>Colour</b>	
AIM diagrams .....	726
AIM EXPRESS listing entities .....	572
<b>Colour_rgb</b>	
AIM diagrams .....	726
AIM EXPRESS listing entities .....	572
<b>Colour_specification</b>	
AIM diagrams .....	726
AIM EXPRESS listing entities .....	572
<b>Compatible_dimension</b>	
AIM EXPRESS listing rules .....	612
<b>Component</b>	
AIM diagrams .....	5
<b>Composite_curve</b>	
AIM diagrams .....	749
AIM EXPRESS listing entities .....	572
<b>Composite_curve_on_surface</b>	
AIM diagrams .....	749
AIM EXPRESS listing entities .....	573

## **ISO/CD 10303-227:1995(E)**

<b>Composite_curve_segment</b>	
AIM diagrams . . . . .	749
AIM EXPRESS listing entities . . . . .	573
<b>Compressor</b>	
application object . . . . .	38
ARM diagrams . . . . .	715
mapping table . . . . .	205
<b>Conditional_reverse</b>	
AIM EXPRESS listing functions . . . . .	619
<b>Cone</b>	
application object . . . . .	38
ARM diagrams . . . . .	702
mapping table . . . . .	143
<b>Conformance class</b>	. . . . .
<b>Conformance testing</b>	. . . . .
<b>Conic</b>	
AIM diagrams . . . . .	748
AIM EXPRESS listing entities . . . . .	573
application object . . . . .	38
ARM diagrams . . . . .	702
mapping table . . . . .	455
<b>Conical_surface</b>	
AIM diagrams . . . . .	752
AIM EXPRESS listing entities . . . . .	573
<b>Connected_assembly</b>	
application assertion . . . . .	123
application object . . . . .	39
ARM diagrams . . . . .	700
mapping table . . . . .	382
<b>Connected_face_set</b>	
AIM diagrams . . . . .	755
AIM EXPRESS listing entities . . . . .	573
<b>Connected_face_set_class_set</b>	
AIM EXPRESS listing functions . . . . .	619
AIM EXPRESS short listing functions . . . . .	519
<b>Connection</b>	. . . . .
mapping table . . . . .	164
unit of functionality . . . . .	13
<b>Connection_definition</b>	
application assertion . . . . .	123
application object . . . . .	39
ARM diagrams . . . . .	710
mapping table . . . . .	164
<b>Connection_functional_classification</b>	
AIM diagrams . . . . .	733
AIM EXPRESS listing entities . . . . .	573
AIM EXPRESS short listing entities . . . . .	472
mapping table . . . . .	167-169

<b>Connection_motion_classification</b>	
AIM diagrams . . . . .	733
AIM EXPRESS listing entities . . . . .	573
AIM EXPRESS short listing entities . . . . .	472
mapping table . . . . .	167, 169, 170
<b>Connection_node</b>	
AIM diagrams . . . . .	740
AIM EXPRESS listing entities . . . . .	574
AIM EXPRESS short listing entities . . . . .	473
mapping table . . . . .	342
<b>Connector</b> . . . . .	6
mapping table . . . . .	176
unit of functionality . . . . .	14
<b>Connector_definition</b>	
application assertion . . . . .	123, 124, 134
application object . . . . .	39
ARM diagrams . . . . .	705
mapping table . . . . .	176
<b>Connector_end_type_classification</b>	
AIM diagrams . . . . .	733
AIM EXPRESS listing entities . . . . .	574
AIM EXPRESS short listing entities . . . . .	473
mapping table . . . . .	180, 185, 192, 193
<b>Constraints_composite_curve_on_surface</b>	
AIM EXPRESS listing functions . . . . .	620
<b>Constraints_param_b_spline</b>	
AIM EXPRESS listing functions . . . . .	620
<b>Constraints_rectangular_composite_surface</b>	
AIM EXPRESS listing functions . . . . .	621
<b>Construction_material</b>	
application assertion . . . . .	132
application object . . . . .	39
ARM diagrams . . . . .	700
mapping table . . . . .	383
<b>Context_dependent_measure</b>	
AIM diagrams . . . . .	734
AIM EXPRESS listing types . . . . .	557
<b>Context_dependent_unit</b>	
AIM diagrams . . . . .	730
AIM EXPRESS listing entities . . . . .	574
<b>Conversion_based_unit</b>	
AIM diagrams . . . . .	730
AIM EXPRESS listing entities . . . . .	574
<b>Coordinated_representation_names_and_item_types</b>	
AIM EXPRESS listing functions . . . . .	621
AIM EXPRESS short listing functions . . . . .	520

## **ISO/CD 10303-227:1995(E)**

Coordinated_universal_time_offset	
AIM diagrams .....	732
AIM EXPRESS listing entities .....	574
Count_measure	
AIM diagrams .....	734
AIM EXPRESS listing types .....	557
Coupling	
application object .....	40
ARM diagrams .....	716
mapping table .....	225
Coupling_fitting_classification	
AIM diagrams .....	733
AIM EXPRESS listing entities .....	574
AIM EXPRESS short listing entities .....	474
mapping table .....	225
Cross	
application object .....	40
ARM diagrams .....	716
mapping table .....	227
Cross_fitting_classification	
AIM diagrams .....	733
AIM EXPRESS listing entities .....	574
AIM EXPRESS short listing entities .....	474
mapping table .....	227
Cross_product	
AIM EXPRESS listing functions .....	624
CSG .....	9
Csg_element	
application object .....	41
ARM diagrams .....	702
mapping table .....	143, 335
Csg_primitive	
AIM diagrams .....	743
AIM EXPRESS listing types .....	557
Csg_primitive_class_set	
AIM EXPRESS listing functions .....	625
AIM EXPRESS short listing functions .....	524
Csg_select	
AIM diagrams .....	743
AIM EXPRESS listing types .....	557
Csg_solid	
AIM diagrams .....	746
AIM EXPRESS listing entities .....	574
Csg_solid_class_set	
AIM EXPRESS listing functions .....	625
AIM EXPRESS short listing functions .....	524

Curve	
AIM diagrams	747
AIM EXPRESS listing entities	574
application object	42
ARM diagrams	702
mapping table	455
Curve_bounded_surface	
AIM diagrams	753
AIM EXPRESS listing entities	574
Curve_bounded_surface_class_set	
AIM EXPRESS listing functions	625
AIM EXPRESS short listing functions	525
Curve_class_set	
AIM EXPRESS listing functions	626
AIM EXPRESS short listing functions	526
Curve_on_surface	
AIM EXPRESS listing types	557
Curve_replica	
AIM diagrams	747
AIM EXPRESS listing entities	575
Curve_weights_positive	
AIM EXPRESS listing functions	626
Cylinder	
application object	42
ARM diagrams	702
mapping table	143
Cylindrical_surface	
AIM diagrams	752
AIM EXPRESS listing entities	575
Date	
AIM diagrams	732
AIM EXPRESS listing entities	575
Date_and_time	
AIM diagrams	732
AIM EXPRESS listing entities	575
Date_and_time_assignment	
AIM diagrams	732
AIM EXPRESS listing entities	575
Date_assignment	
AIM diagrams	732
AIM EXPRESS listing entities	575
Date_role	
AIM diagrams	732
AIM EXPRESS listing entities	575
Date_time_role	
AIM diagrams	732
AIM EXPRESS listing entities	575

## **ISO/CD 10303-227:1995(E)**

Date_time_select	
AIM diagrams	732
AIM EXPRESS listing types	557
Day_in_month_number	
AIM diagrams	732
AIM EXPRESS listing types	557
Definitional_representation	
AIM diagrams	726
AIM EXPRESS listing entities	575
Degenerate_pcurve	
AIM diagrams	741
AIM EXPRESS listing entities	576
Degenerate_toroidal_surface	
AIM diagrams	752
AIM EXPRESS listing entities	576
Derive_dimensional_exponents	
AIM EXPRESS listing functions	627
Derived_shape_aspect	
AIM diagrams	740
AIM EXPRESS listing entities	576
Derived_unit	
AIM diagrams	730
AIM EXPRESS listing entities	576
Derived_unit_element	
AIM diagrams	730
AIM EXPRESS listing entities	576
Descriptive_colour	
AIM diagrams	726
AIM EXPRESS listing entities	576
AIM EXPRESS short listing entities	475
mapping table	433, 440
Descriptive_representation_item	
AIM diagrams	726
AIM EXPRESS listing entities	576
Design_project	
AIM diagrams	728
AIM EXPRESS listing entities	576
AIM EXPRESS short listing entities	475
application assertion	124
application object	42
ARM diagrams	699
mapping table	384, 385, 413
Design_project_assignment	
AIM diagrams	728
AIM EXPRESS listing entities	577
AIM EXPRESS short listing entities	475
mapping table	385, 407, 413

Design_project_item	
AIM diagrams .....	728
AIM EXPRESS listing types .....	557
AIM EXPRESS short listing types .....	463
mapping table .....	407
Detail_shape	
application object .....	43
ARM diagrams .....	701
mapping table .....	433
Dimension_count	
AIM diagrams .....	726
AIM EXPRESS listing types .....	557
Dimension_of	
AIM EXPRESS listing functions .....	627
Dimensional_characteristic	
AIM diagrams .....	740
AIM EXPRESS listing types .....	557
Dimensional_characteristic_representation	
AIM diagrams .....	740
AIM EXPRESS listing entities .....	577
Dimensional_exponents	
AIM diagrams .....	730
AIM EXPRESS listing entities .....	577
Dimensional_location	
AIM diagrams .....	740
AIM EXPRESS listing entities .....	577
Dimensional_size	
AIM diagrams .....	740
AIM EXPRESS listing entities .....	577
Dimensions_for_si_unit	
AIM EXPRESS listing functions .....	628
Directed_action	
AIM diagrams .....	735
AIM EXPRESS listing entities .....	577
Direction	
AIM diagrams .....	741
AIM EXPRESS listing entities .....	577
Document	
AIM diagrams .....	739
AIM EXPRESS listing entities .....	577
Document_reference	
AIM diagrams .....	739
AIM EXPRESS listing entities .....	578
Document_relationship	
AIM diagrams .....	739
AIM EXPRESS listing entities .....	578

## **ISO/CD 10303-227:1995(E)**

<b>Document_type</b>	
AIM diagrams .....	739
AIM EXPRESS listing entities .....	578
<b>Document_usage_constraint</b>	
AIM diagrams .....	739
AIM EXPRESS listing entities .....	578
<b>Dot_product</b>	
AIM EXPRESS listing functions .....	628
<b>Ducting_component</b>	
application object .....	43
ARM diagrams .....	704
mapping table .....	385
<b>Eccentric_cone</b>	
application object .....	43
ARM diagrams .....	702
mapping table .....	335
<b>Eccentric_cylinder</b>	
application object .....	43
ARM diagrams .....	702
mapping table .....	335
<b>Eccentric_pyramid</b>	
application object .....	43
ARM diagrams .....	702
mapping table .....	335
<b>Eccentric_reducer</b>	
application object .....	43
ARM diagrams .....	716
mapping table .....	234
<b>Eccentric_swage</b>	
application object .....	44
ARM diagrams .....	716
mapping table .....	236
<b>Edge</b>	
AIM diagrams .....	742
AIM EXPRESS listing entities .....	578
<b>Edge_curve</b>	
AIM diagrams .....	742
AIM EXPRESS listing entities .....	578
<b>Edge_loop</b>	
AIM diagrams .....	742
AIM EXPRESS listing entities .....	578
<b>Edge_reversed</b>	
AIM EXPRESS listing functions .....	629
<b>Elbow</b>	
application object .....	44
ARM diagrams .....	716
mapping table .....	238

<b>Elbow_fitting_classification</b>	
AIM diagrams .....	733
AIM EXPRESS listing entities .....	578
AIM EXPRESS short listing entities .....	476
mapping table .....	238, 244
<b>Electrical_component</b>	
application object .....	46
ARM diagrams .....	704
mapping table .....	385
<b>Electrical_connector</b>	
application object .....	46
ARM diagrams .....	705
mapping table .....	179
<b>Electrical_connector_classification</b>	
AIM diagrams .....	733
AIM EXPRESS listing entities .....	578
AIM EXPRESS short listing entities .....	476
mapping table .....	179, 180
<b>Electrical_system</b>	
AIM diagrams .....	725
AIM EXPRESS listing entities .....	578
AIM EXPRESS short listing entities .....	476
application object .....	46
ARM diagrams .....	703
mapping table .....	150, 152, 153, 155, 156, 162, 362, 363, 373-375, 432
<b>Electricity_transference</b>	
application object .....	46
ARM diagrams .....	710
mapping table .....	167
<b>Elementary_surface</b>	
AIM diagrams .....	752
AIM EXPRESS listing entities .....	579
<b>Elementary_surface_class_set</b>	
AIM EXPRESS listing functions .....	629
AIM EXPRESS short listing functions .....	527
<b>Ellipse</b>	
AIM diagrams .....	748
AIM EXPRESS listing entities .....	579
<b>Engine</b>	
application object .....	47
ARM diagrams .....	715
mapping table .....	205
<b>Envelope_shape</b>	
application object .....	47
ARM diagrams .....	701
mapping table .....	433

<b>Equipment</b>	
application assertion . . . . .	124
application object . . . . .	47
ARM diagrams . . . . .	715
definition . . . . .	6
mapping table . . . . .	206
<b>Equipment_breaching</b>	
application object . . . . .	48
ARM diagrams . . . . .	704
mapping table . . . . .	385
<b>Equipment_characterization</b>	
mapping table . . . . .	205
unit of functionality . . . . .	15
<b>Equipment_trim_piping</b>	
application assertion . . . . .	124, 128
application object . . . . .	49
ARM diagrams . . . . .	715
mapping table . . . . .	212
<b>Evaluated_degenerate_pcurve</b>	
AIM diagrams . . . . .	741
AIM EXPRESS listing entities . . . . .	579
<b>Executed_action</b>	
AIM diagrams . . . . .	735
AIM EXPRESS listing entities . . . . .	579
<b>Expander_flange</b>	
application object . . . . .	49
ARM diagrams . . . . .	716
mapping table . . . . .	244
<b>External_source</b>	
AIM diagrams . . . . .	724
AIM EXPRESS listing entities . . . . .	579
<b>Externally_defined_item</b>	
AIM diagrams . . . . .	724
AIM EXPRESS listing entities . . . . .	579
<b>Externally_defined_plant_item_definition</b>	
AIM diagrams . . . . .	724
AIM EXPRESS listing entities . . . . .	579
AIM EXPRESS short listing entities . . . . .	477
mapping table . . . . .	150, 152, 153, 155, 156, 161, 162, 340, 374, 380-382, 386, 387, 391, 396-408, 413, 415, 432, 436
<b>Extruded_area_solid</b>	
AIM diagrams . . . . .	745
AIM EXPRESS listing entities . . . . .	579
<b>Extruded_face_solid</b>	
AIM diagrams . . . . .	745
AIM EXPRESS listing entities . . . . .	579

Extrusion	
application object	49
ARM diagrams	702
mapping table	143
Face	
AIM diagrams	742
AIM EXPRESS listing entities	580
Face_bound	
AIM diagrams	742
AIM EXPRESS listing entities	580
Face_bound_reversed	
AIM EXPRESS listing functions	629
Face_class_set	
AIM EXPRESS listing functions	630
AIM EXPRESS short listing functions	527
Face_edge_count	
AIM EXPRESS listing functions	630
AIM EXPRESS short listing functions	528
Face_reversed	
AIM EXPRESS listing functions	631
Face_surface	
AIM diagrams	742
AIM EXPRESS listing entities	580
Facet	
application assertion	124
application object	49
ARM diagrams	707
mapping table	443
Faceted_brep	
AIM diagrams	746
AIM EXPRESS listing entities	580
Faceted_terrain_model	
application assertion	124
application object	49
ARM diagrams	707
mapping table	443
Female_end	
application object	49
ARM diagrams	705
mapping table	180
First_proj_axis	
AIM EXPRESS listing functions	631
Fitting	
application object	50
ARM diagrams	716
mapping table	244

## **ISO/CD 10303-227:1995(E)**

<b>Flange</b>	
application object . . . . .	50
ARM diagrams . . . . .	716
mapping table . . . . .	245
<b>Flange_fitting_classification</b>	
AIM diagrams . . . . .	733
AIM EXPRESS listing entities . . . . .	580
AIM EXPRESS short listing entities . . . . .	477
mapping table . . . . .	222, 244, 245, 271, 298
<b>Flange_fitting_neck_type_classification</b>	
AIM diagrams . . . . .	733
AIM EXPRESS listing entities . . . . .	580
AIM EXPRESS short listing entities . . . . .	477
mapping table . . . . .	252, 301, 303, 321, 328
<b>Flanged</b>	
application object . . . . .	51
ARM diagrams . . . . .	705
mapping table . . . . .	184
<b>Flanged_end</b>	
application object . . . . .	51
ARM diagrams . . . . .	705
mapping table . . . . .	185
<b>Flexible_connection</b>	
application object . . . . .	52
ARM diagrams . . . . .	710
mapping table . . . . .	167
<b>Fluid_transference</b>	
application object . . . . .	53
ARM diagrams . . . . .	710
mapping table . . . . .	168
<b>Free_form_curve</b>	
application object . . . . .	53
ARM diagrams . . . . .	702
mapping table . . . . .	455
<b>Functional</b> . . . . .	6
<b>Functional characteristics</b> . . . . .	6
<b>Functional requirements</b> . . . . .	6
<b>Functional_connection_definition_satisfaction</b>	
application assertion . . . . .	123
application object . . . . .	53
ARM diagrams . . . . .	710
mapping table . . . . .	168
<b>Functional_connection_occurrence_satisfaction</b>	
application assertion . . . . .	133
application object . . . . .	53
ARM diagrams . . . . .	710
mapping table . . . . .	168

Functional_connector	
application assertion	124
application object	53
ARM diagrams	705
mapping table	191
Functional_connector_definition_satisfaction	
application assertion	123
application object	53
ARM diagrams	705
mapping table	191
Functional_connector_occurrence_satisfaction	
application assertion	124, 127
application object	53
ARM diagrams	705
mapping table	191
Functional_design_view	
application assertion	125
application object	53
ARM diagrams	720
mapping table	386
Functional_plant	
application assertion	125, 131
application object	54, 125
ARM diagrams	698
mapping table	362
Functional_plant_item_satisfaction	
application assertion	125, 127
application object	54
ARM diagrams	720
mapping table	386
Functional_plant_satisfaction	
application assertion	125, 130
application object	54
ARM diagrams	698
mapping table	363
Functionally_defined_transformation	
AIM diagrams	727
AIM EXPRESS listing entities	580
Furnace	
application object	54
ARM diagrams	715
mapping table	212
Gear_box	
application object	54
ARM diagrams	715
mapping table	213

## **ISO/CD 10303-227:1995(E)**

<b>Geometric_curve_set</b>	
AIM diagrams . . . . .	727
AIM EXPRESS listing entities . . . . .	580
<b>Geometric_representation_context</b>	
AIM diagrams . . . . .	726
AIM EXPRESS listing entities . . . . .	580
<b>Geometric_representation_item</b>	
AIM diagrams . . . . .	727
AIM EXPRESS listing entities . . . . .	580
<b>Geometric_set</b>	
AIM diagrams . . . . .	727
AIM EXPRESS listing entities . . . . .	581
<b>Geometric_set_class_set</b>	
AIM EXPRESS listing functions . . . . .	632
AIM EXPRESS short listing functions . . . . .	529
<b>Geometric_set_replica</b>	
AIM diagrams . . . . .	727
AIM EXPRESS listing entities . . . . .	581
<b>Geometric_set_select</b>	
AIM diagrams . . . . .	727
AIM EXPRESS listing types . . . . .	558
<b>Get_basis_surface</b>	
AIM EXPRESS listing functions . . . . .	632
<b>Group</b>	
AIM diagrams . . . . .	733
AIM EXPRESS listing entities . . . . .	581
<b>Group_assignment</b>	
AIM diagrams . . . . .	733
AIM EXPRESS listing entities . . . . .	581
<b>Heat_exchanger</b>	
application object . . . . .	55
ARM diagrams . . . . .	715
mapping table . . . . .	214
<b>Heat_tracing_representation</b>	
AIM diagrams . . . . .	726
AIM EXPRESS listing entities . . . . .	581
AIM EXPRESS short listing entities . . . . .	478
mapping table . . . . .	207, 348, 394
<b>Hemisphere</b>	
application object . . . . .	55
ARM diagrams . . . . .	702
mapping table . . . . .	335
<b>Hierarchical_assembly</b>	
application object . . . . .	55
ARM diagrams . . . . .	700
mapping table . . . . .	386

Hour_in_day	
AIM diagrams .....	732
AIM EXPRESS listing types .....	558
HVAC .....	9
Hvac_component	
application object .....	55
ARM diagrams .....	704
mapping table .....	387
Hvac_system	
AIM diagrams .....	725
AIM EXPRESS listing entities .....	581
AIM EXPRESS short listing entities .....	478
application assertion .....	125
application object .....	55
ARM diagrams .....	703
mapping table .....	150, 152, 153, 155, 156, 162, 363, 373-375, 432
Hybrid_shape_representation	
AIM diagrams .....	726
AIM EXPRESS listing entities .....	581
AIM EXPRESS short listing entities .....	479
mapping table .....	197, 438-441
Hyperbola	
AIM diagrams .....	748
AIM EXPRESS listing entities .....	582
Id .....	9
Identifier	
AIM EXPRESS listing types .....	558
Implementation method .....	4
Inline_equipment	
AIM diagrams .....	725
AIM EXPRESS listing entities .....	582
AIM EXPRESS short listing entities .....	480
application object .....	56
ARM diagrams .....	714
mapping table .....	248, 390
Inline_instrument	
application object .....	56
ARM diagrams .....	714
mapping table .....	248
Insert	
application object .....	56
ARM diagrams .....	716
mapping table .....	248
Insert_fitting_classification	
AIM diagrams .....	733
AIM EXPRESS listing entities .....	582
AIM EXPRESS short listing entities .....	480
mapping table .....	248

## **ISO/CD 10303-227:1995(E)**

<b>Inside_and_thickness</b>	
application object . . . . .	57
ARM diagrams . . . . .	719
mapping table . . . . .	251
<b>Installed_physical_design_view</b>	
application assertion . . . . .	127
application object . . . . .	57
ARM diagrams . . . . .	720
mapping table . . . . .	387
<b>Instrument</b> . . . . .	6
application object . . . . .	57
ARM diagrams . . . . .	704
mapping table . . . . .	388
<b>Instrumentation_and_control_component</b>	
application object . . . . .	58
ARM diagrams . . . . .	704
mapping table . . . . .	389
<b>Instrumentation_and_control_system</b>	
AIM diagrams . . . . .	725
AIM EXPRESS listing entities . . . . .	582
AIM EXPRESS short listing entities . . . . .	480
application object . . . . .	58
ARM diagrams . . . . .	703
mapping table . . . . .	150, 152, 153, 155, 156, 162, 363, 364, 373-375, 432
<b>Insulation</b> . . . . .	6
application object . . . . .	59
ARM diagrams . . . . .	704
mapping table . . . . .	389
<b>Integrated resource</b> . . . . .	4
<b>Interfering_shape_element</b>	
AIM diagrams . . . . .	740
AIM EXPRESS listing entities . . . . .	583
AIM EXPRESS short listing entities . . . . .	481
application assertion . . . . .	135, 138
application object . . . . .	59
ARM diagrams . . . . .	722
mapping table . . . . .	433, 434, 441
<b>Intersection_curve</b>	
AIM diagrams . . . . .	747
AIM EXPRESS listing entities . . . . .	583
<b>Item_in_context</b>	
AIM EXPRESS listing functions . . . . .	633
<b>Jacketed_piping</b>	
application object . . . . .	59
ARM diagrams . . . . .	714
mapping table . . . . .	390

Knot_type	
AIM diagrams	750
AIM EXPRESS listing types	558
Label	
AIM EXPRESS listing types	558
Lap_joint_flange	
application object	59
ARM diagrams	716
mapping table	252
Lap_joint_stub_end	
application object	59
ARM diagrams	716
mapping table	252
Lap_joint_stub_end_fitting_classification	
AIM diagrams	733
AIM EXPRESS listing entities	583
AIM EXPRESS short listing entities	481
mapping table	252
Lateral	
application object	60
ARM diagrams	716
mapping table	257
Lateral_fitting_classification	
AIM diagrams	733
AIM EXPRESS listing entities	583
AIM EXPRESS short listing entities	481
mapping table	257
Layered_item	
AIM diagrams	726
AIM EXPRESS listing types	558
Leap_year	
AIM EXPRESS listing functions	633
Length_measure	
AIM diagrams	734
AIM EXPRESS listing types	558
Length_measure_with_unit	
AIM diagrams	729
AIM EXPRESS listing entities	583
Length_unit	
AIM diagrams	730
AIM EXPRESS listing entities	583
Line	
AIM diagrams	747
AIM EXPRESS listing entities	583
application object	61
ARM diagrams	702
definition	7
mapping table	455

## **ISO/CD 10303-227:1995(E)**

Line segment . . . . .	7
Line segment termination . . . . .	7
Line segment termination connection . . . . .	7
Line_branch_connection	
AIM diagrams . . . . .	740
AIM EXPRESS listing entities . . . . .	583
AIM EXPRESS short listing entities . . . . .	482
application assertion . . . . .	125, 129
application object . . . . .	62
ARM diagrams . . . . .	713
mapping table . . . . .	150, 159, 337, 350, 352
Line_branch_termination	
application assertion . . . . .	125
application object . . . . .	62
ARM diagrams . . . . .	713
mapping table . . . . .	337
Line_less_piping_system	
AIM diagrams . . . . .	725
AIM EXPRESS listing entities . . . . .	584
AIM EXPRESS short listing entities . . . . .	482
application assertion . . . . .	125
application object . . . . .	62
ARM diagrams . . . . .	712
mapping table . . . . .	364
Line_piping_system_component_assignment	
application assertion . . . . .	128
Line_piping_system_component_assignment	
application assertion . . . . .	126, 129, 138
application object . . . . .	62
ARM diagrams . . . . .	712
mapping table . . . . .	338
Line_plant_item_branch_connection	
AIM diagrams . . . . .	740
AIM EXPRESS listing entities . . . . .	584
AIM EXPRESS short listing entities . . . . .	483
application assertion . . . . .	126, 129
application object . . . . .	62
ARM diagrams . . . . .	712
mapping table . . . . .	150, 160, 338, 350
Line_plant_item_branch_connector	
application assertion . . . . .	126
application object . . . . .	63
ARM diagrams . . . . .	705
mapping table . . . . .	339

<b>Line_plant_item_connection</b>	
AIM diagrams . . . . .	740
AIM EXPRESS listing entities . . . . .	584
AIM EXPRESS short listing entities . . . . .	483
application assertion . . . . .	126
application object . . . . .	63
ARM diagrams . . . . .	713
mapping table . . . . .	150, 160, 339-341, 352
<b>Line_plant_item_connector</b>	
application assertion . . . . .	126
application object . . . . .	63
ARM diagrams . . . . .	705
mapping table . . . . .	341
<b>Line_plant_item_termination</b>	
application assertion . . . . .	126
application object . . . . .	63
ARM diagrams . . . . .	713
mapping table . . . . .	341
<b>Line_termination_connection</b>	
AIM diagrams . . . . .	740
AIM EXPRESS listing entities . . . . .	584
AIM EXPRESS short listing entities . . . . .	484
mapping table . . . . .	150, 160, 341, 342, 352
<b>Line_to_line_connection</b>	
application assertion . . . . .	126, 127
application object . . . . .	63
ARM diagrams . . . . .	713
mapping table . . . . .	341
<b>Line_to_line_termination</b>	
application assertion . . . . .	127
application object . . . . .	63
ARM diagrams . . . . .	713
mapping table . . . . .	342
<b>List_face_loops</b>	
AIM EXPRESS listing functions . . . . .	633
<b>List_of_reversible_topology_item</b>	
AIM EXPRESS listing types . . . . .	558
<b>List_of_topology_reversed</b>	
AIM EXPRESS listing functions . . . . .	633
<b>List_to_array</b>	
AIM EXPRESS listing functions . . . . .	634
<b>List_to_set</b>	
AIM EXPRESS listing functions . . . . .	634
<b>Load_transference</b>	
application object . . . . .	63
ARM diagrams . . . . .	710
mapping table . . . . .	169

## **ISO/CD 10303-227:1995(E)**

<b>Local_time</b>	
AIM diagrams . . . . .	732
AIM EXPRESS listing entities . . . . .	584
<b>Location_in_building</b>	
application assertion . . . . .	122
application object . . . . .	64
ARM diagrams . . . . .	698
mapping table . . . . .	445
<b>Location_in_plant</b>	
application assertion . . . . .	130
application object . . . . .	64
ARM diagrams . . . . .	698
mapping table . . . . .	365
<b>Location_in_site</b>	
application assertion . . . . .	138
application object . . . . .	64
ARM diagrams . . . . .	698
mapping table . . . . .	446
<b>Locked_orientation_connection</b>	
application object . . . . .	64
ARM diagrams . . . . .	710
mapping table . . . . .	169
<b>Loop</b>	
AIM diagrams . . . . .	742
AIM EXPRESS listing entities . . . . .	584
<b>Make_array_of_array</b>	
AIM EXPRESS listing functions . . . . .	634
<b>Make_from_usage_option</b>	
AIM diagrams . . . . .	725
AIM EXPRESS listing entities . . . . .	584
<b>Male_end</b>	
application object . . . . .	64
ARM diagrams . . . . .	705
mapping table . . . . .	192
<b>Manifold_solid_brep</b>	
AIM diagrams . . . . .	746
AIM EXPRESS listing entities . . . . .	584
<b>Manifold_solid_brep_class_set</b>	
AIM EXPRESS listing functions . . . . .	635
AIM EXPRESS short listing functions . . . . .	530
<b>Manufacturing_line</b>	
application object . . . . .	64
ARM diagrams . . . . .	698
mapping table . . . . .	365
<b>Mapped_item</b>	
AIM diagrams . . . . .	726
AIM EXPRESS listing entities . . . . .	585

Mass_measure	
AIM diagrams	734
AIM EXPRESS listing types	558
Mass_measure_with_unit	
AIM diagrams	729
AIM EXPRESS listing entities	585
Mass_unit	
AIM diagrams	730
AIM EXPRESS listing entities	585
Material	7
Material_designation	
AIM diagrams	738
AIM EXPRESS listing entities	585
Material_designation_relationship	
AIM diagrams	738
AIM EXPRESS listing entities	585
Material_property	
AIM diagrams	738
AIM EXPRESS listing entities	585
Material_specification_selection	
application assertion	127, 137
application object	64
ARM diagrams	706
mapping table	390
Material_specification_subset_reference	
application assertion	127
application object	65
ARM diagrams	706
mapping table	390
Measure_representation_item	
AIM diagrams	729
AIM EXPRESS listing entities	585
Measure_value	
AIM diagrams	734
AIM EXPRESS listing types	558
Measure_with_unit	
AIM diagrams	729
AIM EXPRESS listing entities	586
Minute_in_hour	
AIM diagrams	732
AIM EXPRESS listing types	559
Mitre_bend_pipe	
application object	66
ARM diagrams	714
mapping table	263
Mixed_loop_type_set	
AIM EXPRESS listing functions	635

## **ISO/CD 10303-227:1995(E)**

Month_in_year_number	
AIM diagrams . . . . .	732
AIM EXPRESS listing types . . . . .	559
Name_assignment	
AIM diagrams . . . . .	736
AIM EXPRESS listing entities . . . . .	586
Named_unit	
AIM diagrams . . . . .	730
AIM EXPRESS listing entities . . . . .	586
Normalise	
AIM EXPRESS listing functions . . . . .	636
Numeric_measure	
AIM diagrams . . . . .	734
AIM EXPRESS listing types . . . . .	559
Offline_instrument	
application object . . . . .	66
ARM diagrams . . . . .	704
mapping table . . . . .	391
Offset_curve_2d	
AIM diagrams . . . . .	747
AIM EXPRESS listing entities . . . . .	586
Offset_curve_3d	
AIM diagrams . . . . .	747
AIM EXPRESS listing entities . . . . .	586
Offset_surface	
AIM diagrams . . . . .	751
AIM EXPRESS listing entities . . . . .	586
Olet	
application object . . . . .	66
ARM diagrams . . . . .	716
mapping table . . . . .	265
Olet_fitting_classification	
AIM diagrams . . . . .	733
AIM EXPRESS listing entities . . . . .	586
AIM EXPRESS short listing entities . . . . .	484
mapping table . . . . .	265
Open_shell	
AIM diagrams . . . . .	755
AIM EXPRESS listing entities . . . . .	587
Organization	
AIM diagrams . . . . .	728
AIM EXPRESS listing entities . . . . .	587
Organization_assignment	
AIM diagrams . . . . .	728
AIM EXPRESS listing entities . . . . .	587
Organization_role	
AIM diagrams . . . . .	728
AIM EXPRESS listing entities . . . . .	587

Organizational_project	
AIM diagrams	728
AIM EXPRESS listing entities	587
Oriented_closed_shell	
AIM diagrams	755
AIM EXPRESS listing entities	587
Oriented_edge	
AIM diagrams	742
AIM EXPRESS listing entities	587
Oriented_face	
AIM diagrams	742
AIM EXPRESS listing entities	587
Oriented_open_shell	
AIM diagrams	755
AIM EXPRESS listing entities	588
Oriented_path	
AIM diagrams	742
AIM EXPRESS listing entities	588
Orifice_flange	
application object	67
ARM diagrams	716
mapping table	271
Orifice_plate	
application object	68
ARM diagrams	716
mapping table	274
Orifice_plate_fitting_classification	
AIM diagrams	733
AIM EXPRESS listing entities	588
AIM EXPRESS short listing entities	484
mapping table	274
Orthogonal_complement	
AIM EXPRESS listing functions	637
Outline_shape	
application object	69
ARM diagrams	701
mapping table	433
Outside_and_thickness	
application object	69
ARM diagrams	719
mapping table	279
Paddle_blank	
application object	69
ARM diagrams	716
mapping table	280

## **ISO/CD 10303-227:1995(E)**

Paddle_spacer	
application object .....	70
ARM diagrams .....	716
mapping table .....	283
Parabola	
AIM diagrams .....	748
AIM EXPRESS listing entities .....	588
Parameter_value	
AIM diagrams .....	734
AIM EXPRESS listing types .....	559
Path	
AIM diagrams .....	742
AIM EXPRESS listing entities .....	588
Path_head_to_tail	
AIM EXPRESS listing functions .....	637
Path_reversed	
AIM EXPRESS listing functions .....	637
Pcurve	
AIM diagrams .....	747
AIM EXPRESS listing entities .....	588
Pcurve_or_surface	
AIM diagrams .....	747
AIM EXPRESS listing types .....	559
Person	
AIM diagrams .....	728
AIM EXPRESS listing entities .....	589
Person_and_organization	
AIM diagrams .....	728
AIM EXPRESS listing entities .....	589
Person_and_organization_assignment	
AIM diagrams .....	728
AIM EXPRESS listing entities .....	589
Person_and_organization_role	
AIM diagrams .....	728
AIM EXPRESS listing entities .....	589
Person_assignment	
AIM diagrams .....	728
AIM EXPRESS listing entities .....	589
Person_organization_select	
AIM diagrams .....	728
AIM EXPRESS listing types .....	559
Person_role	
AIM diagrams .....	728
AIM EXPRESS listing entities .....	589
Physical	7

<b>Physical_connector</b>	
application assertion . . . . .	127
application object . . . . .	71
ARM diagrams . . . . .	705
mapping table . . . . .	192
<b>Physical_design_view</b>	
application assertion . . . . .	127
application object . . . . .	71
ARM diagrams . . . . .	720
mapping table . . . . .	391
<b>PICS</b> . . . . .	9
<b>Pipe</b>	
application object . . . . .	71
ARM diagrams . . . . .	714
definition . . . . .	7
mapping table . . . . .	287
<b>Pipe fitting</b> . . . . .	7
<b>Pipe_bend</b>	
application assertion . . . . .	140
application object . . . . .	71
ARM diagrams . . . . .	714
mapping table . . . . .	287
<b>Pipe_cap</b>	
application object . . . . .	72
ARM diagrams . . . . .	716
mapping table . . . . .	290
<b>Pipe_cap_fitting_classification</b>	
AIM diagrams . . . . .	733
AIM EXPRESS listing entities . . . . .	589
AIM EXPRESS short listing entities . . . . .	485
mapping table . . . . .	290, 293
<b>Pipe_classification</b>	
AIM diagrams . . . . .	733
AIM EXPRESS listing entities . . . . .	589
AIM EXPRESS short listing entities . . . . .	485
mapping table . . . . .	263, 287, 310, 314, 327
<b>Piping class</b> . . . . .	7
<b>Piping specification</b> . . . . .	7
<b>Piping system</b> . . . . .	8
<b>Piping_component</b>	
application object . . . . .	73
ARM diagrams . . . . .	714
mapping table . . . . .	293
<b>Piping_component_characterization</b>	
mapping table . . . . .	219
unit of functionality . . . . .	15

<b>Piping_component_definition</b>	
AIM diagrams . . . . .	725
AIM EXPRESS listing entities . . . . .	589
AIM EXPRESS short listing entities . . . . .	485
mapping table . . . . .	212, 219-250, 252-293, 295-299, 301-334, 338, 364, 390, 393-396, 411, 412, 417
<b>Piping_connector</b>	
application assertion . . . . .	127, 128
application object . . . . .	73
ARM diagrams . . . . .	705
mapping table . . . . .	193
<b>Piping_connector_classification</b>	
AIM diagrams . . . . .	733
AIM EXPRESS listing entities . . . . .	590
AIM EXPRESS short listing entities . . . . .	487
mapping table . . . . .	176, 184, 193, 202, 203
<b>Piping_connector_service_characteristic</b>	
application assertion . . . . .	127, 128
application object . . . . .	73
ARM diagrams . . . . .	709
mapping table . . . . .	195
<b>Piping_design_csg_representation</b>	
mapping table . . . . .	335
unit of functionality . . . . .	18
<b>Piping_design_csg_shape_representation</b>	
AIM diagrams . . . . .	726
AIM EXPRESS listing entities . . . . .	590
AIM EXPRESS short listing entities . . . . .	487
mapping table . . . . .	197, 438-441
<b>Piping_size_description</b>	
application assertion . . . . .	128, 129
application object . . . . .	74
ARM diagrams . . . . .	719
mapping table . . . . .	293
<b>Piping_specification</b>	
application assertion . . . . .	128
application object . . . . .	75
ARM diagrams . . . . .	708
mapping table . . . . .	342
<b>Piping_spool</b>	
application assertion . . . . .	128
application object . . . . .	76
ARM diagrams . . . . .	699
mapping table . . . . .	392
<b>Piping_spool_assignment</b>	
application assertion . . . . .	128, 131
application object . . . . .	76
ARM diagrams . . . . .	699
mapping table . . . . .	392

Piping_system	
AIM diagrams	725
AIM EXPRESS listing entities	591
AIM EXPRESS short listing entities	488
application assertion	128
application object	76
ARM diagrams	712
mapping table	150, 152, 153, 155, 156, 162, 363, 366, 373-375, 432
Piping_system_component	
application assertion	125, 128, 129
application object	77
ARM diagrams	714
mapping table	393
Piping_system_functional_characterization	
mapping table	337
unit of functionality	18
Piping_system_line	
application assertion	128, 129
application object	77
ARM diagrams	712
mapping table	344
Piping_system_line_segment	
application assertion	128-130, 137
application object	78
ARM diagrams	712
mapping table	345
Piping_system_line_segment_termination	
application assertion	130
Piping_system_line_segment_termination	
application assertion	130
application object	80
ARM diagrams	713
mapping table	352
Placement	
AIM diagrams	741
AIM EXPRESS listing entities	591
Plane	
AIM diagrams	752
AIM EXPRESS listing entities	591
Plane_angle_measure	
AIM diagrams	734
AIM EXPRESS listing types	559
Plane_angle_measure_with_unit	
AIM diagrams	729
AIM EXPRESS listing entities	591
Plane_angle_unit	
AIM diagrams	730
AIM EXPRESS listing entities	591

## **ISO/CD 10303-227:1995(E)**

Planned .....	8
Planned_physical_plant	
application assertion .....	130, 131, 138
application object .....	81
ARM diagrams .....	698
mapping table .....	367
Planned_physical_plant_item	
application assertion .....	131, 134
application object .....	81
ARM diagrams .....	699
mapping table .....	396
Plant	
AIM diagrams .....	737
AIM EXPRESS listing entities .....	591
AIM EXPRESS short listing entities .....	488
application assertion .....	131, 132
application object .....	82
ARM diagrams .....	698
definition .....	8
mapping table .....	150, 161, 362, 365, 367-372, 377, 437, 451
Plant item .....	8
Plant system .....	8
Plant_characterization	
mapping table .....	362
unit of functionality .....	19
Plant_item	
application assertion .....	132, 133, 136
application object .....	83
ARM diagrams .....	700
mapping table .....	398
Plant_item_centreline	
application object .....	83
ARM diagrams .....	721
mapping table .....	433
Plant_item_characterization	
mapping table .....	378
unit of functionality .....	20
Plant_item_collection	
application assertion .....	132, 133
application object .....	83
ARM diagrams .....	700
mapping table .....	402

<b>Plant_item_connection</b>	
AIM diagrams . . . . .	740
AIM EXPRESS listing entities . . . . .	592
AIM EXPRESS short listing entities . . . . .	490
application assertion . . . . .	123, 133
application object . . . . .	84
ARM diagrams . . . . .	710
mapping table . . . . .	150, 154, 157, 161, 164-175, 383, 397, 432
<b>Plant_item_connection_occurrence</b>	
application assertion . . . . .	123, 133, 140
application object . . . . .	85
ARM diagrams . . . . .	710
mapping table . . . . .	173
<b>Plant_item_connector</b>	
AIM diagrams . . . . .	740
AIM EXPRESS listing entities . . . . .	593
AIM EXPRESS short listing entities . . . . .	491
application assertion . . . . .	133, 134
application object . . . . .	85
ARM diagrams . . . . .	705
mapping table . . . . .	150, 154, 157, 162, 164, 175-194, 196-199, 202-204, 222-226, 228-233, 239, 240, 242, 245, 249, 250, 252, 253, 259-263, 268, 279, 290, 295-297, 311-313, 317-323, 330-334, 339-341, 404
<b>Plant_item_connector_occurrence</b>	
application assertion . . . . .	124, 131, 133, 134
application object . . . . .	85
ARM diagrams . . . . .	705
mapping table . . . . .	197
<b>Plant_item_definition</b>	
AIM diagrams . . . . .	724
AIM EXPRESS listing entities . . . . .	593
AIM EXPRESS short listing entities . . . . .	491
application assertion . . . . .	134
application object . . . . .	86
ARM diagrams . . . . .	711
mapping table . . . . .	150, 152, 153, 155, 156, 161, 162, 171, 172, 196, 340, 374, 380-382, 386, 387, 391, 392, 396-408, 413, 415, 432, 436
<b>Plant_item_definition_class</b>	
AIM diagrams . . . . .	725
AIM EXPRESS listing entities . . . . .	593
AIM EXPRESS short listing entities . . . . .	492
mapping table . . . . .	344, 405, 416, 417
<b>Plant_item_design_view</b>	
application assertion . . . . .	132, 134
application object . . . . .	86
ARM diagrams . . . . .	720
mapping table . . . . .	405

## **ISO/CD 10303-227:1995(E)**

Plant_item_geometric_origin	
application object . . . . .	86
ARM diagrams . . . . .	721
mapping table . . . . .	433
Plant_item_instance	
application assertion . . . . .	135
application object . . . . .	86
ARM diagrams . . . . .	699
mapping table . . . . .	406
Plant_item_interference	
AIM diagrams . . . . .	725
AIM EXPRESS listing entities . . . . .	593
AIM EXPRESS short listing entities . . . . .	493
application assertion . . . . .	135
application object . . . . .	86
ARM diagrams . . . . .	722
mapping table . . . . .	406, 433-435
Plant_item_interference_status	
application assertion . . . . .	135
application object . . . . .	87
ARM diagrams . . . . .	722
mapping table . . . . .	436
Plant_item_location	
application assertion . . . . .	135
application object . . . . .	87
ARM diagrams . . . . .	698
mapping table . . . . .	408
Plant_item_route	
AIM diagrams . . . . .	740
AIM EXPRESS listing entities . . . . .	593
AIM EXPRESS short listing entities . . . . .	493
mapping table . . . . .	410, 415, 416
Plant_item_shape	
application assertion . . . . .	132, 136
application object . . . . .	88
ARM diagrams . . . . .	701
mapping table . . . . .	436
Plant_item_weight	
application assertion . . . . .	132
application object . . . . .	89
ARM diagrams . . . . .	700
mapping table . . . . .	409
Plant_item_weight_representation	
AIM diagrams . . . . .	726
AIM EXPRESS listing entities . . . . .	594
AIM EXPRESS short listing entities . . . . .	494
mapping table . . . . .	400, 409, 410

<b>Plant_line_definition</b>	
AIM diagrams . . . . .	725
AIM EXPRESS listing entities . . . . .	594
AIM EXPRESS short listing entities . . . . .	494
mapping table . . . . .	150, 152, 153, 155, 156, 160, 344, 345, 366
<b>Plant_line_segment_definition</b>	
AIM diagrams . . . . .	725
AIM EXPRESS listing entities . . . . .	595
AIM EXPRESS short listing entities . . . . .	496
mapping table . . . . .	150, 152, 153, 155, 156, 160, 337, 338, 344-352, 355, 416
<b>Plant_line_segment_termination</b>	
AIM diagrams . . . . .	740
AIM EXPRESS listing entities . . . . .	595
AIM EXPRESS short listing entities . . . . .	496
mapping table . . . . .	150, 154, 157, 160, 337, 340-342, 351-355
<b>Plant_process_capability</b>	
application assertion . . . . .	131, 136
application object . . . . .	90
ARM diagrams . . . . .	698
mapping table . . . . .	372
<b>Plant_spatial_configuration_action_request_assignment</b>	
AIM diagrams . . . . .	735
AIM EXPRESS listing entities . . . . .	595
AIM EXPRESS short listing entities . . . . .	497
mapping table . . . . .	210
<b>Plant_spatial_configuration_action_request_item</b>	
AIM diagrams . . . . .	735
AIM EXPRESS listing types . . . . .	559
AIM EXPRESS short listing types . . . . .	463
mapping table . . . . .	210
<b>Plant_spatial_configuration_approval_assignment</b>	
AIM diagrams . . . . .	731
AIM EXPRESS listing entities . . . . .	595
AIM EXPRESS short listing entities . . . . .	497
mapping table . . . . .	148, 149, 159
<b>Plant_spatial_configuration_change_assignment</b>	
AIM diagrams . . . . .	736
AIM EXPRESS listing entities . . . . .	595
AIM EXPRESS short listing entities . . . . .	498
mapping table . . . . .	148, 151, 152
<b>Plant_spatial_configuration_date_and_time_assignment</b>	
AIM diagrams . . . . .	732
AIM EXPRESS listing entities . . . . .	595
AIM EXPRESS short listing entities . . . . .	498
mapping table . . . . .	206

Plant_spatial_configuration_date_and_time_item	
AIM diagrams . . . . .	732
AIM EXPRESS listing types . . . . .	559
AIM EXPRESS short listing types . . . . .	464
mapping table . . . . .	206
Plant_spatial_configuration_date_assignment	
AIM diagrams . . . . .	732
AIM EXPRESS listing entities . . . . .	596
AIM EXPRESS short listing entities . . . . .	499
mapping table . . . . .	147, 151, 159, 206
Plant_spatial_configuration_dated_item	
AIM diagrams . . . . .	732
AIM EXPRESS listing types . . . . .	559
AIM EXPRESS short listing types . . . . .	464
mapping table . . . . .	147, 151, 159, 206
Plant_spatial_configuration_document_item	
AIM diagrams . . . . .	739
AIM EXPRESS listing types . . . . .	559
AIM EXPRESS short listing types . . . . .	464
mapping table . . . . .	194, 207-209, 251, 293-295, 300, 344, 345, 348, 366, 380, 384, 394, 403, 414, 418, 431, 448
Plant_spatial_configuration_document_reference	
AIM diagrams . . . . .	739
AIM EXPRESS listing entities . . . . .	596
AIM EXPRESS short listing entities . . . . .	499
mapping table . . . . .	194, 207-209, 251, 293-295, 300, 344, 345, 348, 366, 380, 384, 394, 403, 414, 418, 431, 448
Plant_spatial_configuration_organization_assignment	
AIM diagrams . . . . .	728
AIM EXPRESS listing entities . . . . .	596
AIM EXPRESS short listing entities . . . . .	499
mapping table . . . . .	146, 147, 211, 343, 369, 370, 379, 384, 435, 436, 450
Plant_spatial_configuration_organization_correlation	
AIM EXPRESS listing functions . . . . .	637
AIM EXPRESS short listing functions . . . . .	531
Plant_spatial_configuration_organization_item	
AIM diagrams . . . . .	728
AIM EXPRESS listing types . . . . .	560
AIM EXPRESS short listing types . . . . .	465
mapping table . . . . .	146, 147, 211, 343, 369, 370, 379, 384, 435, 450
Plant_spatial_configuration_person_and_organization_assignment	
AIM diagrams . . . . .	728
AIM EXPRESS listing entities . . . . .	596
AIM EXPRESS short listing entities . . . . .	500
mapping table . . . . .	151, 369, 370, 450
Plant_spatial_configuration_person_and_organization_correlatio	
AIM EXPRESS listing functions . . . . .	638
AIM EXPRESS short listing functions . . . . .	532

Plant_spatial_configuration_person_and_organization_item	
AIM diagrams .....	728
AIM EXPRESS listing types .....	560
AIM EXPRESS short listing types .....	465
mapping table .....	151, 369, 370, 450
Plant_spatial_configuration_person_assignment	
AIM diagrams .....	728
AIM EXPRESS listing entities .....	596
AIM EXPRESS short listing entities .....	501
mapping table .....	343, 370, 379, 435, 436, 450
Plant_spatial_configuration_person_correlation	
AIM EXPRESS listing functions .....	639
AIM EXPRESS short listing functions .....	533
Plant_spatial_configuration_person_item	
AIM diagrams .....	728
AIM EXPRESS listing types .....	560
AIM EXPRESS short listing types .....	465
mapping table .....	343, 370, 379, 435, 450
Plant_system	
application assertion .....	125, 136
application object .....	91
ARM diagrams .....	703
mapping table .....	373
Plant_system_assembly	
application assertion .....	136
application object .....	91
ARM diagrams .....	703
mapping table .....	375
Plant_volume	
application object .....	92
ARM diagrams .....	699
mapping table .....	410
Point	
AIM diagrams .....	741
AIM EXPRESS listing entities .....	596
application object .....	92
ARM diagrams .....	702
mapping table .....	455
Point_on_curve	
AIM diagrams .....	741
AIM EXPRESS listing entities .....	596
Point_on_surface	
AIM diagrams .....	741
AIM EXPRESS listing entities .....	596
Point_replica	
AIM diagrams .....	741
AIM EXPRESS listing entities .....	596

## **ISO/CD 10303-227:1995(E)**

<b>Point_terrain_model</b>	
application assertion . . . . .	136
application object . . . . .	92
ARM diagrams . . . . .	707
mapping table . . . . .	446
<b>Poly_loop</b>	
AIM diagrams . . . . .	742
AIM EXPRESS listing entities . . . . .	597
<b>Polygon</b>	
application object . . . . .	92
ARM diagrams . . . . .	702
mapping table . . . . .	455
<b>Polyline</b>	
AIM diagrams . . . . .	749
AIM EXPRESS listing entities . . . . .	597
<b>Positive_length_measure</b>	
AIM diagrams . . . . .	734
AIM EXPRESS listing types . . . . .	560
<b>Positive_plane_angle_measure</b>	
AIM diagrams . . . . .	734
AIM EXPRESS listing types . . . . .	560
<b>Positive_ratio_measure</b>	
AIM diagrams . . . . .	734
AIM EXPRESS listing types . . . . .	560
<b>Preferred_surface_curve_representation</b>	
AIM diagrams . . . . .	747
AIM EXPRESS listing types . . . . .	560
<b>Presentation_layer_assignment</b>	
AIM diagrams . . . . .	726
AIM EXPRESS listing entities . . . . .	597
<b>Pressure_class</b>	
application object . . . . .	92
ARM diagrams . . . . .	719
mapping table . . . . .	294
<b>Pressure_vessel</b>	
application object . . . . .	93
ARM diagrams . . . . .	715
mapping table . . . . .	214
<b>Process_capability</b>	
AIM diagrams . . . . .	738
AIM EXPRESS listing entities . . . . .	597
AIM EXPRESS short listing entities . . . . .	501
mapping table . . . . .	150, 154, 157, 162, 371-373
<b>Process_ducting</b>	
application object . . . . .	93
ARM diagrams . . . . .	714
mapping table . . . . .	411

Product	
AIM diagrams	737
AIM EXPRESS listing entities	597
part 1 definition	4
Product data	5
Product_category	
AIM diagrams	737
AIM EXPRESS listing entities	597
Product_category_relationship	
AIM diagrams	737
AIM EXPRESS listing entities	597
Product_context	
AIM diagrams	724
AIM EXPRESS listing entities	598
Product_definition	
AIM diagrams	725
AIM EXPRESS listing entities	598
Product_definition_context	
AIM diagrams	724
AIM EXPRESS listing entities	598
Product_definition_formation	
AIM diagrams	737
AIM EXPRESS listing entities	598
Product_definition_formation_relationship	
AIM diagrams	737
AIM EXPRESS listing entities	598
Product_definition_formation_with_specified_source	
AIM diagrams	737
AIM EXPRESS listing entities	598
Product_definition_relationship	
AIM diagrams	725
AIM EXPRESS listing entities	598
Product_definition_shape	
AIM diagrams	740
AIM EXPRESS listing entities	598
Product_definition_substitute	
AIM diagrams	725
AIM EXPRESS listing entities	598
Product_definition_usage	
AIM diagrams	725
AIM EXPRESS listing entities	599
Product_definition_with_associated_documents	
AIM diagrams	725
AIM EXPRESS listing entities	599
Product_related_product_category	
AIM diagrams	737
AIM EXPRESS listing entities	599

## **ISO/CD 10303-227:1995(E)**

Project_design_assignment	
application assertion . . . . .	124, 135
application object . . . . .	93
ARM diagrams . . . . .	699
mapping table . . . . .	413
Property_definition	
AIM diagrams . . . . .	738
AIM EXPRESS listing entities . . . . .	599
Property_definition_relationship	
AIM diagrams . . . . .	738
AIM EXPRESS listing entities . . . . .	599
Property_definition_representation	
AIM diagrams . . . . .	726
AIM EXPRESS listing entities . . . . .	599
Protocol information and conformance statement	5
Pump	
application object . . . . .	94
ARM diagrams . . . . .	715
mapping table . . . . .	215
Purchase_assignment	
AIM diagrams . . . . .	736
AIM EXPRESS listing entities . . . . .	599
AIM EXPRESS short listing entities . . . . .	502
mapping table . . . . .	210
Purchase_item	
AIM diagrams . . . . .	736
AIM EXPRESS listing types . . . . .	560
AIM EXPRESS short listing types . . . . .	466
mapping table . . . . .	210
Pyramid	
application object . . . . .	94
ARM diagrams . . . . .	702
mapping table . . . . .	143
Quasi_uniform_curve	
AIM diagrams . . . . .	750
AIM EXPRESS listing entities . . . . .	599
Quasi_uniform_surface	
AIM diagrams . . . . .	754
AIM EXPRESS listing entities . . . . .	599
Ratio_measure	
AIM diagrams . . . . .	734
AIM EXPRESS listing types . . . . .	560
Ratio_measure_with_unit	
AIM diagrams . . . . .	729
AIM EXPRESS listing entities . . . . .	600
Ratio_unit	
AIM diagrams . . . . .	730
AIM EXPRESS listing entities . . . . .	600

Rational_b_spline_curve	
AIM diagrams	750
AIM EXPRESS listing entities	600
Rational_b_spline_surface	
AIM diagrams	754
AIM EXPRESS listing entities	600
Rectangular_composite_surface	
AIM diagrams	753
AIM EXPRESS listing entities	600
Rectangular_composite_surface_class_set	
AIM EXPRESS listing functions	639
AIM EXPRESS short listing functions	534
Rectangular_trimmed_surface	
AIM diagrams	753
AIM EXPRESS listing entities	600
Rectangular_trimmed_surface_class_set	
AIM EXPRESS listing functions	640
AIM EXPRESS short listing functions	534
Reducer	
application object	94
ARM diagrams	716
mapping table	296
Reducer_fitting_classification	
AIM diagrams	733
AIM EXPRESS listing entities	601
AIM EXPRESS short listing entities	502
mapping table	234, 296
Reducing_flange	
application object	95
ARM diagrams	716
mapping table	298
Reducing_torus	
application object	95
ARM diagrams	702
mapping table	335
Reference_geometry	
AIM diagrams	740
AIM EXPRESS listing entities	601
AIM EXPRESS short listing entities	503
application assertion	133, 137
application object	95
ARM diagrams	721
mapping table	150, 154, 157, 163, 401, 437, 438
Relative_item_location	
application assertion	135
application object	95
ARM diagrams	698
mapping table	413

## **ISO/CD 10303-227:1995(E)**

<b>Rep_item_set_has_analytic</b>	
AIM EXPRESS listing functions .....	640
AIM EXPRESS short listing functions .....	535
<b>Rep_item_set_has_free_form</b>	
AIM EXPRESS listing functions .....	640
AIM EXPRESS short listing functions .....	536
<b>Reparametrised_composite_curve_segment</b>	
AIM diagrams .....	749
AIM EXPRESS listing entities .....	601
<b>Representation</b>	8
AIM diagrams .....	726
AIM EXPRESS listing entities .....	601
<b>Representation_context</b>	
AIM diagrams .....	726
AIM EXPRESS listing entities .....	601
<b>Representation_item</b>	
AIM diagrams .....	726
AIM EXPRESS listing entities .....	601
<b>Representation_map</b>	
AIM diagrams .....	726
AIM EXPRESS listing entities .....	602
<b>Required</b>	8
<b>Required_material_description</b>	
application assertion .....	133, 137
application object .....	96
ARM diagrams .....	706
mapping table .....	413
<b>Reserved_space</b>	
AIM diagrams .....	740
AIM EXPRESS listing entities .....	602
AIM EXPRESS short listing entities .....	503
application object .....	96
ARM diagrams .....	699
mapping table .....	410, 415
<b>Reversible_topology</b>	
AIM EXPRESS listing types .....	560
<b>Reversible_topology_item</b>	
AIM EXPRESS listing types .....	561
<b>Revolved_area_solid</b>	
AIM diagrams .....	745
AIM EXPRESS listing entities .....	602
<b>Revolved_face_solid</b>	
AIM diagrams .....	746
AIM EXPRESS listing entities .....	602
<b>Right_circular_cone</b>	
AIM diagrams .....	744
AIM EXPRESS listing entities .....	602

Right_circular_cylinder	
AIM diagrams .....	743
AIM EXPRESS listing entities .....	602
Ring_spacer	
application object .....	96
ARM diagrams .....	716
mapping table .....	298
Route	
application assertion .....	137
application object .....	97
ARM diagrams .....	699
mapping table .....	415
Scalar_times_vector	
AIM EXPRESS listing functions .....	641
Schedule	
application object .....	97
ARM diagrams .....	719
mapping table .....	300
Seam_curve	
AIM diagrams .....	747
AIM EXPRESS listing entities .....	602
Second_in_minute	
AIM diagrams .....	732
AIM EXPRESS listing types .....	561
Second_proj_axis	
AIM EXPRESS listing functions .....	641
Segment_insulation	
application assertion .....	130
application object .....	97
ARM diagrams .....	712
mapping table .....	355
Service_operating_case	
application assertion .....	128, 139
application object .....	98
ARM diagrams .....	709
mapping table .....	199
Set_of_reversible_topology_item	
AIM EXPRESS listing types .....	561
Set_of_topology_reversed	
AIM EXPRESS listing functions .....	642
Shape	
mapping table .....	433
unit of functionality .....	23
Shape_aspect	
AIM diagrams .....	740
AIM EXPRESS listing entities .....	603

## **ISO/CD 10303-227:1995(E)**

<b>Shape_aspect_deriving_relationship</b>	
AIM diagrams . . . . .	740
AIM EXPRESS listing entities . . . . .	603
<b>Shape_aspect_relationship</b>	
AIM diagrams . . . . .	740
AIM EXPRESS listing entities . . . . .	603
<b>Shape_definition</b>	
AIM diagrams . . . . .	740
AIM EXPRESS listing types . . . . .	561
<b>Shape_definition_representation</b>	
AIM diagrams . . . . .	726
AIM EXPRESS listing entities . . . . .	603
<b>Shape_dimension_representation</b>	
AIM diagrams . . . . .	726
AIM EXPRESS listing entities . . . . .	603
<b>Shape_interference_zone_usage</b>	
application assertion . . . . .	135, 137
application object . . . . .	99
ARM diagrams . . . . .	722
mapping table . . . . .	439
<b>Shape_representation</b>	
AIM diagrams . . . . .	726
AIM EXPRESS listing entities . . . . .	603
application assertion . . . . .	134, 136, 137
application object . . . . .	100
ARM diagrams . . . . .	701
mapping table . . . . .	439
<b>Shape_representation_element</b>	
application assertion . . . . .	137
application object . . . . .	100
ARM diagrams . . . . .	702
mapping table . . . . .	439
<b>Shape_representation_element_usage</b>	
application assertion . . . . .	137, 138
application object . . . . .	100
ARM diagrams . . . . .	701
mapping table . . . . .	439
<b>Shell</b>	
AIM EXPRESS listing types . . . . .	561
<b>Shell_reversed</b>	
AIM EXPRESS listing functions . . . . .	642
<b>Si_prefix</b>	
AIM diagrams . . . . .	730
AIM EXPRESS listing types . . . . .	561
<b>Si_unit</b>	
AIM diagrams . . . . .	730
AIM EXPRESS listing entities . . . . .	603

<b>Si_unit_name</b>	
AIM diagrams .....	730
AIM EXPRESS listing types .....	561
<b>Silo</b>	
application object .....	100
ARM diagrams .....	715
mapping table .....	216
<b>Site</b>	
AIM diagrams .....	738
AIM EXPRESS listing entities .....	604
AIM EXPRESS short listing entities .....	503
application assertion .....	138
application object .....	101
ARM diagrams .....	707
definition .....	8
mapping table .....	446-454
<b>Site_building</b>	
AIM diagrams .....	738
AIM EXPRESS listing entities .....	604
AIM EXPRESS short listing entities .....	504
mapping table .....	442, 443, 445, 451
<b>Site_characterization</b>	
mapping table .....	442
unit of functionality .....	24
<b>Site_feature</b>	
AIM diagrams .....	738
AIM EXPRESS listing entities .....	604
AIM EXPRESS short listing entities .....	504
application assertion .....	138
application object .....	102
ARM diagrams .....	707
mapping table .....	451, 452
<b>Site_representation</b>	
AIM diagrams .....	726
AIM EXPRESS listing entities .....	604
AIM EXPRESS short listing entities .....	505
mapping table .....	443-447, 452, 454
<b>Sited_plant</b>	
application assertion .....	131, 138
application object .....	103
ARM diagrams .....	698
mapping table .....	452
<b>Slip_on_flange</b>	
application object .....	104
ARM diagrams .....	716
mapping table .....	301

## **ISO/CD 10303-227:1995(E)**

<b>Socket</b>	
application object . . . . .	104
ARM diagrams . . . . .	705
mapping table . . . . .	202
<b>Socket_weld_flange</b>	
application object . . . . .	104
ARM diagrams . . . . .	716
mapping table . . . . .	303
<b>Solid_angle_measure</b>	
AIM diagrams . . . . .	734
AIM EXPRESS listing types . . . . .	562
<b>Solid_angle_measure_with_unit</b>	
AIM diagrams . . . . .	729
AIM EXPRESS listing entities . . . . .	605
<b>Solid_angle_unit</b>	
AIM diagrams . . . . .	730
AIM EXPRESS listing entities . . . . .	605
<b>Solid_model</b>	
AIM diagrams . . . . .	746
AIM EXPRESS listing entities . . . . .	605
<b>Solid_of_revolution</b>	
application object . . . . .	104
ARM diagrams . . . . .	702
mapping table . . . . .	144
<b>Source</b>	
AIM diagrams . . . . .	737
AIM EXPRESS listing types . . . . .	562
<b>Source_item</b>	
AIM diagrams . . . . .	724
AIM EXPRESS listing types . . . . .	562
<b>Spacer</b>	
application object . . . . .	104
ARM diagrams . . . . .	716
mapping table . . . . .	303
<b>Spacer_fitting_classification</b>	
AIM diagrams . . . . .	733
AIM EXPRESS listing entities . . . . .	605
AIM EXPRESS short listing entities . . . . .	506
mapping table . . . . .	283, 298, 303
<b>Spatial_arrangement</b>	8
<b>Specialty_item</b>	
application object . . . . .	105
ARM diagrams . . . . .	714
mapping table . . . . .	305

<b>Specialty_item_classification</b>	
AIM diagrams . . . . .	733
AIM EXPRESS listing entities . . . . .	605
AIM EXPRESS short listing entities . . . . .	507
mapping table . . . . .	306
<b>Specification_item_family</b>	
application assertion . . . . .	128, 134, 138
application object . . . . .	105
ARM diagrams . . . . .	708
mapping table . . . . .	416
<b>Spectacle_blind</b>	
application object . . . . .	106
ARM diagrams . . . . .	716
mapping table . . . . .	306
<b>Sphere</b>	
AIM diagrams . . . . .	743
AIM EXPRESS listing entities . . . . .	605
application object . . . . .	106
ARM diagrams . . . . .	702
mapping table . . . . .	144
<b>Spherical_surface</b>	
AIM diagrams . . . . .	752
AIM EXPRESS listing entities . . . . .	605
<b>Square_to_round</b>	
application object . . . . .	106
ARM diagrams . . . . .	702
mapping table . . . . .	335
<b>Straight_pipe</b>	
application object . . . . .	107
ARM diagrams . . . . .	714
mapping table . . . . .	310
<b>Stream</b> . . . . .	8
<b>Stream_design_case</b>	
AIM diagrams . . . . .	738
AIM EXPRESS listing entities . . . . .	605
AIM EXPRESS short listing entities . . . . .	507
application assertion . . . . .	125, 130, 139
application object . . . . .	107
ARM diagrams . . . . .	709
mapping table . . . . .	199, 351, 357, 358, 363, 364
<b>Stream_phase</b>	
AIM diagrams . . . . .	738
AIM EXPRESS listing entities . . . . .	606
AIM EXPRESS short listing entities . . . . .	508
application assertion . . . . .	139
application object . . . . .	108
ARM diagrams . . . . .	709
mapping table . . . . .	358-361

## **ISO/CD 10303-227:1995(E)**

<b>Structural_component</b>	
application object . . . . .	109
ARM diagrams . . . . .	704
mapping table . . . . .	417
<b>Structural_load_connector</b>	
application object . . . . .	110
ARM diagrams . . . . .	705
mapping table . . . . .	203
<b>Structural_load_connector_classification</b>	
AIM diagrams . . . . .	733
AIM EXPRESS listing entities . . . . .	606
AIM EXPRESS short listing entities . . . . .	509
mapping table . . . . .	203
<b>Structural_system</b>	
AIM diagrams . . . . .	725
AIM EXPRESS listing entities . . . . .	606
AIM EXPRESS short listing entities . . . . .	509
application object . . . . .	110
ARM diagrams . . . . .	703
mapping table . . . . .	150, 152, 153, 155, 156, 162, 363, 373-376, 432
<b>Sub_plant_relationship</b>	
application assertion . . . . .	132, 139
application object . . . . .	111
ARM diagrams . . . . .	698
mapping table . . . . .	376
<b>Support_component</b>	
application object . . . . .	111
ARM diagrams . . . . .	704
mapping table . . . . .	419
<b>Support_constraint_representation</b>	
AIM diagrams . . . . .	726
AIM EXPRESS listing entities . . . . .	606
AIM EXPRESS short listing entities . . . . .	509
mapping table . . . . .	419-431
<b>Support_constraints</b>	
application assertion . . . . .	139
application object . . . . .	111
ARM diagrams . . . . .	699
mapping table . . . . .	419
<b>Support_usage</b>	
application assertion . . . . .	131, 139
application object . . . . .	112
ARM diagrams . . . . .	699
mapping table . . . . .	431

Support_usage_connection	
application assertion	140
application object	113
ARM diagrams	699
mapping table	432
Supported_item	
AIM EXPRESS listing types	562
Surface	
AIM diagrams	751
AIM EXPRESS listing entities	607
application object	113
ARM diagrams	702
mapping table	455
Surface_class_set	
AIM EXPRESS listing functions	643
AIM EXPRESS short listing functions	536
Surface_curve	
AIM diagrams	747
AIM EXPRESS listing entities	607
Surface_of_linear_extrusion	
AIM diagrams	751
AIM EXPRESS listing entities	607
Surface_of_revolution	
AIM diagrams	751
AIM EXPRESS listing entities	607
Surface_patch	
AIM diagrams	753
AIM EXPRESS listing entities	607
Surface_replica	
AIM diagrams	751
AIM EXPRESS listing entities	608
Surface_weights_positive	
AIM EXPRESS listing functions	643
Survey_point	
application assertion	121, 124, 136
application object	113
ARM diagrams	707
mapping table	454
Swage	
application object	113
ARM diagrams	716
mapping table	312
Swage_fitting_classification	
AIM diagrams	733
AIM EXPRESS listing entities	608
AIM EXPRESS short listing entities	510
mapping table	236, 312

## **ISO/CD 10303-227:1995(E)**

<b>Swept_area_solid</b>	
AIM diagrams .....	745
AIM EXPRESS listing entities .....	608
<b>Swept_area_solid_class_set</b>	
AIM EXPRESS listing functions .....	643
AIM EXPRESS short listing functions .....	537
<b>Swept_bend_pipe</b>	
application assertion .....	140
application object .....	114
ARM diagrams .....	714
mapping table .....	314
<b>Swept_face_solid</b>	
AIM diagrams .....	745
AIM EXPRESS listing entities .....	608
<b>Swept_surface</b>	
AIM diagrams .....	751
AIM EXPRESS listing entities .....	608
<b>System_space</b>	
AIM diagrams .....	740
AIM EXPRESS listing entities .....	608
AIM EXPRESS short listing entities .....	511
application object .....	114
ARM diagrams .....	699
mapping table .....	410, 432
<b>Tank</b>	
application object .....	114
ARM diagrams .....	715
mapping table .....	216
<b>Tee</b>	
application object .....	114
ARM diagrams .....	716
mapping table .....	316
<b>Tee_fitting_classification</b>	
AIM diagrams .....	733
AIM EXPRESS listing entities .....	608
AIM EXPRESS short listing entities .....	511
mapping table .....	316
<b>Terrain_model</b>	
application assertion .....	138
application object .....	116
ARM diagrams .....	707
mapping table .....	454
<b>Text</b>	
AIM EXPRESS listing types .....	562
<b>Thermodynamic_temperature_measure</b>	
AIM diagrams .....	734
AIM EXPRESS listing types .....	562

Thermodynamic_temperature_measure_with_unit	
AIM diagrams .....	729
AIM EXPRESS listing entities .....	608
Thermodynamic_temperature_unit	
AIM diagrams .....	730
AIM EXPRESS listing entities .....	609
Threaded	
application object .....	116
ARM diagrams .....	705
mapping table .....	203
Threaded_flange	
application object .....	116
ARM diagrams .....	716
mapping table .....	321
Time_measure	
AIM diagrams .....	734
AIM EXPRESS listing types .....	562
Time_measure_with_unit	
AIM diagrams .....	729
AIM EXPRESS listing entities .....	609
Time_unit	
AIM diagrams .....	730
AIM EXPRESS listing entities .....	609
Topological_representation_item	
AIM diagrams .....	742
AIM EXPRESS listing entities .....	609
Topology_reversed	
AIM EXPRESS listing functions .....	644
Toroidal_surface	
AIM diagrams .....	752
AIM EXPRESS listing entities .....	609
Torus	
AIM diagrams .....	743
AIM EXPRESS listing entities .....	609
application object .....	116
ARM diagrams .....	702
mapping table .....	144
Train	
application object .....	116
ARM diagrams .....	698
mapping table .....	377
Transformation	
AIM EXPRESS listing types .....	562
Transition_code	
AIM diagrams .....	749
AIM EXPRESS listing types .....	562

## **ISO/CD 10303-227:1995(E)**

<b>Trimmed_block</b>	
application object .....	116
ARM diagrams .....	702
mapping table .....	335
<b>Trimmed_cone</b>	
application object .....	117
ARM diagrams .....	702
mapping table .....	144
<b>Trimmed_curve</b>	
AIM diagrams .....	749
AIM EXPRESS listing entities .....	610
<b>Trimmed_cylinder</b>	
application object .....	117
ARM diagrams .....	702
mapping table .....	335
<b>Trimmed_pyramid</b>	
application object .....	117
ARM diagrams .....	702
mapping table .....	144
<b>Trimmed_sphere</b>	
application object .....	117
ARM diagrams .....	702
mapping table .....	144
<b>Trimmed_torus</b>	
application object .....	117
ARM diagrams .....	702
mapping table .....	145
<b>Trimming_preference</b>	
AIM diagrams .....	749
AIM EXPRESS listing types .....	563
<b>Trimming_select</b>	
AIM diagrams .....	749
AIM EXPRESS listing types .....	563
<b>Truncated_pyramid</b>	
AIM diagrams .....	743
AIM EXPRESS listing entities .....	610
AIM EXPRESS short listing entities .....	512
mapping table .....	144
<b>Tube</b>	
application object .....	117
ARM diagrams .....	702
mapping table .....	336
<b>Turbine</b>	
application object .....	117
ARM diagrams .....	715
mapping table .....	217

Uniform_curve	
AIM diagrams .....	750
AIM EXPRESS listing entities .....	610
Uniform_surface	
AIM diagrams .....	754
AIM EXPRESS listing entities .....	610
Union	
application object .....	118
ARM diagrams .....	716
mapping table .....	321
Union_fitting_classification	
AIM diagrams .....	733
AIM EXPRESS listing entities .....	610
AIM EXPRESS short listing entities .....	512
mapping table .....	321
Unit	
AIM diagrams .....	730
AIM EXPRESS listing types .....	563
application object .....	119
ARM diagrams .....	698
mapping table .....	377
Unit of functionality .....	5
UoF .....	9
Using_representations	
AIM EXPRESS listing functions .....	644
Valid_calendar_date	
AIM EXPRESS listing functions .....	645
Valid_time	
AIM EXPRESS listing functions .....	645
Valid_units	
AIM EXPRESS listing functions .....	645
Valve	
application object .....	119
ARM diagrams .....	714
mapping table .....	326
Valve_classification	
AIM diagrams .....	733
AIM EXPRESS listing entities .....	610
AIM EXPRESS short listing entities .....	512
mapping table .....	326
Vector	
AIM diagrams .....	741
AIM EXPRESS listing entities .....	610
application object .....	120
ARM diagrams .....	702
mapping table .....	455
Vector_difference	
AIM EXPRESS listing functions .....	647

## **ISO/CD 10303-227:1995(E)**

<b>Vector_or_direction</b>	
AIM EXPRESS listing types . . . . .	563
<b>Versioned_action_request</b>	
AIM diagrams . . . . .	735
AIM EXPRESS listing entities . . . . .	610
<b>Versioned_action_request_requires_change_action</b>	
AIM EXPRESS listing rules . . . . .	613
AIM EXPRESS short listing rules . . . . .	517
<b>Vertex</b>	
AIM diagrams . . . . .	742
AIM EXPRESS listing entities . . . . .	610
<b>Volume_measure</b>	
AIM diagrams . . . . .	734
AIM EXPRESS listing types . . . . .	563
<b>Volume_measure_with_unit</b>	
AIM diagrams . . . . .	729
AIM EXPRESS listing entities . . . . .	610
<b>Volume_unit</b>	
AIM diagrams . . . . .	730
AIM EXPRESS listing entities . . . . .	611
<b>Weld_neck_flange</b>	
application object . . . . .	120
ARM diagrams . . . . .	716
mapping table . . . . .	328
<b>Wire_and_surface_element</b>	
application object . . . . .	120
ARM diagrams . . . . .	702
mapping table . . . . .	455
<b>Wireframe_and_b_rep_geometry</b>	
mapping table . . . . .	455
unit of functionality . . . . .	25
<b>Wye</b>	
application object . . . . .	120
ARM diagrams . . . . .	716
mapping table . . . . .	328
<b>Wye_fitting_classification</b>	
AIM diagrams . . . . .	733
AIM EXPRESS listing entities . . . . .	611
AIM EXPRESS short listing entities . . . . .	513
mapping table . . . . .	328
<b>Year_number</b>	
AIM diagrams . . . . .	724, 732
AIM EXPRESS listing types . . . . .	563